



निर्बंधित

बिहार राज्य प्रदूषण नियंत्रण पर्षद्

परिवेश भवन, पाटलीपुत्र औद्योगिक क्षेत्र, पटना-800 010

दूरभाष नं०-0612-2261250/2262265, फ़ैक्स-0612-2261050

E-mail: bspcb@yahoo.com; वेबसाइट-<http://bspcb.bih.nic.in>

पत्रांक- 3019

पटना, दिनांक:- 09.7.2020

प्रेषक,

आलोक कुमार, भा(ब)से०

सदस्य-सचिव।

सेवा में,

क्षेत्रीय पदाधिकारी,

पटना एवं गया/मुजफ्फरपुर/वेगूसराय/पूर्णियाँ।

विषय:-रेलवे स्टेशन तथा रेलवे साईडिंग एवं शेड के 'सहमति शुल्क' तथा जल/वायु प्रदूषण नियंत्रण से संबंधित सूचना के प्रसंग में क्लेरिफिकेशन के संबंध में।

संदर्भ: रेलवे स्टेशन तथा रेलवे साईडिंग एवं शेड से प्राप्त ऑन-लाईन सहमति प्रबंधन में प्राप्त सहमति आवेदन।


उपर्युक्त विषय एवं प्रसंग के संबंध में निदेश है कि ऑन-लाईन सहमति प्रबंधन में प्राप्त स्थापनार्थ सहमति शुल्क तथा संचालनार्थ सहमति शुल्क पर्षद् के निम्न श्रेणी के अनुसार जमा करने तथा संलग्न चंक्र लिस्ट के अनुसार जल/वायु प्रदूषण नियंत्रण संबंधी सूचना उपलब्ध कराने हेतु क्लेरिफिकेशन तीन दिनों के अन्दर निश्चित रूप से एकत्र (Raise) करें।

क्र० सं०	रेलवे स्टेशन का श्रेणी	पर्षद् के अनुसार पूँजी निवेश की श्रेणी	स्थापनार्थ सहमति शुल्क (रु०)	जल सहमति शुल्क (रु०)	वायु सहमति शुल्क (रु०)
1	(i) गैर-उप शहरी समूह-I (Non-suburban group-I) श्रेणी के स्टेशन (जैसे-पटना जंक्शन) (ii) गैर-उप शहरी समूह-II (Non-suburban group-II) श्रेणी के स्टेशन (जैसे-मुजफ्फरपुर दरभंगा इत्यादि रेलवे स्टेशन) (iii) गैर-उप शहरी समूह-III (Non-suburban group-III) श्रेणी के स्टेशन (जैसे-हाजीपुर/बरोनी/मोकामा/बक्सर इत्यादि रेलवे स्टेशन)	50 करोड़ रुपये से ऊपर के पूँजी निवेश के लिए लागू	1,00,000/-	2,25,000/-	2,25,000/-
2	गैर-उप शहरी समूह-IV (Non-suburban group-IV) श्रेणी के स्टेशन (जैसे-मानसी/नवगछिया/तरंगना/फतुहा/बिहारशरीफ इत्यादि रेलवे स्टेशन)	10 करोड़ रुपये से ऊपर परन्तु 50 करोड़ रुपये के पूँजी निवेश के लिए लागू	50,000/-	90,000/-	90,000/-

3	गैर-उप शहरी समूह-V (Non-suburban group- V) श्रेणी के स्टेशन (जैसे- परमा बाजार/चदवा इत्यादि रेलवे स्टेशन)	5 करोड़ रुपये से ऊपर परन्तु 10 करोड़ रुपये के पूंजी निवेश के लिए लागू	25,000/-	60,000/-	60,000/-
4	रेलवे साईडिंग एवं शेड	10 करोड़ रुपये से ऊपर परन्तु 50 करोड़ रुपये के पूंजी निवेश के लिए लागू	50,000/-	90,000/-	90,000/-

अनु0: चेक लिस्ट संलग्न।

विश्यामजी जन



(आलोक कुमार)

सदस्य-मंचित्र

५

CHECK LIST

1	Name and address of station/siding with PIN code:	
2	Name, designation and address (with PIN code) of authorised person, who look-after/responsible for overall activities of the station.	E-mail ID: Mobile No.:-
3	Is station to provide platform for passenger or/with siding to provide facilities to load and unload goods & minerals.	
4	Station is having colony for staffs	yes <input type="checkbox"/> No <input type="checkbox"/> ; if yes provide i. number of quarter:- ii. population:- iii. Sources of water:- Ground water <input type="checkbox"/> Surface water <input type="checkbox"/> iv. Quantity of waste water/sewage generation:- v. STP:- yes <input type="checkbox"/> No <input type="checkbox"/> ; if yes Capacity:- vi. Health care facilities:- yes <input type="checkbox"/> No <input type="checkbox"/> (please tick mark)
5	a. Coaches washing facilities: b. Locomotive workshop:	yes <input type="checkbox"/> No <input type="checkbox"/> ; if yes; treatment facilities are available- yes <input type="checkbox"/> No <input type="checkbox"/> yes <input type="checkbox"/> No <input type="checkbox"/> ; if yes; treatment facilities are available- yes <input type="checkbox"/> No <input type="checkbox"/> (please tick mark)
6	Location of the station/siding:	Mauza- Khata no.- Khesra No.- Thana No.- Anchal- P.O.- Dist:- Total area:- Area of station buildings:- Area of platform surfaces:- Passenger circulation area:- Parking area :- Area of Railway colony:- Thana- PIN code-
7	a. Average number of passengers handled/day in seasonal average peak by station. b. Monthly average quantitative detail of goods/minerals unloaded/loaded with their name.	a. b.
8	Detail of sanitation facilities at Railway stations:-	i. Is bathing facility available:- yes <input type="checkbox"/> No <input type="checkbox"/> ii. No. of toilets with bathing facility:- iii. No. of toilets without bathing facility:- iv. No. of bathing facility only:-
9	Sources of water:	No. of bore wells:- Water extraction capacity (m ³ /day):

		Surface water extraction capacity(m ³ /day):
10	Water consumption detail:-	i. In sanitation facilities(m ³ /day):- ii. Water demand for restaurant, kitchen, laundry etc (m ³ /day):- iii. Water demand for cleaning/washing etc etc (m ³ /day):-
11	Quantity of waste water/sewage generated from station (m ³ /day):-	
12	Facilities of waste water/sewage treatment.	yes <input type="checkbox"/> No <input type="checkbox"/> ; if yes; capacity of treatment facilities, STP(m ³ /day):
13	Waste water/sewage discharging on surface water (river/pond)/low lying area/public drain of local authority (m ³ /day):-	
14	Detail of DG Sets:-	No. of DG Set:- Capacity of each(kVA):- All are with acoustic enclosures: yes <input type="checkbox"/> No <input type="checkbox"/> Name of fuel used:- Fuel consumption (liter/day):-
15	Detail of waste management:	a. Quantity of solid waste & plastic waste generated (ton/day): b. Collection facilities are available: yes <input type="checkbox"/> No <input type="checkbox"/> c. It is being segregated:- yes <input type="checkbox"/> No <input type="checkbox"/> d. Centralized dumping yard available:- yes <input type="checkbox"/> No <input type="checkbox"/> e. Biomedical wastes are collected as per rules:- yes <input type="checkbox"/> No <input type="checkbox"/> f. Hazardous wastes,(if any) are collected as per rules:- yes <input type="checkbox"/> No <input type="checkbox"/> g. e-wastes are collected as per rules:- yes <input type="checkbox"/> No <input type="checkbox"/>
16	Rain water harvesting facilities are available: Is solar system is available for power supply:	yes <input type="checkbox"/> No <input type="checkbox"/> yes <input type="checkbox"/> No <input type="checkbox"/>
17	Air/water pollution control facilities available for emission/discharge due to unloading/loading activities of goods at siding area; if it is with the station:-	

I hereby undertake that the above data and information given are true to be best of my knowledge and belief and I am aware that if any part of the data and information found to be false or misleading at any stage, the CTE/CTO granted will be rejected/revoked at our risk and cost.

(Signature of authorised person)