



By Registered Post
BIHAR STATE POLLUTION CONTROL BOARD
Parivesh Bhawan, Plot No. NSB-02,
Patliputra Industrial Area, Patna - 800 013
E-mail&bspcb@yahoo.com, Website&http://bspcb.bih.nic.in

Ref. No.:

Patna, dated:-

From:

Dr. Ashok Kumar Ghosh,
Chairman.

To

The Director,
M/s. Venky's (India) Limited,
Plot Nos. A-8 & A-7(P), Industrial Area,
Phase-II, Bela, Distt. - Muzaffarpur,
Pin code - 842 005

Proposed Direction for Closure under section 33A of the Water (Prevention and Control of Pollution) Act, 1974.

- 1) WHEREAS, no person, under section 24 of the Water (Prevention and Control of Pollution) Act, 1974, shall knowingly cause or permit any poisonous, noxious or polluting matter determined in accordance with such standards as may be laid down by the State Board to enter (whether directly or indirectly) into stream or well or sewer or on land.
- 2) WHEREAS, you are manufacturing poultry chicks under the name and banner of M/s. Venkey's (India) Ltd. at Plot No. A-8 and A-7(P), Industrial Area, Bela, Muzaffarpur-842005 and reportedly handling 55000 approx. poultry chicks at a given time on single location.
- 3) WHEREAS, as per direction/guideline of the CPCB, the poultry farms, which are handling less than one lakh birds at a given time on single location need not obtain Consent-to-Operate from State Pollution Control Board under the Water (Prevention and Control of Pollution) Act, 1974, but they have to comply with the waste water discharge management.
- 4) WHEREAS, you are operating your poultry chicks unit since January, 2015 without adequate waste water management including effluent treatment plant (ETP).
- 5) WHEREAS, your unit was inspected on 05.01.2018 by the Board's Officials and it was found that effluent generated during operation was being discharged without any treatment into the drain of BIADA.

- 6) WHEREAS, subsequent to the said inspection, a show-cause notice was issued to you vide letter no. 1085, dated 07.04.2018 for the non-installation of ETP and discharging waste water without any treatment.
- 7) WHEREAS, reply of show-cause notice is still awaited. Your poultry chicks unit was inspected again by Board's officials on dated 29.08.2018 and 05.02.2019 to find that ETP was still not installed till date and operation of the unit was continuing and waste water was being discharged without any treatment.
- 8) WHEREAS, from the aforesaid facts, it is clear that you are not only violating the provisions of law but also causing pollution.
- 9) WHEREAS, non conformity with the statutory norms and also non-compliance with the aforesaid provisions do not only attract penal provisions u/s 43 of the Water (Prevention and Control of Pollution) Act, 1974 as well as of the Environment (Protection) Act, 1986, but also inflict injury and cause damage to the environment.

In view of the aforesaid facts, please show-cause in writing within 15 days or explain your part in person before the Chairman of the Board on the 23.02.2019 at 03.00 p.m. as to why this proposed direction for closure of your hotel may not be confirmed against you, failing which the Board will have reason to believe that you have nothing to say in the matter, and therefore, this proposed direction shall be confirmed.

Sd/-
(Ashok Kumar Ghosh)
Chairman

Memo No.....

Dated.....


Copy forwarded to: The Executive Director, BIADA, Industrial Area, Bela, Muzaffarpur-842 005 for information and necessary action.

Sd/-
(Ashok Kumar Ghosh)
Chairman

Memo No. 206.....

Dated..... 9.2.19.....

Copy forwarded to: The Legal Cell, BSPCB, Patna/R.O., BSPCB, Muzaffarpur-842005 for information and necessary action.


09/02/19
(Ashok Kumar Ghosh)
Chairman
