

DRAFT EIA REPORT
FOR
SAND MINING PROJECT
AT
Arwal Punpun Kinjar and Mirzapur Cluster 01
Sand Ghat on Punpun River
Mauza- Kinjar & Mirzapur, Block-Karpi,
District- Arwal, Bihar

Sr.No.	Name of Ghat	Area (Ha)	Cum	TPA
1	Arwal Punpun Kinjar Cluster-01	3.48	62640	104608.8
2	Arwal Punpun Mirzapur Cluster-01	4.98	89640	149698.8
Total		8.46	152280	254307.6

CAPACITY: 152280 cum or 254307.6 TPA

APPLICANT
M/s Maa Vaishnavi Enterprises
Director. – Shashibhushan Sharma
S/o - Shri Umesh Sharma
Main Road Paliganj, Patna- 801110

PREPARED BY
ENVIRONMENT CONSULTANT

Rian Enviro Private Limited
QCI – NABET Certificate No: NABET/EIA/2124/IA 0079
Patna Office: 202 & Mangal Market, Sheikhpura, Raja Bazar, Patna,
Bihar- 800 014
Contact Nos.: 9031863631,06122295632
info@rianenviro.in

Contents

1.1	Preamble	14
1.2	General Information	14
1.3	Identification of Project and Project Proponent.....	15
1.3.1	Identification of Project	15
1.3.2	Identification of Project Proponent	15
1.4	Environmental Clearance	15
1.5	Brief Description of Nature, Size, Location of the Project	16
1.6	Scope of study.....	22
1.7	Preparation of EIA	22
1.8	Laws Applicable to this project	24
1.9	Term of Reference (TOR)	24
2	PROJECT DESCRIPTION.....	41
2.1	General.....	41
2.2	Type of The Project	41
2.3	Need for The Project	41
2.4	Description of the Project	41
2.4.1	Location Details	42
2.5	Available Reserves and Production.....	49
2.5.1	Geological Reserves	49
2.5.2	Local Geology	49
2.5.3	Targeted Production	50
2.5.4	Life of Mine	50
2.6	Mine Drainage.....	50
2.7	Method Mining	55
2.7.1	Proposed Mining Method –Semi Mechanized Mining.	55
2.7.2	Conceptual Plan of Mining.....	56
2.7.3	Machinery Requirement	57
2.8	Transportation of Minerals	57
2.9	Stacking of Mineral Rejects and Disposal of Waste.....	58

**Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun
Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar**

2.9.1	Disposal of Waste (Reject) materials Silt	58
2.10	Use of Mineral.....	58
2.11	Utilities and Proposed Site Facilities	58
2.11.1	Manpower.....	58
2.11.2	Water Requirement	59
2.11.3	Power	59
2.12	Infrastructure and Site Facilities	59
2.13	Sources of Pollution and Control Measures	59
2.14	PROJECT COST	61
3	DESCRIPTION OF ENVIRONMENT	62
3.1	General.....	62
3.2	Study area	62
3.3	Geological Profile of the Area	63
3.3.1	Topography of the Area	63
3.3.2	Geology	63
3.3.3	Ganga & Punpun Valley Plains:	65
3.3.4	Geomorphology	66
3.3.5	Soil.....	67
3.3.6	Drainage	68
3.3.7	Climate and Rainfall	70
3.4	Hydrology	71
3.5	Seismicity of the Area	74
3.6	LAND ENVIRONMENT.....	75
3.7	SOIL SAMPLING	82
3.7.1	Methodology.....	82
3.7.2	Results.....	85
3.8	WATER ENVIRONMENT.....	85
3.8.1	General.....	85
3.8.2	Methodology.....	85
3.8.3	Groundwater.....	86
3.8.4	Surface water	91

**Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun
Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar**

3.9	AIR ENVIRONMENT	96
3.9.1	General.....	96
3.9.2	Methodology.....	98
3.9.3	Results.....	102
3.10	NOISE ENVIRONMENT.....	103
3.10.1	General.....	103
3.10.2	Methodology.....	103
3.10.3	Results.....	106
3.11	BIOLOGICAL ENVIRONMENT	106
3.11.1	Introduction	106
3.11.2	Methodology.....	106
3.11.3	Results and Discussion	107
3.11.4	Floral biodiversity.....	108
3.11.5	Faunal Biodiversity.....	109
3.11.6	Aquatic life	111
3.12	Socio-Economic Environment	112
	Data Collection.....	113
3.12.1	Methodology.....	113
3.12.2	Demographic structure of the Arwal District.....	113
3.12.3	Demographic structure of the study area.....	116
3.12.4	Population in Core Zone.....	116
3.12.5	Population in Buffer Zone	116
3.12.6	Social structure	116
3.12.7	Literacy levels.....	117
3.12.8	Occupation Pattern of the study area.....	117
3.12.9	Total workers	117
3.12.10	Main workers	118
3.12.11	Marginal Workers	118
3.12.12	Other Workers	118
3.12.13	Cultivator.....	118
3.12.14	Agricultural Labourers.....	119

**Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun
Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar**

3.12.15	Household Worker	119
3.12.16	Non Workers	119
3.12.17	Rehabilitation &Resettlement (R&R) Action Plan.....	119
3.12.18	Social infrastructure nearby project site.....	120
3.12.19	Impact Assessment & Conclusion	120
3.13	Traffic Analysis	122
4	ANTICIPATED IMPACTS AND THEIR MITIGATION MEASURES	126
4.1	General.....	126
4.2	LAND ENVIRONMENT.....	127
4.3	WATER ENVIRONMENT.....	128
4.4	AIR ENVIRONMENT	128
4.4.1	Air Modeling.....	129
4.4.2	Air Quality Model	129
4.4.3	Emission Calculation	130
4.4.4	Quantitative estimation of impacts on air environment	131
4.4.5	Meteorological Data	131
4.4.6	Stability Classification	131
4.4.7	Dispersion Parameters.....	132
4.4.8	Mixing Height	132
4.4.9	Monthly Wind Speed and Wind Direction	133
4.4.10	Model Results.....	135
4.4.11	Mitigation measures	136
4.5	NOISE ENVIRONMENT.....	136
4.6	BIOLOGICAL ENVIRONMENT.....	138
4.7	Socio-Economic Environment	140
4.7.1	Management Plan for Socio-Economic Environment	140
4.8	Soil Environment.....	140
4.9	Solid Waste Management.....	140
4.10	Traffic Analysis	140
5	ANALYSIS OF ALTERNATIVES (TECHNOLOGY AND SITE).....	141
5.1	Introduction	141

**Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun
Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar**

5.2	Alternative for Mine Lease.....	141
5.3	Alternative for Technology and other Parameters	141
5.4	Summary	142
6	ENVIRONMENTAL MONITORING PROGRAM	143
6.1	Introduction	143
6.2	Environmental Management Cell	143
6.2.1	Responsibilities for Environmental Management Cell (EMC)	144
6.3	Environmental Monitoring and Reporting Procedure	145
6.4	Monitoring Schedule.....	145
6.4.1	Locations of Monitoring Stations.....	146
6.5	Reporting Schedule during Operation of Mine.....	146
6.6	Budget Allocation for Monitoring	147
6.7	Summary	147
7	ADDITIONAL STUDIES.....	148
7.1	General.....	148
7.2	Items Identified by Proponent	148
7.3	Items Identified by Regulatory Authority	148
7.4	Items Identified by the Public and Other Stakeholders.....	148
7.5	Risk Analysis and Disaster Management Plan.....	148
7.5.1	Risks due to Inundation	149
7.5.2	Risks Due to Failure of Pit Slope.....	149
7.5.3	Risks due to Failure of Waste Dumps	149
7.5.4	Risks of Accidents due to Trucks and Dumpers	149
7.6	Disasters and Its Management	150
7.6.1	Identification of Hazards.....	150
7.6.2	Sand Loading	151
7.6.3	Heavy Machinery	151
7.6.4	Inundation / Flooding.....	151
7.6.5	Safety Features Required in Tippers/Trucks	152
7.6.6	Mitigation of Hazards.....	152
7.7	Replenishment of Sand Deposits	153

**Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun
Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar**

7.8	Social Impact Assessment, Rehabilitation & Resettlement (R&R) Action Plan	153
7.8.1	Impact on Demographic Composition	153
7.8.2	Employment Opportunities	154
7.8.3	Increased Supply of Sand in the Market	154
7.8.4	Impact on Agriculture	154
7.8.5	Impact on Road Development	154
7.8.6	Income to Government.....	154
7.8.7	Impact on Law and Order	154
7.8.8	Impact on Health.....	155
7.9	Summary	155
8	PROJECT BENEFITS	156
8.1	GENERAL	156
8.2	PHYSICAL BENEFITS.....	156
8.3	SOCIAL BENEFITS.....	156
8.4	Corporate Environmental Responsibilities	157
8.5	ECOLOGICAL BENEFITS.....	157
8.6	CONCLUSION.....	157
9	ENVIRONMENTAL COST BENEFIT ANALYSIS	159
9.1	ENVIRONMENTAL COST BENEFIT ANALYSIS	159
10	ENVIRONMENT MANAGEMENT PLAN	160
10.1	GENERAL	160
10.2	LAND USE PATTERN	162
10.3	AIR ENVIRONMENT MANAGEMENT	162
10.3.1	Control of Gaseous Pollution	162
10.3.2	Control of Dust Pollution	163
10.4	NOISE AND VIBRATION ENVIRONMENT	164
10.4.1	Noise Abatement and Control	164
10.5	Surface and Ground Water Management	164
10.5.1	Waste Water Management	165
10.5.2	Water Conservation	165
10.6	SOLID WASTE MANAGEMENT.....	165

**Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun
Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar**

10.7	GREEN BELT DEVELOPMENT	165
10.7.1	Plantation Program	165
10.8	SOCIO-ECONOMIC ENVIRONMENT.....	167
10.8.1	Management Plan for Socio-Economic Environment	167
10.9	OCCUPATIONAL HEALTH AND SAFETY	167
10.10	COST OF EMP MEASURES	168
10.11	SUMMARY	169
11	SUMMARY & CONCLUSION.....	170
11.1	Introduction	170
11.2	PROJECT DESCRIPTION.....	174
11.3	DESCRIPTION OF ENVIRONMENT	175
11.3.1	ANTICIPATED IMPACTS AND MITIGATION MEASURES	176
11.3.2	Impact on Land Use Pattern.....	176
11.3.3	Impact on Air Quality	177
11.3.4	Impact of Noise Levels	177
11.3.5	Impact on Water Quality.....	177
11.3.6	Impact on Soil Quality	177
11.3.7	Flora & Fauna	177
11.3.8	Socio-Economic Profile	178
11.4	ANALYSIS OF ALTERNATIVES (TECHNOLOGY AND SITE)	178
11.5	ENVIRONMENTAL MONITORING PROGRAM	178
11.6	ADDITIONAL STUDIES.....	179
11.7	PROJECT BENEFITS	179
11.8	ENVIRONMENT MANAGEMENT PLAN	180
11.8.1	Air Quality Management.....	180
11.8.2	Management for Noise Pollution.....	180
11.8.3	Water Management.....	181
11.8.4	Soil Management	181
11.8.5	Green Belt Development	181
11.9	CONCLUSION.....	181
12	DISCLOSURE OF CONSULTANTS ENGAGED.....	182

12.1	Brief profile of REPL is as given below	182
12.2	Personnel involved in the preparation of Draft EIA/EMP report are stated below	182

List of Figures

Figure 2-1	Environmental Clearance Process	16
Figure 2-2:	Toposheet map of Kinjar.....	21
Figure 2-3	Toposheet map of Mirzapur	22
Figure 2-1:	500 m Buffer Google Map	45
Figure 2-2	500 m Buffer Google Map	46
Figure 2-3:	Location Map of the Project Site	47
Figure 2-4:	Pillar co-ordinate map of Kinjar	48
Figure 2-5	Pillar co-ordinate map of the Mirzapur	49
Figure 2-6:	Surface Plan of Kinjar	51
Figure 2-7:	Surface Plan of Mirzapur	52
Figure 2-8:	Geological cum Section Plan of Kinjar.....	53
Figure 2-9:	Geological cum Section Plan of Mirzapur	54
Figure 2-10	Conceptual Longitudinal Section of River Channel	57
Figure 3-1:	Geological Map of Arwal District	65
Figure 3-2:	River Basins of Bihar	66
Figure 3-3	Geomorphological Map of Arwal District	67
Figure 3-4	Soil Map of Arwal District.....	68
Figure 3-5	Drainage map of district area	69
Figure 3-6	Drainage map of Study area	70
Figure 3-7	Hydrogeology map of Arwal district	71
Figure 3-8	Pre- monsoon depth to water level map of Arwal district	73
Figure 3-9	Post- monsoon depth to water level map of Arwal district, Bihar.	74

Figure 3-10: Earthquake Hazard Map of Bihar	75
Figure 3-11 Flow Chart: Methodology	77
Figure 3-12:Shows the False color Composite Map of the study area	78
Figure 3-13: Land use landcover classification	80
Figure 3-14 Pie-chart of Land use landcover area	81
Figure 3-15 Map showing Soil Quality Monitoring Locations	83
Figure 3-16: Map showing Ground Water Monitoring Locations.....	87
Figure 3-17: Map showing Surface Water Monitoring Locations.....	93
Figure 3-18: Wind Rose Pattern	97
Figure 3-19: Map showing Ambient Air Quality Monitoring Locations	100
Figure 3-20: Map showing Noise Quality Monitoring Locations	105
Figure 3-21: Wildlife Protected area of Bihar	107
Figure 3-22: Map Showing Evacuation Route of Kinjar	123
Figure 3-23: Map Showing Evacuation Route of Mirzapur	124
Figure 4-1 Windrose Data of the Site	134
Figure 4-2 Predicted GLC concentration of PM10.....	135
Figure 6-1 Hierarchy of Environment System for Dealing Environmental Issues	144
Figure 10-1 Flow Chart of EMP	161
 Figure 2-1 Environmental Clearance Process.....	 16
Figure 2-2: Toposheet map of Kinjar.....	21
Figure 2-3 Toposheet map of Mirzapur	22
Figure 2-1: 500 m Buffer Google Map	45
Figure 2-2 500 m Buffer Google Map	46
Figure 2-3: Location Map of the Project Site	47

Figure 2-4: Pillar co-ordinate map of Kinjar	48
Figure 2-5 Pillar co-ordinate map of the Mirzapur	49
Figure 2-6:Surface Plan of Kinjar	51
Figure 2-7: Surface Plan of Mirzapur	52
Figure 2-8: Geological cum Section Plan of Kinjar.....	53
Figure 2-9: Geological cum Section Plan of Mirzapur	54
Figure 2-10 Conceptual Longitudinal Section of River Channel	57
Figure 3-1: Geological Map of Arwal District	65
Figure 3-2: River Basins of Bihar	66
Figure 3-3 Geomorphological Map of Arwal District	67
Figure 3-4 Soil Map of Arwal District.....	68
Figure 3-5 Drainage map of district area	69
Figure 3-6 Drainage map of Study area.....	70
Figure 3-7 Hydrogeology map of Arwal district	71
Figure 3-8 Pre- monsoon depth to water level map of Arwal district	73
Figure 3-9 Post- monsoon depth to water level map of Arwal district, Bihar.	74
Figure 3-10: Earthquake Hazard Map of Bihar	75
Figure 3-11 Flow Chart: Methodology	77
Figure 3-12:Shows the False color Composite Map of the study area	78
Figure 3-13: Land use landcover classification	80
Figure 3-14 Pie-chart of Land use landcover area	81
Figure 3-15 Map showing Soil Quality Monitoring Locations	83
Figure 3-16: Map showing Ground Water Monitoring Locations.....	87
Figure 3-17: Map showing Surface Water Monitoring Locations.....	93
Figure 3-18: Wind Rose Pattern	97

Figure 3-19: Map showing Ambient Air Quality Monitoring Locations	100
Figure 3-20: Map showing Noise Quality Monitoring Locations	105
Figure 3-21: Wildlife Protected area of Bihar	107
Figure 3-22: Map Showing Evacuation Route of Kinjar	123
Figure 3-23: Map Showing Evacuation Route of Mirzapur	124
Figure 4-1 Windrose Data of the Site	134
Figure 4-2 Predicted GLC concentration of PM10	135
Figure 6-1 Hierarchy of Environment System for Dealing Environmental Issues	144
Figure 10-1 Flow Chart of EMP	161

List of Table

Table No-1- 1 Brief Description of Nature, Size, Location of the Project	16
Table No-1- 2 Point Wise Compliance for ToR	25
Table 2-1: Location Details	41
Table 2-2: Location of the Project	42
Table 2-3: Geological and Movable Reserve Estimation	50
Table 2-4: List of Machinery	57
Table 2-5: Manpower Details	58
Table 2-6: Water Requirement.....	59
Table 2-7: Details of greenbelt development.....	60
Table 2-8: Breakup of Proposed Project Cost.....	61
Table 3-1: Geological Unit of Arwal (including Jehanabad & Gaya) District	63
Table 3-2: Land use classification	81
Table 3-3: Soil Quality monitoring locations	82
Table 3-4: Soil Quality Parameters.....	84

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

Table 3-5: Ground water monitoring locations.....	86
Table 3-6: Ground water quality results	87
Table 3-7: Water Quality Criteria as per Central Pollution Control Board	91
Table 3-8: Surface water monitoring locations.....	92
Table 3-9: Surface Water Results	93
Table 3-10: Site-specific meteorological data	96
Table 3-11: Ambient Air monitoring locations	98
Table 3-12: Ambient Air Quality Monitoring Results.....	101
Table 3-13: Noise Quality Monitoring Stations.....	103
Table 3-14: Noise Level Status.....	104
Table 3-15: Flora in buffer Zone of Study Area	108
Table 3-17: Fish species of Punpun River	111
Table 3-18: List of Villages in Study Area.....	114
Table 3-19: Breakup of the Population	116
Table 3-20: Distribution of Population by Social structure in Study Area.....	117
Table 3-21: Distribution of Literates in Study Area	117
Table 3-22: Distribution of Workers in Study Area	119
Table 3-23: Demographic particulars of the study area.....	121
Table 3-24: Traffic Analysis.....	124
Table 3-25: Current Traffic Analysis.....	125
Table 3-26: Capacity as per IRC: 64-1990	125
Table 4-1 Slades Stability Classification based Wind direction fluctuation.....	131
Table 4-2 Brigg`s Dispersion Parameters σ_y (m) and σ_z (m) (100m<x<10000m)	132
Table 4-3 Weather Monitoring Data of the Site	133
Table 4-4 Damage risk criteria for hearing loss OSHA regulations	136

Table 4-5 List of Trees proposed for Greenbelt (Evergreen, quick growing)	139
Table 5-1 Alternative for Technology and other Parameters.....	141
Table 6-1 Monitoring Schedule	145
Table 6-2 Locations of Monitoring Stations	146
Table 6-3 Budget for monitoring	146
Table 10-1 List of Species for Greenbelt Development	166
Table 10-2 Budget for occupational health.....	168
Table 10-3 Budget for EMP (Lakhs)	168
Table 11-1: Details of the Project	170
Table 11-2 Baseline Environmental Status.....	175

List of Annexure

Annexure	Title
Annexure -I	Letter of Intent (LOI)
Annexure -II	Mine Plan Approval Letter
Annexure -III	Terms of Reference (ToR)
Annexure -IV	Satellite Imaginary Last 3 Years
Annexure -V	2.5 Km Utility Map
Annexure -VI	English Executive Summary
Annexure -VII	Hindi Executive Summary

1 INTRODUCTION

1.1 Preamble

The term Environment Impact Assessment (EIA) refers to the anticipation of various impacts a project will have on the environment and the local community. It is a decision-making tool, which guides decision makers in taking appropriate decisions prior to sanctioning clearance. Environmental Impact Assessment (EIA) is a tool used to identify the environmental, social and economic impacts of a project prior to decision-making. It aims to predict environmental impacts at an early stage in project planning and design, find ways and means to reduce adverse impacts, shape projects to suit the local environment and present the predictions and options to decision-makers. By using EIA both environmental and economic benefits can be achieved, such as reduced cost and time of project implementation and design, avoided treatment/clean-up costs and impacts of laws and regulations.

1.2 General Information

The proposed sand mining project at Arwal Punpun Kinjar and Mirzapur Cluster 01, Area: 8.46 Hectares, Mauza- Kinjar and Mirzapur, Block- Karpi District-Arwal (Bihar). The District Mining Office, Arwal, through vide letter no-213/ Khanan, dated 28-02-2023 has granted the LOI in favor of Maa Vaishnavi Enterprises Director. – Shashibhushan Sharma S/o- Shri Umesh Sharma Main Road Paliganj, Patna- 801110 for the period of 5 years from the date of execution. A copy of LOI is attached as **Annexure-I**.

Mine plan and Progressive Mine Closure Plan: Mining Plan and Progressive Mine Closure Plan of the proposed mine lease area is prepared by United Exploration India Pvt. Ltd having QCI NABET accreditation No. NABET/APA-MPPA/IA/006, with validity up to 11th March, 2024.

The mining plan for the Arwal Punpun Kinjar & Mirzapur Cluster 01 Sand Ghat on Punpun River has been approved from the Department of Mines & Geology, Govt. of Bihar through vide letter No. 1874/M. Patna dated 06/04/2023 Copy of approval Letter of Mining Plan and Progressive Mine Closure Plan has attached as **Annexure II**.

Environment Consultant: The lessee has hired an Environment Consultant Rian Enviro Private Limited, H/O- 202 & 402, Mangal Market, Sheikhupura, Raja Bazar, Patna, Pincode: 800014 for

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

preparation of Environment Impact Assessment Report for obtaining Environment Clearance from SEIAA, Bihar.

ToR Letter: It is in this context, hard copy of Form-I and Pre-Feasibility Report has been submitted to SEIAA/SEAC, Bihar on 14.04.2023 requesting for issue of “Terms of Reference” (ToR). The ToR Letter has been issued on date 25.04.2023 by SEIAA, (File no-SIA/1(a)/2365/2023.

Baseline Data Collection: The baseline data was collected in summer season from 1st of March 2023 to 31st of May 2023.

1.3 Identification of Project and Project Proponent

1.3.1 Identification of Project

Mining of Minor mineral (Sand) from the River Punpun by Maa Vaishnavi Enterprises, Director. – Shashibhushan Sharma having an area of 8.46 ha or 20.90 Acre with production capacity of 152280 Cum/ Year or 254307.6 TPA. The mine is situated in the Mauza- Kinjar & Mirzapur, Block–Karpi, District- Arwal (Bihar). The mine lease area falls in the survey of India Toposheet No.- G45M11, G45M12, G45M15, G45M16

1.3.2 Identification of Project Proponent

The applicant details are given below: -

Sl No.	Name of the Mine lease area	Applicant
1	Arwal Punpun Kinjar & Mirzapur Cluster 01 on River Punpun Area 8.46 hectares	Maa Vaishnavi Enterprises Director. – Shashibhushan Sharma S/o- Shri Umesh Sharma Main Road Paliganj, Patna- 801110

1.4 Environmental Clearance

The Proposed Sand Mining Project at Mauza- Kinjar ,Khata No.- 156, Khesra No- 1670, 109, Mauza- Mirzapur,Khata No- 29, Khasra No.- 317,363,361,365 Block- Karpi, District – Arwal of **Arwal Punpun Kinjar & Mirzapur Cluster 01** on River Punpun Area 8.46 hectares, falls in Category “B1”, 1(a), due to Mining lease area is more than 5.0 Ha as per honorable NGT order and as per OM dated 12.12.2018. Project will be assessed by SEIAA, Bihar. Lessee will have to

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

take Environmental Clearance from SEIAA, Bihar as per EIA notification September, 2006 amended in December 2009 and April 2011 and amendment thereof to start the mining operation.




Figure 2-1 Environmental Clearance Process

1.5 Brief Description of Nature, Size, Location of the Project

Table No-1- 1 Brief Description of Nature, Size, Location of the Project

S. No.	Particulars	Details
--------	-------------	---------

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

1.	Nature and Size of the Project	Mining of Sand Minor Minerals with Production Capacity of 152280 CUM/ Year or 254307.6Tonnes / Year (M.L. Area- 8.46 ha).																																																																																										
2.	Location																																																																																											
	Plot/Survey/Khasra No.	River Name	Mauza	Khata no	Khasra no	Name of the Ghat	Area (Ha.)																																																																																					
		Punpun	Kinjar	156	1670,109	Arwal Punpun Kinjar & Mirzapur Cluster 01	8.46																																																																																					
			Mirzapur	29	317,363, 361, 365																																																																																							
	Village/ Mauza	Mauza- Kinjar & Mirzapur																																																																																										
	Block	Block- Karpi																																																																																										
	District	Arwal																																																																																										
	State	Bihar																																																																																										
Geographical Coordinates	Latitude and Longitude of	Arwal Punpun Kinjar & Mirzapur Cluster 01:-																																																																																										
		<table><tr><th colspan="3">Coordinates of the Lease Boundary Kinjar</th></tr><tr><th>Sl no.</th><th>Latitudes</th><th>Longitudes</th></tr><tr><td>1</td><td>25.210021</td><td>84.830596</td></tr><tr><td>2</td><td>25.210119</td><td>84.830801</td></tr><tr><td>3</td><td>25.209735</td><td>84.831235</td></tr><tr><td>4</td><td>25.209324</td><td>84.831417</td></tr><tr><td>5</td><td>25.208372</td><td>84.831324</td></tr><tr><td>6</td><td>25.207727</td><td>84.831271</td></tr><tr><td>7</td><td>25.207248</td><td>84.831059</td></tr><tr><td>8</td><td>25.206754</td><td>84.830827</td></tr><tr><td>9</td><td>25.20632</td><td>84.830567</td></tr><tr><td>10</td><td>25.206207</td><td>84.830479</td></tr><tr><td>11</td><td>25.205717</td><td>84.830005</td></tr><tr><td>12</td><td>25.2054</td><td>84.829704</td></tr><tr><td>13</td><td>25.205367</td><td>84.829679</td></tr><tr><td>14</td><td>25.205341</td><td>84.829843</td></tr><tr><td>15</td><td>25.205334</td><td>84.829902</td></tr><tr><td>16</td><td>25.205372</td><td>84.830175</td></tr><tr><td>17</td><td>25.205393</td><td>84.830334</td></tr><tr><td>18</td><td>25.205729</td><td>84.830703</td></tr><tr><td>19</td><td>25.206069</td><td>84.831177</td></tr><tr><td>20</td><td>25.206394</td><td>84.831542</td></tr><tr><td>21</td><td>25.206394</td><td>84.831682</td></tr><tr><td>22</td><td>25.205954</td><td>84.83169</td></tr><tr><td>23</td><td>25.205593</td><td>84.831448</td></tr><tr><td>24</td><td>25.205503</td><td>84.831268</td></tr><tr><td>25</td><td>25.205312</td><td>84.830885</td></tr><tr><td>26</td><td>25.205178</td><td>84.830584</td></tr></table>							Coordinates of the Lease Boundary Kinjar			Sl no.	Latitudes	Longitudes	1	25.210021	84.830596	2	25.210119	84.830801	3	25.209735	84.831235	4	25.209324	84.831417	5	25.208372	84.831324	6	25.207727	84.831271	7	25.207248	84.831059	8	25.206754	84.830827	9	25.20632	84.830567	10	25.206207	84.830479	11	25.205717	84.830005	12	25.2054	84.829704	13	25.205367	84.829679	14	25.205341	84.829843	15	25.205334	84.829902	16	25.205372	84.830175	17	25.205393	84.830334	18	25.205729	84.830703	19	25.206069	84.831177	20	25.206394	84.831542	21	25.206394	84.831682	22	25.205954	84.83169	23	25.205593	84.831448	24	25.205503	84.831268	25	25.205312	84.830885	26	25.205178	84.830584
		Coordinates of the Lease Boundary Kinjar																																																																																										
		Sl no.	Latitudes	Longitudes																																																																																								
		1	25.210021	84.830596																																																																																								
		2	25.210119	84.830801																																																																																								
		3	25.209735	84.831235																																																																																								
		4	25.209324	84.831417																																																																																								
		5	25.208372	84.831324																																																																																								
		6	25.207727	84.831271																																																																																								
		7	25.207248	84.831059																																																																																								
		8	25.206754	84.830827																																																																																								
		9	25.20632	84.830567																																																																																								
		10	25.206207	84.830479																																																																																								
		11	25.205717	84.830005																																																																																								
		12	25.2054	84.829704																																																																																								
		13	25.205367	84.829679																																																																																								
		14	25.205341	84.829843																																																																																								
		15	25.205334	84.829902																																																																																								
		16	25.205372	84.830175																																																																																								
		17	25.205393	84.830334																																																																																								
		18	25.205729	84.830703																																																																																								
		19	25.206069	84.831177																																																																																								
		20	25.206394	84.831542																																																																																								
		21	25.206394	84.831682																																																																																								
		22	25.205954	84.83169																																																																																								
		23	25.205593	84.831448																																																																																								
		24	25.205503	84.831268																																																																																								
25	25.205312	84.830885																																																																																										
26	25.205178	84.830584																																																																																										

**Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun
Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar**

			27	25.205009	84.830214
			28	25.204836	84.829593
			29	25.204839	84.829087
			30	20.205217	84.82827
			31	25.205414	84.828187
			32	25.205402	84.828358
			33	25.205414	84.828602
			34	25.205436	84.82879
			35	25.205475	84.828964
			36	25.205553	84.82924
			37	25.205655	84.829477
			38	25.205755	84.829673
			39	25.205897	84.829902
			40	25.206027	84.830056
			41	25.206115	84.830158
			42	25.206227	84.830273
			43	25.20676	84.830683
			44	25.207003	84.830821
			45	25.207135	84.830884
			46	25.207429	84.830987
			47	25.207491	84.831004
			48	25.207773	84.831064
			49	25.208029	84.831091
			50	25.20839	84.831075
			51	25.208982	84.830964
			52	25.2095	84.830814
			53	25.210021	84.830596
			Mirzapur		
			Sl. no.	Latitudes	Longitudes
			1	25.209665	84.821963
			2	25.210105	84.821567
			3	25.210198	84.821452
			4	25.210339	84.821289
			5	25.210515	84.821075
			6	25.210658	84.820745
			7	25.210757	84.820501
			8	25.210824	84.820244
			9	25.210835	84.820186
			10	25.210849	84.820105
			11	25.210856	84.820041
			12	25.21086	84.819957
			13	25.210858	84.819867
			14	25.21084	84.81976
			15	25.210794	84.819616
			16	25.210749	84.819527
			17	25.210698	84.819445

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

			18	25.210622	84.81935			
			19	25.210528	84.81927			
			20	25.210355	84.819155			
			21	25.210158	84.819105			
			22	25.209925	84.819082			
			23	25.209657	84.819104			
			24	25.20919	84.819204			
			25	25.208769	84.819362			
			26	25.208187	84.819653			
			27	25.207691	84.819797			
			28	25.207414	84.819896			
			29	25.207131	84.820017			
			30	25.20673	84.820222			
			31	25.206475	84.820369			
			32	25.206301	84.820478			
			33	25.206298	84.820297			
			34	25.206417	84.820208			
			35	25.206776	84.81994			
			36	25.207167	84.81951			
			37	25.207383	84.819326			
			38	25.207745	84.819003			
			39	25.208152	84.818682			
			40	25.20845	84.8186			
			41	25.20875	84.818516			
			42	25.209022	84.818439			
			43	25.209134	84.818441			
			44	25.209445	84.818441			
			45	25.209771	84.818456			
			46	25.210267	84.818492			
			47	25.210783	84.818677			
			48	25.211056	84.819077			
			49	25.211286	84.81948			
			50	25.211371	84.819977			
			51	25.211037	84.821037			
			52	25.210721	84.821517			
			53	25.210386	84.821805			
			54	25.210039	84.821984			
			55	25.209687	84.822134			
				Toposheet (OSM) No.	G45M11, G45M12, G45M15, G45M16			
			3.	Lease Area Details				
				Lease Area	8.46 Ha.			
				Type of Land	River bed of Punpun			
				Topography	Undulated (Riverbed)			

**Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun
Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar**

	Site Elevation Range	88.25 m to 88.15 m at Kinjar, 87.3m to 87.1 m at Mirzapur
4.	Cost Details	
	Cost of the project	Rs. 134.631Lakhs (Including Auction Cost)
	Cost for EMP	2.95 Lakh (Capital Cost) & 10.44 Lakhs (Recurring Cost)
5.	Environmental Settings of the area	
	Ecological Sensitive Areas (National Park, Wild Life Sanctuary, Biosphere Reserve, Reserve/ Protected Forest etc.) within 10 Km radius	There is no any Ecological Sensitive Areas (National Park, Wild Life Sanctuary, Biosphere Reserve, Reserve/ Protected Forest etc.) within 10 Km radius.
	Nearest Town/ Major City with population	Nearest Town & District Headquarter: Arwal, Approx. 16.16 km towards WNW
	Nearest Railway Station	Jehanabad Railway Station, approx. 16.14 Km towards ENE Jay Prakash International Airport, Patna approx. 50.02 Km towards NE.
	Nearest National/State Highway	SH-69, - Approx. 1.34 Km towards ESE
	Nearest Airport	Jay Prakash International Airport, Patna approx. 50.02 Km towards NE.
	Nearest Post Office	Post office, Village -Abgila, Approx. 3.21 Km towards ESE direction.
	Medical Facilities	Kinjar Hospital, Approx. 0.98 Km towards NNE
	Education Facilities	Primary School, Mahariya Approx. 0.74 Km towards WNW
	Seismic Zone	Zone III (IS 1893: 2002)
	Water Body	Punpun River (Riverbed)

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar




Figure 2-2: Toposheet map of Kinjar

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar




Figure 2-3 Toposheet map of Mirzapur

1.6 Scope of study

The scope of the study includes a detailed characterization of the environment in an area of 10 Km radius of the Mine Lease Area for various environmental parameters like Ambient Air, Water, Noise, and Land, Biological and Socio-economic aspects.

1.7 Preparation of EIA

The EIA includes the following details:

- 1) Study of the reports like Geological report, Pre-Feasibility Report (PFR) or mining plan made available by the client.
- 2) Present Environmental Setting
- 3) Identification, prediction and evaluation of Anticipated Environmental Impact due to the proposed mine and related facilities.

The environmental impacts would be anticipated in core and buffer zone on:

- Topography and drainage,
- Climate,
- Water quality (Surface/Ground),
- Hydro-geological Regime,
- Air quality,
- Noise Levels,
- Soil Quality,
- Flora and Fauna,
- Traffic density survey,
- Land-Use,
- Socio-Economic Conditions,
- Habitat,
- Health, culture, human environment including public health, occupational health and safety
- Sensitive Places/Historical Monuments.

This EIA Report is prepared in accordance with has been divided into twelve chapters (in addition to Executive Summary) as briefed hereunder:

Chapter 1 – Introduction

The chapter provides description of project background, site and surroundings, objectives, scope and organization of the study and format of this report as well as Point wise Term of Reference reply (TOR) Replies.

Chapter 2 – Project Description

This chapter provides information on project and capacity; need for the project; location; size or magnitude of operation; technology and process description; maps showing project layout, component of projects etc.

Chapter 3– Description of the Environment

This chapter deals with the methodology and findings of field studies undertaken with respect to ambient air, meteorology, water, soils, noise levels, ecology to define the various existing environmental status in the area of the project. This also deals with the infrastructural development as a part of project and sources of pollution from the proposed mining project.

Chapter 4 – Anticipated Environmental Impacts and Mitigation Measures

In this chapter, the potential impacts of the proposed mining and allied activities, which could cause significant environmental concerns, are identified and discussed. This discussion will form the basis for environmental management activities.

Chapter 5 – Analysis of Alternatives (Technology and Site)

This chapter will include alternatives to determine the best method of achieving the project objectives with minimum environmental impacts or indicates the most environmentally friendly and cost effective options, if any.

Chapter 6 – Environmental Monitoring Program

This chapter will include ascertaining the environmental impacts; state of pollution within the mine lease and in its vicinity; planning for predictive or corrective actions in respect of pollution to keep it within permissible limits.

Chapter 7 – Additional Studies

This chapter will include outcomes of public consultation, risk assessment, social impact assessment, R&R action plan, biodiversity conservation plan, watershed management etc which will be studied in surrounding of the project area.

Chapter 8 – Project Benefits

This chapter deals with improvements in the physical infrastructure, social infrastructure, employment potential and other tangible benefits due to proposed project activity.

Chapter 9: Environmental Cost Benefit Analysis - This chapter includes Project Cost, cost of pollution control facilities and project implementation schedule.

Chapter 10 – Environmental Management Plan

This chapter will include the description of administrative aspects of ensuring that the mitigation measures suggested are implemented and their effectiveness is monitored, after approval of the EIA.

Chapter 11 – Summary

This will constitute the summary of EIA Report.

Chapter 12 – Disclosure of Consultant

This will include the names of the consultants engaged in preparation of EIA and nature of consultancy rendered.

1.8 Laws Applicable to this project

The Acts, Notifications, Rules and Amendments applicable for setting up a new mining industry or its expansion of an existing mine and for operation of a mine include the following:

- EIA Notification, 2006 under EPA Act, 1986.
- Bihar Sand Mining Policy-2019 as amended and Bihar Minerals (Concession, Prevention of Illegal Mining, Transportation & Storage) Rules, 2019 (as amended in 2021)
- The Mines and Mineral (Development and Regulation) Act, 1957.
- The Mines Act, 1952.
- Mines Rules, 1955.
- Mineral Concession Rules, 1960.
- Mineral Conservation and Development Rules, 1968
- The Water (Prevention & Control of Pollution) Acts 1974/ Rules 1975
- The Air (Prevention & Control of Pollution) Acts 1981/ Rules 1982
- The Environment (Protection) Acts 1986/ Rules 1986
- The Factory Act 1948 (as amended till 1987) & Bihar Factory Rules, 1950
- Contract Labor (Regulation & Abolition) Act 1970 & Its Central Rule 1971
- The Central Motor Vehicle Rules 1989 (Under Motor Vehicle Act 1988)
- The Workmen's Compensation Act 1923 as amended up to 2000/ Rule 1924, 1935, 1991 & 1996.
- Enforcement & Monitoring Guidelines for Sand Mining, 2020
- Sustainable Sand Mining Management Guideline, 2016

1.9 Term of Reference (TOR)

The project proposal was submitted to State Level Environment Impact Assessment Authority-Bihar for its appraisal. Based on which, presentation was held on 26.12.2022 for Terms of Reference (TOR). Based on the data provided and presentation made, ToR of proposed Sand mining project has been issued by SEIAA, Bihar vide File no-SIA/1(a)/2088/2022 dated 11-01-2023. The compliance of ToR is described below.

Table No-1- 2 Point Wise Compliance for ToR

Sr. No.	TOR	Compliance
1	Year-wise production details since 1994 should be given, clearly stating the highest production achieved in any one year prior to 1994. It may also be categorically informed whether there had been any increase in production after the EIA Notification 1994 came into force, w.r.t. the highest production achieved prior to 1994.	This is the new auctioned sand mining ghat project. LoI is attached as annexure I . The operation will be started after obtaining environmental clearance.
2	A copy of the document in support of the fact that the Proponent is the rightful lessee of the mine should be given"	State Govt. has given its consent to grant mining lease to the proponents. Copy of LOI is enclosed as Annexure No. I
3	All documents including approved mine plan, EIA and public hearing should be compatible with one another in terms of the mine lease area, production levels, waste generation and its management, mining technology etc. and should be in the name of the lessee.	<p>The documents including mine plan and Draft EIA being submitted are compatible with one another.</p> <p>No mines waste will be generated as whole mined material is saleable. Small amount of domestic waste such as Gutkha pouch, some eatable items will be generated, will be managed by laborers itself as per existing laws. Separate bins will be provided near mine site.</p> <p>Mining Method-Opencast semi-mechanized.</p> <p>Refer Chapter-2 for all above information's.</p>
4	All corner coordinates of the mine lease area, superimposed on a High-Resolution Imagery toposheet, topographic sheet, geomorphology	<p>All Corner Coordinates of mining lease area superimposed on Map has been incorporated in EIA/EMP Report</p> <p>Refer Chapter-1, Figure no-2-3</p>

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

	and geology of the area should be provided. Such an Imagery of the proposed area should clearly show the land use and other ecological features of the study area (core and buffer zone).	The land-use of the study area with proper demarcated features is enclosed with the report, Refer Chapter-3, section-3.2
5	Information should be provided in Survey of India Toposheet in 1:50,000 scale indicating geological map of the area, geomorphology of land forms of the area, existing minerals and mining history of the area, important water bodies, streams and rivers and soil characteristics.	Land Use pattern & land use map is given in chapter 3, Refer Chapter-3, section-3.2
6	Details about the land proposed for mining activities should be given with information as to whether mining conforms to the land use policy of the State; land diversion for mining should have approval from State land use board or the concerned authority.	The proposed land is a dry bed of river. The mining process will be done land use policy of the State & there is no land diversion has been proposed.
7	It should be clearly stated whether the proponent Company has a well laid down Environment Policy approved by its Board of Directors? If so, it may be spelt out in the EIA Report with description of the prescribed operating processes / procedures to bring into focus any infringement / deviation / violation of the environmental or forest norms / conditions? The hierarchical system or administrative order of the	Yes, the proponent Company has a well laid down Environment Policy. The hierarchical system or administrative order of the company has been given in the EIA report., Refer, Chapter-10, Fig: - 10.2

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

	company to deal with the environmental issues and for insuring compliances with the EC conditions may also be given. The system of reporting of non-compliances / violations of environmental norms to the Board of Directors of the Company and/or shareholders or stakeholders at large, may also be detailed in the EIA Report.	
8	Issues relating to Mine Safety, including subsidence study in case of underground mining and slope study in case of open cast mining, blasting study etc. should be detailed. The proposed safeguard measures in each case should also be provided.	Please refer to chapter 7 of EIA report
9	The study area will comprise of 10 km zone around the mine lease from lease periphery and the data contained in the EIA such as waste generation etc. should be for the life of mine/lease period.	<p>The 10 km zone from periphery of the lease has been considered as the study area. The Buffer map of the study area is attached with report.</p> <p>No waste will be generated except small amount of municipal solid waste, which will be managed as per law.</p> <p>All the details in the EIA report are for the life of the mine period. Refer Chapter-2.</p>
10	Land use of the study area delineating forest area, agricultural land, grazing land, wildlife sanctuary, national park, migratory routes of fauna, water bodies, human settlements and other ecological features should be indicated.	Land use pattern of 10 km from the periphery of the lease area has been prepared and incorporated with the report. The study area lies in Punpun River. No National parks or WLS is found within 10 km study area, Refer Chapter-3.

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

	Land use plan of the mine lease area should be prepared to encompass preoperational, operational and post operational phases and submitted. Impact, if any, of change of land use should be given.	
11	Details of the land for any Over Burden Dumps outside the mine lease, such as extent of land area, distance from mine lease, its land use R&R issues, if any, should be given.	There is no overburden generated from this mining activity.
12	A Certificate from the Competent Authority in the State Forest Department should be provided, confirming the involvement of forest land, if any, in the project area. In the event of any contrary claim by the Project Proponent regarding the status of forests, the site may be inspected by the State Forest Department along with the Regional Office of the Ministry to ascertain the status of forests, based on which, the Certificate in this regard as mentioned above be issued. In all such cases, it would be desirable for representative of the State Forest Department to assist the Expert Appraisal Committees.	There is no forest land within the lease area. The NOC regarding this will be enclosed with Final EIA Report.
13	Status of forestry clearance for the broken-up area and virgin forestland involved in the Project including deposition of net present value (NPV)	No forest land is involved in the lease area, therefore, deposition of net present value (NPV) and compensated Afforestation is not indicated.

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

	and Compensatory afforestation (CA) should be indicated. A copy of the forestry clearance should also be furnished.	
14	Implementation status of reorganization of forest rights under the schedule tribes and other traditional forest Dwellers (Recognition of Forest Rights) Act, 2006 should be indicated.	There is no forest land involved in the leased-out area. Hence, this act is not applicable for this project.
15	The vegetation in the RF / PF areas in the study area, with necessary details, should be given.	The vegetation details of the study area is incorporated with the report, Refer Chapter-3, section 3.10
16	A study shall be got done to ascertain the impact of the Mining Project on wildlife of the study area and details furnished. Impact of the project on the wildlife in the surrounding and any other protected area and accordingly, detailed mitigative measures required, should be worked out with cost implications and submitted.	The details Impacts & their mitigation measures are given in chapter 4 of EIA/EMP Report.
17	Location of National Parks, Sanctuaries, Biosphere Reserves, Wildlife Corridors, Ramsar site Tiger / Elephant Reserves / (existing as well as proposed), if any, within 10 km of the mine lease should be clearly indicated, supported by a location map duly authenticated by Chief Wildlife Warden. Necessary clearance, as may be applicable to such projects due to proximity of the	There is no any National Parks, Sanctuaries, Biosphere Reserves, Wildlife Corridors, are present within 10 km study area. Topomap on Survey of India toposheet has been incorporated in EIA/EMP report. Refer Chapter-1, Fig- 1.2

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

	ecologically sensitive areas as mentioned above, should be obtained from the Standing Committee of National Board of Wildlife and copy furnished.	
18	A detailed biological study of the study area [core zone and buffer zone (10 km radius of the periphery of the mine lease)] shall be carried out. Details of flora and fauna, endangered, endemic and RET Species duly authenticated, separately for core and buffer zone should be furnished based on such primary field survey, clearly indicating the Schedule of the fauna present. In case of any Scheduled-I fauna found in the study area, the necessary plan along with budgetary provisions for their conservation should be prepared in consultation with State Forest and Wildlife Department and details furnished. Necessary allocation of funds for implementing the same should be made as part of the project cost.	Detailed biological study of core zone and buffer zone within 10 km radius of the periphery of the mine lease for flora fauna, endangered & endemic species has been incorporated in the EIA/EMP report. Refer Chapter-3, Section-3.10
19	Proximity to areas declared as 'Critically Polluted' or the Project areas attracting court restrictions for mining operations, should also be indicated and where to required, clearance certifications from the prescribed Authorities, such as the SPCB or State Mining Dept. should be	This project is not coming in critically polluted area.

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

	secured and furnished to the effect that the proposed mining activities could be considered.	
20	Similarly, for coastal Projects, A CRZ map duly authenticated by one of the authorized agencies demarcating LTL, HTL, CRZ area, location of the mine lease w.r.t CRZ, coastal features such as Mangroves, if any, should be furnished. (Note: The Mining Projects falling under CRZ would also need to obtain approval of the concerned Coastal Zone Management Authority).	Not applicable
21	R&R Plan/compensation details for the Project Affected People (PAP) should be furnished. While preparing the R&R Plan, the relevant State/National Rehabilitation & Resettlement Policy should be kept in view. In respect of SCs /STs and other weaker sections of the society in the study area, a need based sample survey, family-wise, should be undertaken to assess their requirements, and action programmes prepared and submitted accordingly, integrating the sectoral programmes of line departments of the State Government. It may be clearly brought out whether the village(s) located in the mine lease area will be shifted or not. The issues relating to shifting of village(s) including their R&R and	<p>This is a River Bed Mining Project.</p> <p>There are no inhabited areas in the allotted mine area which lies on the Punpun River, therefore no R&R Plan is proposed.</p>

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

	socio-economic aspects should be discussed in the Report.	
22	<p>One season primary baseline data on ambient air quality as per CPCB Notification of 2009, water quality, noise level, soil and flora and fauna shall be collected and the AAQ and other data so compiled presented date-wise in the EIA and EMP Report" Site-specific meteorological data should also be collected. The location of the monitoring stations should be such as to represent whole of the study area and justified keeping in view the pre-dominant downwind direction and location of sensitive receptors. There should be at least one monitoring station within 500 m of the mine lease in the pre-dominant downwind direction. The mineralogical composition of PM10, particularly for free silica, should be given.</p>	<p>Baseline study was carried out for one Season from 1st March 2023 to 31stMay 2023. Details are provided in Chapter-3 of EIA report.</p> <p>The locations of the monitoring stations were decided on the basis of prevailing micro - meteorological conditions (Wind direction & wind speed) of the study area.</p> <p>The wind rose has been given in chapter III of EIA/EMP Report. One location has been selected in downwind direction within 500 m from the lease boundary.</p> <p>The location of the monitoring sites has been shown in map.</p> <p>Refer Chapter-3 &4</p>
23	<p>Air quality modeling should be carried out for prediction of impact of the project on the air quality of the area. It should also take into account the impact of movement of vehicles for transportation of mineral. The details of the model used and input parameters used for modeling should be provided. The air quality contours may be shown on a location map clearly indicating the</p>	<p>Air quality modeling has been carried out for prediction of impact of the project on the air quality of the area. Air Modeling has been carried out for tracking impact of air pollutant due to mining activity as well as Transportation activity. Details of Air modeling is given in chapter 4 section 4.4.1</p>

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

	location of the site, location of sensitive receptors, if any, and the habitation. The wind roses showing pre-dominant wind direction may also be indicated on the map.	
24	The water requirement for the Project, its availability and source should be furnished. A detailed water balance should also be provided. Fresh water requirement for the Project should be indicated.	<p>The water requirement for the project is 5.33 KLD out of which 5.0 KLD for dust suppression and 0.08 KLD for use for domestic purpose and 0.25 KLD for plantation</p> <p>A detailed water balance is being provided in the report. Refer Chapter-2, Table-2.5</p>
25	Necessary clearance from the Competent Authority for drawl of requisite quantity of water for the Project should be provided.	Water requirement will be fulfilled by private water tanker. So, no clearance is required.
26	Description of water conservation measures proposed to be adopted in the Project should be given. Details of rainwater harvesting proposed in the project, if any, should be provided.	<p>The project does not consume any process water except for drinking, dust suppression & plantation. Plantation is proposed, which will increase the water holding capacity & help in recharging of ground water.</p> <p>No artificial rainwater harvesting is proposed for the present project in lease area.</p>
27	Impact of the Project on the water quality, both surface and groundwater, should be assessed and necessary safeguard measures, if any required, should be provided.	<p>Mining activity will be done on Dry Bed of River so there is no impact on surface water.</p> <p>Mining will be up to 3 m below ground level or above the ground water table whichever comes first. This will not intersect the ground water table.</p>
28	Based on actual monitored data, it may clearly be shown whether working will intersect groundwater. Necessary data	<p>No groundwater will be intersected during mining activity.</p> <p>Please refer to section 10.5 of Chapter 10 of EIA</p>

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

	and documentation in this regard may be provided. In case the working will intersect groundwater table, a detailed Hydro Geological Study should be undertaken and Report furnished. The Report inter-alia, shall include details of the aquifers present and impact of mining activities on these aquifers. Necessary permission from Central Ground Water Authority for working below ground water and for pumping of ground water should also be obtained and copy furnished.	
29	Details of any stream, seasonal or otherwise, passing through the lease area and modification / diversion proposed, if any, and the impact of the same on the hydrology should be brought out.	The project site lies on Punpun River. No diversion is proposed.
30	Information on site elevation, working depth, groundwater table etc. Should be provided both in AMSL and bgl. A schematic diagram may also be provided for the same.	The Elevation of the applied area is 88.25 m to 88.15 m at Kinjar and 87.3m to 87.1 m at Mirzapur m in the stretch. Mining will be up to 3 m below ground level or above the ground water table whichever comes first.
31	A time bound Progressive Greenbelt Development Plan shall be prepared in a tabular form (indicating the linear and Quantities coverage, plant species and time frame) and Submitted keeping in mind the same will have to be executed up front on commencement of the Project. Phase-wise plan of plantation	Plantation/afforestation will be done as per program i.e along the road sides and near civic amenities, as per mine plan. Post plantation, the area will be regularly monitored in every season for evaluation of success rate. List of plants selected for green belt development if incorporated in Chapter-4. Section-4.6 under table-4.5

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

	and compensatory afforestation should be charted clearly indicating the area to be covered under plantation and the species to be planted. The details of plantation already done should be given. The plant species selected for green belt should have greater ecological value and should be of good utility value to the local population with emphasis on local and native species and the species which are tolerant to pollution.	
32	Impact on local transport infrastructure due to the Project should be indicated. Projected increase in truck traffic as a result of the Project in the present road network (including those outside the Project area) should be worked out, indicating whether it is capable of handling the incremental load. Arrangement for improving the infrastructure, if contemplated (including action to be taken by other agencies such as State Government) should be covered. Project Proponent shall conduct Impact of Transportation study as per Indian Road Congress Guidelines.	<p>Trucks/ Tractor will be used for carrying the minerals per day from all the sand ghats. The projection has been done based on the mineral transportation.</p> <p>The details of traffic analysis are discussed in the report.</p> <p>Refer Chapter-4 under section 4.7.</p>
33	Details of the onsite shelter and facilities to be provided to the mine workers should be included in the EIA Report	A temporary rest shelter will be provided for the workers near to the site with provisions of water, first aid facility, protective equipment's, etc. Details are given in the EIA/EMP Report. Refer Chapter-2.
34	Conceptual post mining land use and	Refer to Chapter 2

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

	Reclamation and Restoration of mined out area (with plans and with adequate number of sections) should be given in the EIA report.	
35	Occupational Health impacts of the Project should be anticipated and the proposed preventive measures spelt out in detail. Details of pre-placement medical examination and periodical medical examination schedules should be incorporated in the EMP. The project specific occupational health mitigation measures with required facilities proposed in the mining area may be detailed.	<p>Occupational health impact mainly is expected due air pollution due to fugitive dust emission because of movement of vehicles. However appropriate mitigation measures for air pollution control have been given in the report, discussed in Chapter-9.</p> <p>Each labour will undergo pre-placement medical examination. Thereafter periodical health checkup will be arranged as stated in the report.</p> <p>Refer Chapter-10, Table-10.2 for budgetary allocation.</p>
36	Public health implications of the Project and related activities for the population in the impact zone should be systematically evaluated and the proposed remedial measures should be detailed along with budgetary allocations.	<p>The proposed project being a small scale semi-mechanized mining project, there will be hardly any process related health implication on the population of the nearby villages except fugitive dust emissions due to transportation. Budgetary allocation is given in Chapter-10.</p> <p>However protective equipments will be provided & health camps & awareness programs will be arranged for them. Details are given in report.</p> <p>Refer Chapter-10.</p>
37	Measures of socio economic significance and influence to the local community proposed to be provided by the Project Proponent should be indicated. As far as possible, quantitative dimensions may be given	Socio-economic significance provided to the local community i.e. to the nearby villagers is given in the EIA/EMP Report, Refer. Chapter-10, Section- 10.8

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

	with time to time for implementation.	
38	Detailed environmental management plan (EMP) to mitigate the environmental impacts which, should inter-alia include the impacts of change of land use, loss of agricultural and grazing land, if any, occupational health impacts besides other impacts specific to the proposed Project.	The detailed environmental management plan to mitigate the environmental impacts has been mentioned in of the EIA/EMP Report. Refer Chapter-10.
39	Public Hearing points raised and commitment of the Project Proponent on the same along with time bound Action Plan with budgetary provisions to implement the same should be provided and also incorporated in the final EIA/EMP Report of the Project.	This is drat EIA report, Public hearing yet to be conduct. The PH Proceeding along with details will be submitted with Final EIA Report.
40	Details of litigation pending against the project, if any, with direction /order passed by any Court of Law against the Project should be given.	No litigation is pending against the project.
41	The cost of the Project (capital cost and recurring cost) as well as the cost towards implementation of EMP should be clearly spelt out.	The capital cost of 2.95 Lakhs for capital and 10.44 Lakhs recurring cost has been earmarked for EMP. Refer, Chapter-10. Table-10.3
42	A Disaster management Plan shall be prepared and included in the EIA/EMP Report.	A Disaster management Plan has been given in EIA report. Refer Chapter-7, Section 7.6
43	Benefits of the Project if the Project is implemented should be spelt out. The benefits of the Project shall clearly indicate environmental, social, economic, employment potential, etc.	Benefits of the project is discussed in detail under Chapter -8 As per MoEFCC OM dated 30th Sept., 2020 adequate funds shall be earmarked as per the

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

		commitments made by project proponent and requirements to address the issues raised during the public hearing in lieu of corporate Environment Responsibility (CER) and this will be covered under EMP. Detailed action plan for the activities along with the budgetary allocation will be incorporated in this EIA/EMP Report upon completion of public hearing.
44	Besides the above, the below mentioned general points are also to be followed:-	
a)	All documents to be properly referenced with index and continuous page numbering.	All documents are properly referenced with index and continuous page numbering.
b)	Where data are presented in the Report especially in Tables, the period in which the data were collected and the sources should be indicated.	Complied
c)	Project Proponent shall enclose all the analysis/testing reports of water, air, soil, noise etc. using the MoEF&CC / NABL accredited laboratories. All the original analysis/testing reports should be available during appraisal of the Project.	Details of testing reports of air, water, soil & noise have been enclosed in EIA report. Refer Chapter-3. Monitoring reports will be submitted along with Final EIA report.
d)	Where the document provided are in language other than English , an English translation should be provided	Executive summary of EIA/EMP Report is being submitted with Draft EIA report in Hindi & English Language.
e)	The Questionnaire for environmental appraisal of mining projects as devised earlier by the Ministry shall also be filled and submitted.	The Questionnaire will be submitted along with Final EIA Report.

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

f)	While preparing the EIA report, the instructions for the Proponents and instructions for the Consultants issued by MoEF&CC vide O.M. No. J/11013/41/2006/- IA.II(I) dated 4th August, 2009, which are available on the website of this ministry should be followed.	All the instructions for the Proponents and instructions for the Consultants issued by MoEF&CC vide O.M. No. J/11013/41/2006/- IA.II(I) dated 4th August, 2009 are being followed.
g)	Changes, if any made in the basic scope and project parameters (as submitted in Form-I and the PFR for securing the TOR) should be brought to the attention of MoEF&CC with reasons for such changes and permission should be sought, as the TOR may also have to be altered. Post Public Hearing changes in structure and content of the draft EIA/EMP (other than modifications arising out of the P.H. process) will entail conducting the PH again with then revised documentation.	Agreed & Complied.
h)	As per the circular no. J-1 1011/618/2010-IA.II(I) dated 30.5.2012, certified report of the status of compliance of the conditions stipulated in the environment clearance for the existing operations of the project, should be obtained from the Regional Office of Ministry of Environment, Forest and Climate Change, as may be applicable.	The EC points will be complied after grant of EC.
i)	The EIA report should also include (i)	Surface plan cum geological section, geological

**Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal
Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-
Arwal State-Bihar**

	surface plan of the area indicating contours of main topographic features, drainage and mining area, (ii) geological maps and sections and (iii) sections of the mine pit and external dumps, if any, clearly showing the land features of the adjoining area.	has been attached as annexure 3.
--	--	----------------------------------

2 PROJECT DESCRIPTION

2.1 General

This chapter gives broad description of the project, location, type of ore deposit(s), quality of reserve, Mining Methodology, various site utilities and infrastructure, etc. The downstream use of mineral for value addition and its importance is also described.

2.2 Type of The Project

The project is proposed for mining of “Sand” from the allotted mine lease area on River Punpun. It is an opencast Semi mechanized mining project. **Maa Vaishnavi Enterprises Director. – Shashibhushan Sharma**, S/o- Shri Umesh Sharma, Add- Main Road Paliganj, Patna- 801110 is the project proponent who is seeking prior environmental clearance for the proposed project.

2.3 Need for The Project

Sand is used in almost any type of construction activity. It is also the most important input in domestic activity. Further, the material can also be used for nonindustrial purposes. Thus, in current times, where the focus of the governments is on improvement of basic infrastructure like roads, railways, dams and other social infrastructure – both in rural and urban areas, there is a constant need for ensuring regular supply of these minor minerals.

2.4 Description of the Project

The Proposed Sand Mining Project at Mauza- Kinjar & Mirzapur, Khata no. –156,29, Khasra No.-1670,109,317,363,365 **Arwal Punpun Kinjar and Mirzapur Cluster 01** on Punpun River, Area: 8.46 Hectares, Mauza- Kinjar & Rampur Block- Karpi, District- Arwal (Bihar) for production capacity of 152280 CUM/ Year or 254307.6 Tonnes /Year over an area of 8.46 Ha.

Table 2-1: Location Details

Sr.No.	Name of Ghat	Area (Ha)	Cum	TPA
1	Arwal Punpun Kinjar Cluster-01	3.48	62640	104608.8
2	Arwal Punpun Mirzapur Cluster-01	4.98	89640	149698.8
Total		8.46	152280	254307.6

2.4.1 Location Details

Table 2-2: Location of the Project

Location	Arwal Punpun Kinjar & Mirzapur Cluster 01:-		
	Coordinates of the Lease Boundary Kinjar		
	Sl no.	Latitudes	Longitudes
	1	25.210021	84.830596
	2	25.210119	84.830801
	3	25.209735	84.831235
	4	25.209324	84.831417
	5	25.208372	84.831324
	6	25.207727	84.831271
	7	25.207248	84.831059
	8	25.206754	84.830827
	9	25.20632	84.830567
	10	25.206207	84.830479
	11	25.205717	84.830005
	12	25.2054	84.829704
	13	25.205367	84.829679
	14	25.205341	84.829843
	15	25.205334	84.829902
	16	25.205372	84.830175
	17	25.205393	84.830334
	18	25.205729	84.830703
	19	25.206069	84.831177
	20	25.206394	84.831542
	21	25.206394	84.831682
	22	25.205954	84.83169
	23	25.205593	84.831448
	24	25.205503	84.831268
	25	25.205312	84.830885
	26	25.205178	84.830584
	27	25.205009	84.830214
	28	25.204836	84.829593
	29	25.204839	84.829087
	30	20.205217	84.82827
	31	25.205414	84.828187
	32	25.205402	84.828358
	33	25.205414	84.828602
	34	25.205436	84.82879
	35	25.205475	84.828964
	36	25.205553	84.82924
	37	25.205655	84.829477
38	25.205755	84.829673	

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

		39	25.205897	84.829902
		40	25.206027	84.830056
		41	25.206115	84.830158
		42	25.206227	84.830273
		43	25.20676	84.830683
		44	25.207003	84.830821
		45	25.207135	84.830884
		46	25.207429	84.830987
		47	25.207491	84.831004
		48	25.207773	84.831064
		49	25.208029	84.831091
		50	25.20839	84.831075
		51	25.208982	84.830964
		52	25.2095	84.830814
		53	25.210021	84.830596
		Mirzapur		
		Sl. no.	Latitudes	Longitudes
		1	25.209665	84.821963
		2	25.210105	84.821567
		3	25.210198	84.821452
		4	25.210339	84.821289
		5	25.210515	84.821075
		6	25.210658	84.820745
		7	25.210757	84.820501
		8	25.210824	84.820244
		9	25.210835	84.820186
		10	25.210849	84.820105
		11	25.210856	84.820041
		12	25.21086	84.819957
		13	25.210858	84.819867
		14	25.21084	84.81976
		15	25.210794	84.819616
		16	25.210749	84.819527
		17	25.210698	84.819445
		18	25.210622	84.81935
		19	25.210528	84.81927
		20	25.210355	84.819155
		21	25.210158	84.819105
		22	25.209925	84.819082
		23	25.209657	84.819104
		24	25.20919	84.819204
		25	25.208769	84.819362
		26	25.208187	84.819653
		27	25.207691	84.819797
		28	25.207414	84.819896
		29	25.207131	84.820017
		30	25.20673	84.820222
		31	25.206475	84.820369

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

		32	25.206301	84.820478	
		33	25.206298	84.820297	
		34	25.206417	84.820208	
		35	25.206776	84.81994	
		36	25.207167	84.81951	
		37	25.207383	84.819326	
		38	25.207745	84.819003	
		39	25.208152	84.818682	
		40	25.20845	84.8186	
		41	25.20875	84.818516	
		42	25.209022	84.818439	
		43	25.209134	84.818441	
		44	25.209445	84.818441	
		45	25.209771	84.818456	
		46	25.210267	84.818492	
		47	25.210783	84.818677	
		48	25.211056	84.819077	
		49	25.211286	84.81948	
		50	25.211371	84.819977	
		51	25.211037	84.821037	
		52	25.210721	84.821517	
		53	25.210386	84.821805	
		54	25.210039	84.821984	
		55	25.209687	84.822134	
	At Arwal Punpun Kinjar & Mirzapur on Punpun River, Area: 8.46ha or 20.90 acres, Mauza-Kinjar & Mirzapur , Block-Karpi, District-Arwal (Bihar)				
Toposheet Number	G45M11, G45M12, G45M15, G45M16				
Nearest Settlements	Chanaura App.- 0.28 km, towards ENE Direction				
Nearest Highway	SH- 69, Approx.- 1.34 Km towards ESE				
Nearest Railway Station	Jehanabad Railway Station, approx. 16.14 Km towards ENE				
Nearest Airport	Jay Prakash International Airport, Patna approx. 50.02 Km towards NE.				
Nearest River	Punpun River				




Figure 2-1: 500 m Buffer Google Map




Figure 2-2 500 m Buffer Google Map

The location map and pillar co-ordinate maps of the project site is given below:

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar




Figure 2-3: Location Map of the Project Site

Project Site




Figure 2-4: Pillar co-ordinate map of Kinjar




Figure 2-5 Pillar co-ordinate map of the Mirzapur

2.5 Available Reserves and Production

2.5.1 Geological Reserves

The geological reserve of the sand has been estimated keeping the river water level as ultimate Pit Level where the mining for sand shall cease. Considering 7.5 meter of safety zone all along the lease boundary, effective area for resource calculations has been done. Resources are falling in measured (331) category while, pit slope resources are considered as 221 categories and are termed as blocked resources. After deductions of the blocked resources, remaining resources are considered as mineable and is categorized as 211 as per UNFC because the feasibility and economic axis are already analyzed prior to auction.

2.5.2 Local Geology

The sand deposits of river Punpun are fluvial in nature and are result of deposition of sediments in the flood plains of its flowing course. River Punpun is an important tributary of

river Ganga and is non - perennial in nature. Being fluviatile /alluvial in nature, the topography of the area is plain and gently sloping causing the gradient for the river Punpun.

River bed sand mining shall be restricted within the central 3/4th width of the river/rivulet or 7.5 meters (inward) from river banks but up to 10% of the width of the river. Mandatory distance to be left from both banks of river channel is kept in mind while deriving the mineable reserves from the geological reserves.

Table 2-3: Geological and Minal Reserve Estimation

S. No.	Particulars	Details
1.	Name of Sand Ghat	Arwal Punpun Kinjar & Mirzapur Cluster 01 Balu Ghat
2.	Total Mining Lease Area in Hectare	8.46
3.	Average Depth (m)	3
4.	Sp. gr. of sand	1.67
5.	Geological reserves of sand cu. m per annum	253800
6.	Geological reserves (tonnes per annum)	423846
7.	Mineable reserves c.u.m. per annum	152280
8.	Mineable Reserves (tonnes per annum)	254307.6

2.5.3 Targeted Production

The targeted production is 254307.6 tonnes/annum (152280 Cum/annum) up to the lease period as geological mineral reserves is 423846 tonnes/annum (253800 Cum/annum).

2.5.4 Life of Mine

It is presumed that the mineral will be replenished every year during the rainy season. New mineral will be added every year in the river bed. The present reserves are sufficient for the proposed rate of production.

Source: [*Approved Mine Plan.*](#)

2.6 Mine Drainage

During the course of mining, the water table in the river shall not be intercepted. The mining shall be restricted to the top 3 m from the general ground level.

Ground water shall not be intercepted during the mining of sand. In view of it, dewatering of sand pits shall not be required or discharged elsewhere.

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar




Figure 2-6: Surface Plan of Kinjar

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar




Figure 2-7: Surface Plan of Mirzapur

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar




Figure 2-8: Geological cum Section Plan of Kinjar

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar




Figure 2-9: Geological cum Section Plan of Mirzapur

2.7 Method Mining

2.7.1 Proposed Mining Method –Semi Mechanized Mining.

1. The mining for the entire stretch of proposed sand ghats of river Punpun, using Semi-Mechanized Method comprising use of crawler mounted JCB / Poclain back hoe (bucket capacity varying between 0.42m³ to 1.2m³ depending upon the quantity of sand reserves) for primary excavation/winning and loading of sand, and JCB loader for secondary loading of sand on the river banks. Trucks or tippers of 12 metric tonne capacity and requisite manpower shall be put to use to support the operating machinery.
2. The mining lease area shall be demarcated and pillars of appropriate material shall be erected at reasonable distance to identify the same. The distance of 7.5 m shall be further marked from the lease boundary and this zone constituting the ‘safety zone’ shall be identified.
3. The excavated sand shall be sieved at pit head to remove the silt load washed in. It shall be used in making river bank embankment to raise the bank height. This shall prevent flooding of adjoining areas.
4. The sand only fraction shall be loaded primarily at the pit head and unloaded at the secondary loading point/location on the river bank.
5. At the secondary loading point requisite, no of JCB loaders shall be deployed as given in Table to follow. The secondary loading operations shall be day and night in order to meet the demands.
6. No mining activities shall be undertaken within this ‘safety zone’. This shall be in accordance of Metalliferous Mines Regulations 1961 (MMR-1961) vide Chapter-XI sr.no. 111 and section 3[(2)].
7. The sand shall be mined out in successive vertical benches/slices from top of ground surface or sand surface downwards, and shall be 1.0 meter thick.
8. At no point of time the vertical mine face shall be more than 1.0 m high. Further, the width of the bench shall be minimum 1.5 m in width in horizontal plane in accordance with the MMR-1961 sub rules. This shall prevent development of mine face more than 1.0 m high which may be cause of concern from the safety aspects. This is important to prevent machine operators/ workers from falling into the pit while working near the machinery.
9. The mining operations shall be performed between sunrise to sun set hours.

The use of semi mechanized mining shall require use of electricity to illuminate the working area and accordingly electricity shall be tapped after grant of due approval/ permission from competent authorities concerned.

2.7.2 Conceptual Plan of Mining

The lease period for Five years from the date of execution. Considering individual sand deposits and restricting the mining to top 3 m from the present ground surface, the sand deposit shall be worked upon up to a depth of 3 m. The mining shall cease at a depth of 3 m. A pole (wooden or metal) shall be fixed in the sand deposit at a suitable location, with datum levels - 0m to 3m painted on it to work as a guide in depth restriction. The river channel is free of water and the ground water table lies about 6-8 m below the dry channel of the river exposed. In general, this condition prevails in almost all of the sand deposits on this river stretch.

The mineralized zone or the sand zone in particular of the river does not follow any specific trend. It occurs as lensoid body. The relative occurrence of ground surface with the sand zone thickness varies from place to place and depends upon factors such as stream/river flow characteristics, geometry of the river banks, sediment load, rate of water flow, rainfall and surface run off characteristics etc. The sand deposit extends to depth of at least 200 m. However, due to UNFC guidelines on reserve estimation, sand reserves have been considered to few meters below the minable depth of 3m.

In view of this, it is not possible to prepare a conceptual plan due to lack of specific spatial trend of the sand zone.

The longitudinal section of the river channel is explained in the Figure 2.11 given below. The longitudinal section exhibits the generic upstream to downstream flow of river along with the sand deposits contained with it. AS seen in the illustration, the top surface of the sand deposit is undulating and gently dipping and the contours of sand deposit vary with the factors a enumerated in above paragraph.




Figure 2-10 Conceptual Longitudinal Section of River Channel

2.7.3 Machinery Requirement

This is a new mining contract. Following equipment's are proposed to be deployed for the desired production.

Table 2-4: List of Machinery

S. L. No.	Name of Machinery	Capacity (Cum) / Ton	Max. Nos.	Fuel Consumptions (Lit Per Hour)	Fuel Consumption in day (Litrs)
1	JCB/ Shovel	1.2	1	12	142
2	Trucks Tippers	12	3	7	210
3	Water Sprinklers	4	1	4	40
4	Light vehicles	-	1	3	30
5	Tractor	4	1	2.5	25
			TOTAL		447

2.8 Transportation of Minerals

Mineral Sand will be transported by trucks. Loaded trucks will travel on Kaccha road made for plying of trucks. The temporary road will provide access to the river bed and the movement of loaded trucks. The village has its outlet meeting the tar road on the nearby villages and from where the mineral is sent to various destinations. Similarly, mineral will be transported on the other side through approach roads which finally merge with tar roads for final destinations.

2.9 Stacking of Mineral Rejects and Disposal of Waste

The present sand mining locations do not have significant top soil/clay layer to be preserved elsewhere during the mining operations. The sand deposits inherit gravels, pebbles with them being a part and parcel of river system. During the field visit and information gathered during discussions with concerned people, 5% of the geological reserves occurring in the sand ghats are provided for these inclusions and accordingly these have been considered during the minable sand reserves.

2.9.1 Disposal of Waste (Reject) materials Silt

The proposed project is the mining of sand from dry part of riverbed, all the excavated material will be saleable, and therefore no mines reject will be generated. Some amount of silt may generate will be used in haul road development.

2.10 Use of Mineral

Deposit is moderate to good quality Sand. It is widely used in construction, buildings, bridges and other infrastructure. It is free from clay and non-sticky in nature.

Source: [Approved Mine Plan.](#)

2.11 Utilities and Proposed Site Facilities

2.11.1 Manpower

Total manpower required for the project will be **8 Workers**. Break up of manpower requirement is given below.

Table 2-5: Manpower Details

Category	No. of Shift	Absenteeism	Total Manpower
Transport Manager	1	10%	1
Supervisor	1	10%	1
Time Office	1	10%	1
Others	1	-	4
Operators	1	10%	1
TOTAL			8

2.11.2 Water Requirement

The total water requirement will be 5.33 KLD. This water will be supplied by private tankers.

Drinking water will be made available at site by the private tankers.

The details of Water uses are given below:

Table 2-6: Water Requirement

Activity	Water Requirement (in KLD)
Dust Suppression	5.0
Domestic	0.08
Green Belt Development	0.25
Total	5.33

2.11.3 Power

The material will be excavated by open cast semi method and loaded directly into tractors by the workers themselves. The operation will be done only from sun rise to sun set. So there is no power requirement for the mining activity.

2.12 Infrastructure and Site Facilities

Infrastructure facilities like site office, first aid station, rest shelter, potable drinking water facility etc. will be established within the mine area. The following infrastructure facilities will be made available for the workers:

a. First Aid Facility

A first aid facility will be made available at site with proper equipment will be maintained as per Mines Act and Mine Rules at the mine site office. First aid -box with all necessary facilities will be maintained and provided.

b. Temporary rest shelter

The Temporary rest shelter for the workers working in the mine and also to provide tea etc. as the laborers will come from nearby villages at day time only.

c. Washroom

The mobile toilet along with Mobile STP will be provided for sanitation purposes to the laborers nearby the site.

2.13 Sources of Pollution and Control Measures

a) Air Pollution

There will be impact on air up to a certain limit due to dust generation during loading operation, transportation of Sand. Similarly, due to mining operation noise pollution will be there, due to

movement of transportation vehicles. However effective measures shall be taken to maintain the pollution limit within prescribed CPCB guidelines.

- ✓ Water sprinkling will be done on the haul roads twice in a day.
- ✓ Speed limits will be enforced to reduce airborne fugitive dust from vehicular traffic.
- ✓ Spillage from the trucks will be prevented by covering tarpaulin over the trucks.
- ✓ Deploying PUC certified vehicles to reduce their emissions.
- ✓ Plantation will be done on both sides of the road.

b) Noise Pollution

The proposed mining activity is semi-mechanized in nature. No drilling & blasting is envisaged for the mining activity. Hence, the only impact is anticipated is due to movement of vehicles deployed for transportation of minerals.

- ✓ Proper maintenance of vehicles will be done to minimize the noise pollution. Pollution under Control certificates will be maintained for the trucks.
- ✓ Unnecessary Blowing of horn will be avoided.

c) Solid Waste

Solid waste will be generated on the project site approx. **1.2 Kg/day**. The waste will be managed as per the Solid Waste Management Rules 2016.

d) Green Belt Development

Total of **85** trees will be planted with various types of species. Details of greenbelt development along with number of plants is given below:

Table 2-7: Details of greenbelt development

Sl. No.	River Name	Name of Ghats	Mining Area in Ha	No. of Saplings@10/Ha.	Cost in Rs.
1	Punpun	Arwal Punpun Kinjar and Mirzapur Cluster 01	8.46	85	25,500
Total			8.46	85	25,500

2.14 PROJECT COST

The project proponent will incur a total cost of **Rs.137.58 Lakh** and may vary from place to place and with magnitude of the sand mining. This will include cost of labour, cost of transportation, fuel charges etc.

Table 2-8: Breakup of Proposed Project Cost

S. No.	Description	Cost in Rs.
1.	Auction Cost	12563100
2.	Cost of Labour & Equipment	800000/-
3.	Miscellaneous	100000/-
TOTAL		13463100/-
EMP Budget		295000
Grand Total		13758100

3 DESCRIPTION OF ENVIRONMENT

3.1 General

Sand is site specific mineral, which occurs mostly along the river beds and flood plain. Mining activities invariably affect the existing environmental status of the site. It has its own pros and cons and in order to maintain the environmental commensuration with the mining operation, it is essential to undertake studies on the existing environmental scenario and assess the impact on different environmental components.

3.2 Study area

The study area is divided into core and buffer zone in view of scientific study. The core zone is the lease area of the mining site and from the boundary of the lease area upto 10 km radius is called buffer zone. The study of the proposed project was undertaken for assessing the base line status of Environmental Parameters like Land, Air, Water (both ground and surface), Soil, Noise and Biological (both flora and fauna) and socio-economic status.

Baseline data has been collected out during the **1st March 2023 to 31st May 2023** by ENVIRO-TECH SERVICES. NABL & MOEF accredited Lab. Correspondence address & Lab: -Plot No. 1/32, South Side G.T. Road Industrial Area Ghaziabad (UP)-201001. Head Office: - G-232, M.G. Road Industrial Area, Harpur -Ghaziabad (UP)-201015, in accordance with the Guidelines for EIA issued by the Ministry of Environment Forests and Climate Change, Govt. of India and CPCB, New Delhi. Team of Experts visited the study area for Social & Biological Environment study. The following data, through field survey and other sources, has been collected by ENVIRO-TECH SERVICES, for preparing the EIA/EMP for the proposed mining area with related facilities.

- Physical environment (Air, Water, Soil and Noise) baseline data.
- Relevant meteorological data, for previous decades from Indian Meteorological Department (IMD) and primary data.
- Identification of water bodies, hills, roads etc. within 10 Km radius.
- Eco-sensitive places, sanctuaries, biosphere reserves within 10 Km radius.
- Religious places / historical monuments and tourist places within 10 Km radius.
- Study of present environmental protection and mitigation measures in nearby operating similar projects, if any.

3.3 Geological Profile of the Area

3.3.1 Topography of the Area

Arwal district is characterized by flat quaternary alluvial plain. With average surface elevation of 100 meter about mean sea level.

3.3.2 Geology

The present area of western part of earlier Jehanab District is Arwal district. The southern part of Gaya district constitutes mainly Precambrian rocks while the northern part together with the whole Arwal & Jehanabad district is covered mainly by quaternary sediments. The hilly tract as well as the inselberg in the south are composed of Chhotanagpur Gneiss which is medium grained and associated with small isolated patches of older rocks, viz. mica-schist, quartz-mica schist and phyllite. In the northern part of the Jehanabad district most of the area is covered by the older flood plain which having a slightly higher surface than the younger flood plain, is responsible for the splaying of the channels of rivers.

(Source: District Resource Map, Geological Survey of India, 2009)

Table 3-1: Geological Unit of Arwal (including Jehanabad & Gaya) District

Lithology	Formation	Age
Sand & Silt	Diara	Late Holocene
Silt & Clay with caliche nodule	Navada	Late Pleistocene to Early Holocene
Clay with weathered fragmented quartz and feldspar	Bolgarh	Early Pleistocene
Sandstone, grit, shale	Barakar	Permian
Pigmatite		Upper Proterozoic
Intrusive granite	Hazaribagh Granite	
Schist & Phyllite	Munger Group	Middle Proterozoic
Quartzite		
Dolerite		Lower to Middle Proterozoic
Porphyritic Granite		
Gabbro		
Migmatite	Chhotanagpur Gneissic Complex	Archaean (?) Proterozoic
Biotite gneiss		
Granite gneiss		

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

Lithology	Formation	Age
Epidiorite, Hornblende schist, Amphibolite	Unclassified Metamorphics	Archaean to Lower Proterozoic
Talc-chlorite schist		
Quartzite		
Mica schist, Phyllite		




Figure 3-1: Geological Map of Arwal District

3.3.3 Ganga & Punpun Valley Plains:

The River Punpun originates at an elevation of 600 m above msl near Amarkantak plateau in Madhya Pradesh (MP), and debouches in the river Ganga near Patna, Bihar. The total length of the river is 784 km, out of which about 500 km lies in MP, 82 km in Uttar Pradesh and the remaining 202 km in Bihar. The important tributaries of river Ganga are Punpun, Mahatwain, Dharda, Dhowa, Mohani, Punpun, Morhar the total catchment area of the river is spread over 71,259 sq. km. The river has a steep gradient with quick run-off and ephemeral regimes, becoming a roaring river with the rainwater in the catchment area, but turning quickly into

aformidable stream. The river being wide and shallow leaves disconnected pools of water during summer (lean period).




Figure 3-2: River Basins of Bihar

3.3.4 Geomorphology

Arwal district is characterized by flat quaternary alluvial plain. With average surface elevation of 100 meter about mean sea level.

(Source:http://cgwb.gov.in/district_profile/Bihar/Arwal.pdf)




Figure 3-3 Geomorphological Map of Arwal District

(Source:http://cgwb.gov.in/AQM/NAQUIM_REPORT/Bihar/Arwal%20Bihar.pdf)

3.3.5 Soil

The soils of the study area belong to two classes- Entisols (Younger alluvial soils) and Inceptisols (Calcareous alluvial soils). The soils of the district is rich in nitrogen and calcium and thus are fertile.

(Source:http://cgwb.gov.in/district_profile/Bihar/Arwal.pdf)




Figure 3-4 Soil Map of Arwal District

(Source: http://cgwb.gov.in/AQM/NAQUIM_REPORT/Bihar/Arwal%20Bihar.pdf)

3.3.6 Drainage

Punpun & Sone are major sand producing rivers in Arwal district. Besides the river there are many ephemeral streams. Apart from these sources there are many Tals. During the process of shifting of course these rivers leave behind cut off, meanders, abandoned channels and a number of marshes locally known as chauras. The chauras are also responsible for water logging in the area with the onset of monsoon and contract to become localised during summer. Apart from this drainage system there is a very good network of canal system also in this district.




Figure 3-5 Drainage map of district area




Figure 3-6 Drainage map of Study area

3.3.7 Climate and Rainfall

The area experiences a continental monsoon type of climate owing to its great distance from the sea. The climate is extreme and comprises three broad seasons-the summer, the monsoon and the winter. The summer months from the middle of March to May are characterized by hot blasts of westerly winds commonly known as 'loo'. The cold spell starts from December and continues till end of February. The monsoon sets in the end of June.

The actual average rainfall of July is 147.6 mm and of August is 168.2 mm respectively. The months of July and August receive the maximum rainfall when average monthly normal rainfall of 293.1 mm and 310.2 mm is recorded. The annual normal rainfall of the district (1901-1970) is 1027.3 mm.

(Source:http://cgwb.gov.in/district_profile/Bihar/Arwal.pdf)

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar.

3.4 Hydrology

Arwal is the unique district of Bihar in the sense of quality of water and its greater availability. As per survey done by the experts' underground water of Arwal is completely free from the impurities. Water is available at most of the place at much shallower depths this is the reason why most of the households of Arwal used to install handpumps instead of motors and storage. Excellent transportation, Punpun River and huge availability of water in Arwal may provide suitable conditions to establishment of industries. It is the part of plain of Ganga. There are most agricultural field. Arwal District shows fairly thick regionally extensive confined/unconfined aquifers down to 300m. Ground Water potential shows large yield prospects above 150cum/hr.




Figure 3-7 Hydrogeology map of Arwal district

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar.

Depth to water level: During pre-monsoon period observed water level ranged from 3.46 to 7.29 m bgl. The average water level calculated to be 5.37 m bgl. Majority of the area is categorized under 5-10 m bgl water level. Major part of the Sonbhadra, central part of Kurtha, bordering area of Arwal and Kaler and some other parts have shown water level between 2 and 5 m bgl.

During post-monsoon period, the calculated average water level is 4.01m bgl where water level ranged from 1.42 to 6.7 m bgl. The water level category of 2 to 5 m bgl has covered almost entire district. In southeast and northeast part of the district, water level observed > 5 m bgl. The shallowest category of <2 m bgl observed as pocket in northern part of Arwal district.




Figure 3-8 Pre- monsoon depth to water level map of Arwal district

(Source:http://cgwb.gov.in/AQM/NAQUIM_REPORT/Bihar/Arwal%20Bihar.pdf)




Figure 3-9 Post- monsoon depth to water level map of Arwal district, Bihar.

(Source:http://cgwb.gov.in/AQM/NAQUIM_REPORT/Bihar/Arwal%20Bihar.pdf)

3.5 Seismicity of the Area

The state of Bihar lies in a region with moderate to low to high seismic hazard. As per the 2002 Bureau of Indian Standards (BIS) map, this state also falls in Zones III, IV and V. Historically, this region has experienced earthquake in the M5.0-7.0 range. The mine lease area is located in seismic **Zone III**. This region is liable to **MSK IX-VII** and is classified as the **Moderate Damage Risk Zone**.




Figure 3-10: Earthquake Hazard Map of Bihar

3.6 LAND ENVIRONMENT

Landcover data highlights the area covered by forests, wetlands, impervious surfaces, agriculture, and other land and water types. Water types include wetlands or open water. Landuse shows how people use the landscape for development, conservation or for other purposes. Therefore, its highlights the current scenario as well as predict the impact.

1. Objectives: Main objectives are:

- To prepare the landuse landcover map of study area based on recent satellite imageries.
- To assess the impact of proposed project on existing landuse and landcover
- To suggest mitigations measures

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar.

- 2. Hardware:** The equipment used during the present investigation includes ground truth hand held GARMIN 12 GPS receiver for ground truth collection, besides the visual observation and analysis.
- 3. Software:** The following software were applied to extract indicators and maps:
 - **ERDAS Imagine:** The Erdas imagine version 2016 is used to process Landsat-8 satellite data and to extract the required indicators through spatial & spectral analysis.
 - **ArcGIS:** The ArcGIS version 10.3 has been used to prepare the final Maps for indicators through the outcomes of ERDAS software.
- 4. Methodology:** The methodology applied for the study involved obtaining satellite images from open source, and then using a range of software to process the images and also by GPS coordinates (ground truthing) for drawing observations. The detailed methodology is explained as below:




Figure 3-11 Flow Chart: Methodology

- **Primary Data:** The coordinates along land features of project area is collected with the help of GPS device for ground truthing. This data is primary data. On the basis of this data, landuse landcover analysis is appropriate.
- **Secondary Data:** Satellite image (secondary data) is required to show the current land features of the project area and buffered area (10 km). **Landsat 8** Satellite image is used, which is collected from open source.

The path, row, date, resolution of satellite data used were as follows.

Path	141
Row	42
Date of pass	03 March 2023
Resolution (panchromatic)	15 Meter

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar.

Landsat 8 Operational Land Imager (OLI) and Thermal Infrared Sensor (TIRS) images consist of nine spectral bands with a spatial resolution of 30 meters for Bands 1 to 7 and 9. The ultra-blue Band 1 is useful for coastal and aerosol studies. Band 9 is useful for cirrus cloud detection.

False Color Composite (FCC): False color (or false colour) refers to a group of color rendering methods used to display images in color which were recorded in the visible or non-visible parts of the electromagnetic spectrum. A false-color image is an image that depicts an object in colors that differ from those a photograph (a true-color image) would show. False-color image sacrifices natural color rendition in order to ease the detection of features. The FCC for 10 km buffer zone of the project area is shown in **Figure 3-12**.




Figure 3-12:Shows the False color Composite Map of the study area

Landuse landcover classification & Interpretation: The classification approach is applied on the basis of various characteristics like colour, texture, shape, association etc. The Landuse landcover map for 10 km buffer zone of the project area is shown in **Figure 3-13**.

The unsupervised classification approach was obtained for the Landuse and Landcover classification by using ERDAS Imagine software. In this approach, the pixels of the project area are clustered in several classes on the basis of spatial & spectral variation in pixel value which are following:

- I. Built-up land:** 2.82 per cent of the total project area is covered by built-up land. The entire built-up land comes under rural areas. This area is identified by grey color and square/rectangular shape in the satellite image. Built-up land can be described as an area of intensive use with much of the land covered by structures. Areas included in this category are cities, towns, villages, strip developments along with highways, transportation, power, and communications facilities, and other areas such as those occupied by mills, shopping centers, industrial and commercial complexes, and institutions that may, in some instances, be isolated from built-up areas.
- II. Agricultural land:** 53.41 per cent of the total project area is covered under agricultural land. Agricultural land may be defined as the land that is used primarily for the production of food and fiber. In the satellite imageries, cropland is identified by light pinkish to dark pinkish color or red, fine texture and rectangular/square shape.
- III. Agricultural fallow land:** It is the type of cropland which is not seeded for a season so as to allow the fields become fertile again. The practice of allowing fields to remain fallow dates back to ancient times when farmers realized that using soil over and over again depletes its of its nutrients. Agricultural fallow land covers 41.48 per cent of the total project area.
- IV. Open Land:** Open land is any degraded land or a land which is currently underutilized but can be brought under vegetative cover with reasonable efforts. This type of land

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar.

covers 1.08 per cent of the total project area. This area is identified by off-white color and rough texture in the satellite image.

- V. River/Water Bodies:** All natural and man-made ponds, reservoirs, river come under this class. A river is a natural flowing watercourse, usually freshwater, flowing towards an ocean, sea, lake or another river. In some cases, a river flows into the ground and becomes dry at the end of its course without reaching another body of water. This feature is identified by dark blue to black color, fine texture in the satellite image and cover only 1.15 percent of the total project area.
- VI. Riverbed:** A riverbed or streambed is the channel bottom of a stream or river, the physical confine of the normal water flow. The riverbed of the project area is consist of sand and cover only 0.24 percent of the total project area. This area is identified by white color and fine texture in the satellite image.




Figure 3-13: Land use landcover classification

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar.

On the basis of the land use landcover classification, the area of different land features are as follows:

Table 3-2: Land use classification

Class Name	Area(Ha)	Area(%)
Built-up Land	986.27	2.82
Agricultural Land	18697.60	53.41
Agricultural Fallowland	14521.60	41.48
Open Land	401.56	1.15
River/Water Bodies	318.22	0.91
Riverbed	83.52	0.24
Total	35008.76	100.00

In this connection, pie chart of the land use landcover is shown in figure 3-14 which is prepared on the basis of the above table.




Figure 3-14 Pie-chart of Land use landcover area

3.7 SOIL SAMPLING

Soil, defined as a thin layer of earth's crust, is the medium for the growth of plants, comprises of both physical and chemical properties significant to the project. The baseline study covers collection of soil samples and determining relevant physical and chemical properties. The district is transacted with rivers like Sone, Punpun, consists of sandy loam, loamy sand and sand, whereas, the area away from the river channels consist of silty sand to sandy silt. The soils in general are fine textured away from the river course and rivulets and coarse textured along their courses. The soils of coarse textured have got mixed with silt and fine sand due to the mixing of canal water being used perennially for irrigation.

3.7.1 Methodology

Soil sample collection was done making a pit about 15 inches deep and heaping the loose soil dug out. The loose soil is spread up in a circle and divided into 4 quadrants. The opposite quadrants are chosen and again the process is repeated till we get the required quantum of sample for analysis purpose. Collection of samples was done from 04 locations as shown in Table 3.3 & Figure 3.15. Samples were analyzed as per CPCB guidelines.

The physio-chemical characteristics of these soil samples are given in Table No. 3.3.

Table 3-3: Soil Quality monitoring locations

S.No	Name	Distance & Direction from project site	Co-ordinates
SQ1	Mirzapur	App.-0.519Km, towards NNW Direction	25°12'54.46"N 84°48'59.86"E
SQ2	Khairadih	App.-0.35 km, towards SE Direction	25°12'10.12"N 84°49'58.12"E
SQ3	Primary School Mahariya	App.-0.71km, towards WNW Direction	25°12'48.27"N 84°48'44.27"E
SQ4	Chanaura	App.-0.28 km, towards ENE Direction	25°12'36.59"N 84°50'2.13"E

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar.




Figure 3-15 Map showing Soil Quality Monitoring Locations

Table 3-4: Soil Quality Parameters

S. No.	Parameter	Unit	SQ1	SQ2	SQ3	SQ4
1.	Moisture	%	18.1	15.5	12.1	10.8
2.	Texture	...	Sandy Clay Loam	Sandy Clay Loam	Sandy Clay Loam	Sandy Clay Loam
3.	Sand	%	53.4	50.6	56.4	60.1
4.	Silt	%	25.5	38.1	27.5	21.1
5.	Clay	%	11.1	11.3	16.1	18.8
6.	pH (1:2 Suspension)	..	7.80	7.14	7.00	7.26
7.	Cation Exchange Capacity(CEC)	meq/100g	28.0	29.5	28.9	27.5
8.	Sodium Absorption Ratio (SAR)*	%	1.97	1.04	1.65	1.79
9.	Electrical Conductivity (1:2)	µmho/cm	330.2	346.9	340.1	323.7
10.	Water Holding Capacity(WHC)	%	30.6	32.1	31.5	30.0
11.	Sodium (Na)	mg/kg	112.9	118.6	116.3	110.7
12.	Calcium (Ca)	mg/kg	1193.8	1115.9	953.7	951.2
13.	Magnesium (Mg)	mg/kg	418.3	439.2	430.6	410.1
14.	Bulk Density	g/cm ³	1.47	1.55	1.52	1.45
15.	Total Nitrogen (N)	mg/kg	157.2	179.2	175.7	154.1
16.	Phosphorus (PO ₄)	mg/kg	49.5	37.4	36.7	48.5
17.	Potassium (K)	mg/kg	263.8	189.5	185.8	258.7
18.	Organic Matter	%	2.00	2.10	2.04	1.94
19.	Organic Carbon	%	1.53	1.61	1.57	1.50
20.	Sulphate as (SO ₄)	mg/kg	1.72	1.80	1.77	1.69
21.	Porosity	%	17.7	15.2	14.9	17.3
22.	Manganese,(Mn)	mg/kg	3.35	3.51	3.44	3.28
23.	Nickel,(Ni)	mg/kg	1.63	1.70	1.67	1.59
24.	Zinc,(Zn)	mg/kg	1.14	1.20	1.18	1.13
25.	Lead,(Pb)	mg/kg	2.00	2.10	2.07	1.96

3.7.2 Results

Samples collected from identified locations indicate pH value ranging from 7.00 to 7.80 which shows that the soil is slightly alkaline in nature. Organic Matter ranges from 1.94 % to 2.10 % in the soil samples and, whereas the Potassium is found to be ranging from 185.8 mg/kg to 263.8 mg/kg.

3.8 WATER ENVIRONMENT

3.8.1 General

This section describes the prevailing water environment in the study area in terms of water resources i.e. quantitatively and qualitatively. This has been achieved by performing qualitative analysis of water samples collected from ground water source and surface water body (Punpun River & Others Sources) falling within the study area. Ground & Surface water samples are collected from locations as shown in Fig. 3.16 and Fig. 3.17 respectively. Primary objective of the study is to assess the water quality for critical parameters and evaluate its impact on habitat and aesthetics in the surrounding areas of the project. This assessment will be useful in formulating mitigation measures to minimize the impacts of the project on the surrounding environment.

3.8.2 Methodology

Non-Perennial source of Surface water in the study area is Punpun River (a tributary of Ganga River) which flow from South to North direction. Samples were collected from upstream and downstream areas of the project site and third sample was also collected near the project site.

Contour and Drainage pattern are the most important factors governing the choice of sampling locations. It can be assumed that run-off from project site, if any will follow the natural drainage and contour of the landscape. Therefore, downstream areas are mostly likely to experience the impacts of the project. On this basis, four surface water and five ground water sampling locations were chosen for determining quality of water for the category of end use and for parameters as per IS:10500 -2012. Thus, it helps in predicting the entry of potential pollutant or merging tributaries acts as a source of pollution in the river which affects the quality of water. It helps in determining the extent of pollution.

Based on the above factors, sampling locations for Ground and surface water quality have been finalized and shown in Table 3.5 Figure 3.16 & Table 3.6, Figure 3.17, respectively.

AIS 10500:2012 (for drinking water) has been used for analysis of the water samples for drinking purpose and for the designated use of water as per the categories of CPCB guidelines.

3.8.3 Groundwater

3.8.3.1 Ground water Potential

The Study area falls under Western part of the Bihar. As per CGWB report , water level varies in these areas between 2- 5 mgbl.

Most of villages in the project area have borewell and tube well facilities, as most of the residents of these villages make use of this water for agriculture and domestic purposes. Therefore, ground water sampling was done from villages within 10 km radius of the project site. Ground water sampling locations are given in Table 3.5. All Ground water samples are analyzed as per IS-10500:2012. The results of the analyzed ground water samples result are given in Table 3.5 & Figure 3.16 shows Ground water sampling location on Topographic map.

Table 3-5: Ground water monitoring locations

S.No	Name	Distance & Direction from project site	Co-ordinates
GW1	Near Project Site-1 Mirzapur	App.-0.519Km, towards NNW Direction	25°12'54.46"N 84°48'59.86"E
GW2	Near Project Site-2 Khairadih	App.-0.35 km, towards SE Direction	25°12'10.12"N 84°49'58.12"E
GW3	Primary School Mahariya	App.-0.71km, towards WNW Direction	25°12'48.27"N 84°48'44.27"E
GW4	Chanaura	App.-0.28 km, towards ENE Direction	25°12'36.59"N 84°50'2.13"E
GW5	Soharaiya	App.-2.25 km, towards SE Direction	25°11'26.10"N 84°50'45.50"E

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar




Figure 3-16: Map showing Ground Water Monitoring Locations

Table 3-6: Ground water quality results

S N.	Parameter	Test Method	Drinking Water Standards / Limit (IS:10500 2012)		GWQ 1	GWQ 2	GWQ 3	GWQ 4	GWQ 5
			Desirable	Permissible					
1	Colour	IS:3025 (Pt-4)	5	15	<5.0	<5.0	<5.0	<5.0	<5.0
2	Odour	IS:3025 (Pt-5)	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3	pH	IS:3025 (Pt-11)	6.5 - 8.5	No Relaxation	7.36	7.34	7.20	7.08	7.15
4	Taste	IS:3025 (Pt-8)	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
5	Turbidity	IS:3025 (Pt-10)	1	5	<1.0	<1.0	<1.0	<1.0	<1.0
6	Total Dissolve Solid	IS:3025 (Pt-16)	500	2000	324.1 509.4	463.6	438.0	366.6	509.4

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

	(TDS)								
7	Total Alkalinity (CaCO ₃)	IS:3025 (Pt-23)	200	600	119.4	154.7	138.1	108.6	168.6
8	Total Hardness (CaCO ₃)	IS:3025 (Pt-21)	200	600	184.3	204.3	182.0	153.9	252.6
9	Chloride (Cl)	IS:3025 (Pt-32)	250	1000	106.5	113.7	81.4	88.4	103.4
10	Calcium (Ca)	IS:3025 (Pt-40)	75	200	70.5	77.1	59.2	56.4	68.6
11	Mineral Oil	IS:3025 (Pt-39)	0.5	No Relaxation	<0.01	<0.01	<0.01	<0.01	<0.01
12	Sulphate (SO ₄)	IS:3025 (Pt-24)	200	400	40.26	48.58	33.45	32.46	39.08
13	Nitrate (NO ₃)	IS:3025 (Pt-34)	45	No Relaxation	0.88	1.12	0.70	0.73	0.86
14	Fluoride (F)	IS:3025 (Pt-60)	1	1.5	0.29	0.27	0.23	0.23	0.29
15	Iron (Fe)	IS:3025 (Pt-53)	0.3	No Relaxation	0.26	0.21	0.16	0.10	0.26
16	Aluminum (Al)	APHA-3500 (B)	0.03	0.2	<0.02	<0.02	<0.02	<0.02	<0.02
17	Selenium (Se)	APHA-3113 (B)	0.01	No. Relaxation	<0.01	<0.01	<0.01	<0.01	<0.01
18	Cyanide (Cn)	APHA-4500 (C)	0.05	No. Relaxation	N.D	N.D	N.D	N.D	N.D
19	Copper (Cu)	APHA-3111(B)	0.05	1.5	0.06	0.03	0.08	0.08	0.06
20	Magnesium (Mg)	IS:3025 (Pt-45)	30	100	10.12	7.10	8.93	8.64	12.13

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

21	Manganese(Mn)	APHA-3111(B)	0.1	0.3	<0.1	<0.1	<0.1	<0.1	<0.1
22	Zinc(Zn)	APHA-3111 (B)	5	15	0.67	0.72	0.66	0.73	0.66
23	Cadmium(Cd)	APHA-3111 (B)	0.003	No. Relaxation	<0.001	<0.001	<0.001	<0.001	<0.001
24	Lead(Pb)	APHA-3111 (B)	0.01	No. Relaxation	<0.01	<0.01	<0.01	<0.01	<0.01
25	Mercury(Hg)	APHA-3112 (B)	0.001	No. Relaxation	<0.001	<0.001	<0.001	<0.001	<0.001
26	Nickel (Ni)	APHA-3111 (B)	0.02	No. Relaxation	<0.01	<0.01	<0.01	<0.01	<0.01
27	Arsenic (As)	APHA-3500 (B)	0.01	0.05	<0.01	<0.01	<0.01	<0.01	<0.01
28	Chromium (Cr+6)	APHA-3500 Cr-B	0.05	No. Relaxation	<0.01	<0.01	<0.01	<0.01	<0.01
29	Phenolic Compound (C ₆ H ₅ OH)	APHA-5530	0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001
30	Conductivity (25 °C)	APHA-2510	Not Specified	Not Specified	531.11	635.50	604.33	538.53	707.72
31	E. Coli	IS:1622-1981	Shall Not Be Detectable	---	Absent	Absent	Absent	Absent	Absent
32	Total Coliform	IS:1622-1981	Shall Not Be Detectable	---	Absent	Absent	Absent	Absent	Absent
33	Temperature	IS:3025 (Pt-9)	Not Specified	Not Specified	19.49	17.01	18.21	18.40	20.19
34	Sodium (Na)	APHA-3500 (Na)	Not Specified	Not Specified	55.15	33.24	29.59	47.14	51.36

			ed						
35	Fecal Coliform	APHA-9221	Shall Not Be Detectable	Absent	Absent	Absent	Absent	Absent	Absent

3.8.3.2 Interpretation of Ground Water Quality

- All the samples were colourless meeting desirable norms (<5 Hazen).
- All the samples meet the desirable standards (pH ranges from 7.08 to 7.36).
- TDS in samples ranges from 324.1mg/L to 509.4 mg/L. All the samples meet the permissible limit of 2000 mg/L.
- Total Hardness in the water ranges from 153.9 mg/L to 252.6 mg/L. All the samples meet the permissible limit of 600 mg/L.
- Calcium content in the water ranges from 56.4 mg/L to 77.1 mg/L all the samples meet the permissible limit of 200 mg/L.
- Magnesium(Mg) content in the water ranges from 7.10 mg/L to 12.13 mg/L. All the samples meet the permissible limit of 100 mg/L.
- Sulphate content in the water ranges from 32.46 mg/L to 48.58 mg/L. The permissible limit of Sulphate is 400 mg/L for drinking water.
- Total alkalinity in the water samples ranges from 108.6 mg/L to 168.6 mg/L. All the samples are within the permissible limit of drinking water (600 mg/L).
- Chloride ranges from 81.4 mg/L to 113.7 mg/L. Which are below permissible limits (1000 mg/l).

3.8.3.3 Result& conclusion

The examination of the physicochemical analysis of the ground water shows that the quality of ground water is generally good with respect to the limits laid down in Bureau of India Standards (IS: 10500:2012) for drinking water. Based on the above result it is concluded that the ground water samples are fit for drinking purpose.

3.8.4 Surface water

The surface water parameters have been analyzed as per APHA procedure and compared with CPCB water quality criteria mentioned in Table 3.7 and the Surface water sample results are mentioned in Table-3.9.

Table 3-7: Water Quality Criteria as per Central Pollution Control Board

Designated-Best-Use	Class of water	Criteria
Drinking Water Source without conventional treatment but after disinfection	A	Total Coliforms Organism MPN/100ml shall be 50 or less pH between 6.5 and 8.5 Dissolved Oxygen 6mg/l or more Biochemical Oxygen Demand 5 days 20°C 2mg/l or less
Outdoor bathing (Organized)	B	Total Coliforms Organism MPN/100ml shall be 500 or less; pH between 6.5 and 8.5; Dissolved Oxygen 5mg/l or more Biochemical Oxygen Demand 5 days 20°C 3mg/l or less
Drinking water source after conventional treatment and disinfection	C	Total Coliforms Organism MPN/100ml shall be 5000 or less; pH between 6 to 9; Dissolved Oxygen 4mg/l or more Biochemical Oxygen Demand 5 days 20°C 3mg/l or less
Propagation of Wild life and Fisheries	D	pH between 6.5 to 8.5 Dissolved Oxygen 4mg/l or more Free Ammonia (as N) 1.2 mg/l or less
Irrigation, Industrial Cooling, Controlled Waste disposal	E	pH between 6.0 to 8.5 Electrical Conductivity at 25°C micro mhos/cm Max.2250 Sodium absorption Ratio Max. 26 Boron Max. 2mg/l

	Below-E	Not Meeting A, B, C, D & E Criteria
--	---------	-------------------------------------

Table 3-8: Surface water monitoring locations

S. No.	Name	Distance & Direction from project site	Co-ordinates
SW1	SW1 UP Stream	App.-0.61 km, towards NNW Direction	25°12'47.51"N 84°49'32.53"E
SW2	SW 2 DOWN Stream	App.-0.61 km, towards NNW Direction	25°11'54.58"N 84°49'24.16"E
SW3	SW 3 Khaira Pond	App.-1.02 km, towards SSE Direction	25°11'44.86"N 84°49'52.90"E
SW4	SW 4 Kansua Pond	App.-6.01 km, towards SSE Direction	25° 9'3.42"N 84°50'28.71"E

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar




Figure 3-17: Map showing Surface Water Monitoring Locations

Table 3-9: Surface Water Results

Sr N.	Parameter	Test Method	Unit	SWQ1	SWQ2	SWQ3	SWQ4
1	Colour	IS:3025 (Pt-4)	Hazen	<5.0	<5.0	<5.0	<5.0
2	Odour	IS:3025 (Pt-5)	---	Agreeable	Agreeable	Agreeable	Agreeable
3	pH	IS:3025 (Pt-11)	---	7.42	7.59	8.03	8.20
4	Turbidity	IS:3025 (Pt-10)	NTU	10.91	8.87	13.87	11.63
5	Total Dissolve Solid	IS:3025 (Pt-	mg/L	557.3	490.6	477.7	381.6

**Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal
Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal
State-Bihar**

	(TDS)	16)					
6	Total Alkalinity (CaCO ₃)	IS:3025 (Pt-23)	mg/L	234.5	179.1	203.9	171.7
7	Total Hardness(CaCO ₃)	IS:3025 (Pt-21)	mg/L	278.5	224.4	170.7	143.8
8	Chloride (Cl)	IS:3025 (Pt-32)	mg/L	122.0	51.6	87.2	73.4
9	Calcium (Ca)	IS:3025 (Pt-40)	mg/L	79.3	42.9	62.5	52.6
10	Mineral Oil	IS:3025 (Pt-39)	mg/L	<0.01	<0.01	<0.01	<0.01
11	Sulphate (SO ₄)	IS:3025 (Pt-24)	mg/L	44.7	35.2	52.0	43.8
12	Nitrate (NO ₃)	IS:3025 (Pt-34)	mg/L	1.19	2.88	1.00	2.15
13	Fluoride (F)	IS:3025 (Pt-60)	mg/L	0.20	0.26	0.40	0.34
14	Iron (Fe)	IS:3025 (Pt-53)	mg/L	0.32	0.30	0.21	0.18
15	Aluminium (Al)	APHA-3500 (B)	mg/L	<0.01	<0.01	<0.01	<0.01
16	Selenium (Se)	APHA-3113 (B)	mg/L	<0.01	<0.01	<0.01	<0.01
17	Cyanide (Cn)	APHA-4500 (C)	mg/L	<0.02	<0.02	<0.02	<0.02
18	Copper(Cu)	APHA-3111(B)	mg/L	<0.05	<0.05	<0.05	<0.05
19	Magnesium (Mg)	IS:3025 (Pt-45)	mg/L	15.02	13.05	12.26	10.32
20	Manganese(Mn)	APHA-3111(B)	mg/L	<0.1	<0.1	<0.1	<0.1
21	Zinc(Zn)	APHA-3111 (B)	mg/L	0.52	0.18	0.74	0.63
22	Cadmium(Cd)	APHA-3111 (B)	mg/L	<0.001	<0.001	<0.001	<0.001
23	Lead(Pb)	APHA-3111 (B)	mg/L	<0.01	<0.01	<0.01	<0.01
24	Boron	IS:3026(Pt-	Mg/L	<0.05	<0.05	<0.05	<0.05

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

		57)					
25	Mercury(Hg)	APHA-3112 (B)	mg/L	<0.001	<0.001	<0.001	<0.001
26	Molybdenum(mo)	IS:3025(Pt-2)	mg/L	<0.05	<0.05	<0.05	<0.05
27	Nickel (Ni)	APHA-3111 (B)	mg/L	<0.01	<0.01	<0.01	<0.01
28	Arsenic(As)	APHA-3500 (B)	mg/L	<0.01	<0.01	<0.01	<0.01
29	Chromium (Cr+6)	APHA-3500 Cr-B	mg/L	<0.01	<0.01	<0.01	<0.01
30	Conductivity (25 °C)	APHA-2510	µs/Cm	734.4	673.6	635.0	526.02
31	Chemical Oxygen Demand (COD)	APHA-5220 (B)	mg/L	22.3	17.95	20.5	16.89
32	Biological Oxygen Demand (BOD at 27OC for 3 day)	APHA-4500 (D)	mg/L	3.58	3.66	3.36	2.83
33	Dissolve Oxygen (DO)	APHA-5210	mg/L	4.07	5.08	4.65	3.92
34	E. Coli	IS:1622-1981	MPN/100ml	170	210	180	150
35	Total Coliform	IS:1622-1981	MPN/100ml	220	340	260	220

3.8.4.1 Interpretation of Surface Water Quality

The baseline quality of water based on the results of the surface water quality monitoring within the study area, it is observed that,

- pH was observed in the range of 7.42 – 8.20 with minimum at Kansua Pond (SW 4) and maximum at Punpun River Downstream (SW2).
- TDS was in the range of 381.6 – 557.3 mg/L with minimum at Kansua Pond (SW 4) and maximum at Punpun River UPstream (SW1).
- COD was in the range of 16.89 – 22.3 mg/L with minimum at Kansua Pond (SW 4) and maximum at Punpun River UPstream (SW1).
- BOD was in the range of 2.83 – 3.66 mg/L with minimum at Kansua Pond (SW 4) and maximum at Punpun River Downstream (SW2).

3.8.4.2 Result & Conclusion

The river water quality parameters are compared with BDU Criteria of CPCB. No metal contamination has been found in surface water samples. Overall, the surface water quality of river is meeting the Class D of DBU Criteria of CPCB for its suitability for wild life and fisheries.

3.9 AIR ENVIRONMENT

3.9.1 General

This section describes the prevailing air environment in the study area for evaluating the impacts of mining activity in surrounding areas. This has been achieved by determining the ambient air quality within the study area, represented by 10 km radius area around the project site, as shown in Figure 3.19. Ambient air quality monitoring stations were selected primarily on the basis of surface influence, demographic influence and meteorological influence. 24 hourly monitoring was carried out for SO₂, NO₂, PM₁₀& PM_{2.5} twice a week at each station. This study was done during winter season for a period of 3 months from 1st March 2023 to 31st May 2023. The analysis reports are appended below in the Table-3-10.

Table 3-10: Site-specific meteorological data

Months	Relative Humidity, %	Rainfall, mm	Mean Wind Speed, m/sec	Wind Directions (blowing from)	Avrg Temperature (degree Celsius)
March	50%	8	2.8	West	18
April	36%	8	2.1	North West	16
May	30%	6	1.9	North West	20

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar




Figure 3-18: Wind Rose Pattern

Observation:

The prominent seasonal wind direction is WNW to ESE, with average wind speed 3.58 m/s.

3.9.2 Methodology

The choice of monitoring locations for ambient air quality is based on:

1. Meteorology of the area: From the meteorological data the frequency and duration of wind is preliminary determined, from which the wind rose diagram is first drawn. Seven monitoring stations have been selected to assess the Air quality in study area.
2. The location of nearest human habitation is also considered for selecting the location of air quality monitoring station. The quality of air at this location is important to know the impact of the proposed mining activities .in terms of emission of particulate matter and gaseous emissions.
3. It is equally important to know the accessibility to the selected air quality stations. Therefore, the availability of roads along with electricity also plays an important role in finalizing the ambient air quality monitoring locations.

Based on these factors, Eight monitoring locations were identified as shown in **Table 3.11 and Figure 3.19**. CPCB guidelines for the measurement of ambient air quality on 24 hourly monitoring was carried out for SO₂, NO₂, PM_{2.5} & PM₁₀ twice a week at each station for a study period of 3 months (1st March 2023 to 31st May 2023).

Table 3-11: Ambient Air monitoring locations

S.No	Name	Distance & Direction from project site	Co-ordinates
AAQ1	AAQ1 Near Project Site-1 Mirzapur	App.-0.519Km, towards NNW Direction	25°12'54.46"N 84°48'59.86"E
AAQ2	AAQ2Primary School Mahariya	App.-0.71km, towards WNW Direction	25°12'48.27"N 84°48'44.27"E
AAQ3	AAQ-3 Chanaura	App.-0.28 km, towards ENE Direction	25°12'36.59"N 84°50'2.13"E
AAQ4	AAQ 4 Near Project Site-2 Khairadih	App.-0.35 km, towards SE	25°12'10.12"N 84°49'58.12"E

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

		Direction	
AAQ5	AAQ 5 Kinjar Thakurbardi	App.-0.87 km, towards NNW Direction	25°13'1.51"N 84°49'37.09"E
AAQ6	AAQ 6 Rajkiya Madhya Vidhyalaya Khaira	App.-0.48 km, towards SSE Direction	25°12'2.70"N 84°49'38.81"E
AAQ7	AAQ7 Kanahiya Chak	App.-1.89 km, towards South Direction	25°11'20.67"N 84°49'8.41"E
AAQ8	AAQ 8 Sohraiya	App.-2.25 km, towards SE Direction	25°11'26.10"N 84°50'45.50"E

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar




Figure 3-19: Map showing Ambient Air Quality Monitoring Locations

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

Table 3-12: Ambient Air Quality Monitoring Results

Parameter	PM _{2.5} (µg/m ³)	PM ₁₀ (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO
AAQM Norms	60	100	80	80	1 Hrs.=04
Near Project Site-1 Village Mirzapur (AQ1)					
MIN	31.2	61.4	9.9	18.3	0.24
MAX	41.3	78.5	16.0	29.9	0.54
AVG	35.2	68.7	13.4	23.5	0.41
98 Percentile	40.7	77.9	15.7	29.0	0.53
Primary School Mahariya (AQ2)					
MIN	28.7	59.9	9.8	17.5	0.17
MAX	42.3	79.8	15.9	26.6	0.49
AVG	35.0	68.2	12.0	21.9	0.35
98 Percentile	40.3	78.6	15.3	26.3	0.49
Village Chanaura (AQ3)					
MIN	28.0	58.0	9.1	13.3	0.26
MAX	42.4	74.3	15.1	23.8	0.66
AVG	33.9	64.6	11.4	18.1	0.48
98 Percentile	41.1	72.6	14.8	23.6	0.65
Near Project Site-2 Khairadih (AQ4)					
MIN	38.2	67.7	10.4	20.3	0.20
MAX	45.5	80.0	19.6	35.4	0.61
AVG	42.1	74.4	15.6	26.1	0.45
98 Percentile	45.3	79.8	19.6	33.6	0.60
Village Kinjar Thakurbardi (AQ5)					
MIN	33.1	58.0	6.7	17.8	0.34
MAX	40.6	68.6	13.3	27.8	0.83
AVG	37.7	62.9	11.1	21.8	0.52

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

98 Percentile	40.3	68.2	13.3	26.8	0.81
Village Rajkiya Madhya Vidhyalaya Khaira (AQ6)					
MIN	26.7	50.1	8.0	22.1	0.32
MAX	36.5	67.0	17.5	34.1	0.80
AVG	31.2	59.4	12.6	27.2	0.50
98 Percentile	36.1	66.8	17.3	33.8	0.76
Village Kanahiya Chak (AQ7)					
MIN	29.5	54.3	7.5	16.2	0.29
MAX	38.0	69.9	12.2	28.1	0.76
AVG	35.0	61.8	10.5	22.0	0.51
98 Percentile	37.8	69.4	12.0	27.9	0.74
Village Sohraiya (AQ8)					
MIN	33.4	58.0	9.5	15.5	0.27
MAX	42.0	74.7	17.3	28.6	0.82
AVG	37.4	66.0	11.4	21.2	0.51
98 Percentile	41.3	74.1	16.2	27.7	0.80

3.9.3 Results

The ambient air quality study for the 8 AAQ monitoring stations shows that the maximum and minimum ground level concentration for PM₁₀ is respectively 80.0 µg/m³ at AQ4 and 50.1 µg/m³ at AQ6. Whereas the maximum and minimum ground level concentration for PM_{2.5} ranges between 45.5µg/m³ at AQ- 4 and 26.7 µg/m³ at AQ6 respectively. Similarly, for SO₂, the maximum and minimum ground level concentration varies between 19.6 µg/m³ and 6.7 µg/m³ for respectively AQ4 and AQ5 stations. For NO₂ the maximum and minimum ground level concentration varies between 35.4 µg/m³ & 13.3 µg/m³ for respectively AQ-4 and AQ-3 stations. CO the minimum and maximum ground level concentration varies between 0.17 mg /m³ & 0.83 mg/m³ for respectively AQ2 and AQ5 stations.

3.10 NOISE ENVIRONMENT

3.10.1 General

The ambient noise levels within the study area were recorded using Sound Level Meter. Noise level monitoring results were compared with the Ambient Noise Quality Standard notified under Environment Protection Act, 1986 and amended thereof.

3.10.2 Methodology

The proposed project activity is expected to affect ambient noise quality in the surrounding areas only by the movement of sand excavation and sand carrying vehicles. Therefore, the choice of monitoring locations is based on human habitation factors. Table 3.12 and Figure 3.9 shows noise quality monitoring locations.

Table 3-13: Noise Quality Monitoring Stations

S.No	Name	Distance & Direction from project site	Co-ordinates
NQ1	NQ 1 Near Project Site-1 Mirzapur	App.-0.519Km, towards NNW Direction	25°12'54.46"N 84°48'59.86"E
NQ2	NQ 2Primary School Mahariya	App.-0.71km, towards WNW Direction	25°12'48.27"N 84°48'44.27"E
NQ3	NQ -3 Chanaura	App.-0.28 km, towards ENE Direction	25°12'36.59"N 84°50'2.13"E
NQ4	NQ 4 Near Project Site-2 Khairadih	App.-0.35 km, towards SE Direction	25°12'10.12"N 84°49'58.12"E
NQ5	NQ 5 Kinjar Thakurbardi	App.-0.87 km, towards NNW Direction	25°13'1.51"N 84°49'37.09"E
NQ6	NQ 6 Rajkiya Madhya Vidhyalaya Khaira	App.-0.48 km, towards SSE Direction	25°12'2.70"N 84°49'38.81"E
NQ7	NQ 7 Kanahiya Chak	App.-1.89 km, towards South Direction	25°11'20.67"N 84°49'8.41"E
NQ8	NQ 8 Sohraiya	App.-2.25 km, towards SE Direction	25°11'26.10"N 84°50'45.50"E

Table 3-14: Noise Level Status

S. No.	Locations		Equivalent Noise Level, dB (A)			
			Limit (as per CPCB Guidelines), Leq, dB(A)		Observed value Leq, dB(A)	
			DAY*	NIGHT*	DAY*	NIGHT*
1	NEAR PROJECT SITE-1 MIRZAPUR	Residential Area	55	45	46.5	32.4
2	PRIMARY SCHOOL MAHARIYA	Silence Zone	50	40	42.3	35.5
3	CHANAURA	Residential Area	50	40	50.4	42.1
4	NEAR PROJECT SITE-2 KHAIRADIH	Residential Area	55	45	47.3	33.1
5	KINJAR THAKURBARDI	Residential Area	55	45	46.7	34.8
6	RAJKIYA MADHYA VIDHYALAYA KHAIRA	Silence Zone	50	40	43.4	30.9
7	KANAHIYA CHAK	Residential Zone	55	45	52.6	37.3
8	SOHRAIYA	Residential Zone	55	45	46.2	31.5

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar




Figure 3-20: Map showing Noise Quality Monitoring Locations

3.10.3 Results

Noise monitoring study reveals that the minimum & maximum noise levels at day time were recorded as 42.3dB (A) at NQ-2&52.6dB (A) at NQ7. The minimum & maximum noise levels at night time were found to be 30.9dB (A) at NQ-6& 42.1dB (A) at NQ3.

There are no other major noise producing sources in the study area except some domestic activities, which contributes to the local noise level of the area. Traffic movements in nearby villages also add to the ambient noise level of the area.

3.11 BIOLOGICAL ENVIRONMENT

3.11.1 Introduction

The biological environment is very crucial for living environment of any area. The Biological diversity includes the variation of all of life forms mainly genetic, species and population. However, Flora and Fauna diversity is broadly understood type. They are further divided in to terrestrial and aquatic life form. Forests are repository of the bio-diversity, gene pool resources, sequester carbon dioxide and provide lot of other environmental services. They play a very vital role in sustaining the life of people and are crucial for the food and water security. In India, the sustained flow of water in our rivers, streams and rivulets and recharge of ground water is necessary for the food security and drinking water availability. The hydrological functions of forests include interception of rainfall and regulating the stem flows, binding soil to prevent soil erosion and conserving the soil moisture. The Forests are the source of major water resource both surface, subsoil and ground water in the country. Forests supply nutrients to agriculture crops through runoff water with much other complementariness with agriculture ecosystem. The division of core and buffer zone is the best way to study the pattern of biodiversity for environmental impact assessment.

3.11.2 Methodology

The biological information has been collected through field studies, conversation with local people and collection of available literature from relevant institutions/ organizations. A participatory and consultative approach was followed. Field visits were undertaken for survey of the vegetation and animals in the study area. The study area has been divided into two parts as core area consisting of project site and the buffer area as the 10 km radius of the project site.

3.11.3 Results and Discussion

The primary survey of study area was conducted particularly with reference to habitat types, listing of species and assessment of the existing baseline ecological (terrestrial and aquatic ecosystem) conditions.

There is no national park, wildlife sanctuary and critically polluted area in 10 km radius from the project site. There are no forests within 5 Km from the boundary of the project site.

National Park, Wildlife Sanctuary, Notified Forest, Ecologically Sensitive area and critically polluted areas in study area:

There is no national park, wildlife sanctuary and critically polluted area in 10km radius from the project site. There are no forests within 15 Km from the boundary of the project site. The area harbours one of the best alluvial soils in India.




Figure 3-21: Wildlife Protected area of Bihar

3.11.4 Floral biodiversity

Core Zone: The core zone was devoid of any plant or tree naturally growing over there. The agro-biodiversity of the study area is unique and there is no reserve or protected forest. The core zone is a long stretch of river sand and no flora was found in the core zone

Buffer Zone: Some of the most dominant species in not forest area are Neem (*Azadirachta indica*), Gulmohar (*Delonix regia.*), Amaltas (*Cassia fistula*), Peepal (*Ficus religiosa*), Shisham (*Dalbergia sissoo*), Sagwan (*Tectona grandis*) etc. were observed within 10 km radius of the study area. Other shrub, herb and grass species like Aloe Vera (*Aloe vera*), Sadabahar (*Catharanthus roseus*), Kush grass (*Desmostachya bipinnata*) and Doob grass (*Cynodon dactylon*) were also recorded.

The important floras of the study area are given in **Table 3-15**.

Table 3-15: Flora in buffer Zone of Study Area

S. NO.	Common Name	Botanical Name	Family Name
Shrubs/herbs/Climbers			
1.	Aloe vera	<i>Aloe vera</i>	Asphodelaceae
2.	Ban Tulsi	<i>Croton bonplandianum</i>	Euphorbiaceae
3.	Creeping cradle	<i>Cyanotis axillaris</i>	Commelinaceae.
4.	Giant Milkweed	<i>Calotropis procera</i>	Apocynaceae
5.	Guava	<i>Psidium guajava</i>	Myrtaceae
6.	Holy Basil (Tulsi)	<i>Ocimum tenuiflorum</i>	Lamiaceae
7.	Harsingar	<i>Nyctanthes arbor-tristis</i>	Oleaceae
8.	Nag Phani	<i>Opuntia elatior</i>	Cactaceae
9.	Pink Node Flower	<i>caesulia axillaris</i>	Asteraceae
10.	Sadabahar	<i>Catharanthus roseus</i>	Apocynaceae
11.	Sissoo spinach	<i>alternanthera sessilis</i>	Amaranthaceae
12.	Tick Weed	<i>Cleome viscosa</i>	Cleomaceae
13.	Yellow Kaner	<i>Thevetia peruviana</i>	Apocynaceae
Trees			
14.	Amla	<i>Phyllanthus emblica</i>	Phyllanthaceae
15.	Amaltas	<i>Cassia fistula</i>	Fabaceae
16.	Arjun Tree	<i>Terminalia arjuna</i>	Combretaceae
17.	Banyan	<i>Ficus benghalensis</i>	Moraceae
18.	Blue Gulmohar	<i>Jacaranda mimosisolia</i>	Bignoniaceae
19.	Elephant Apple	<i>Dillenia indica</i>	Dilleniaceae
20.	Gulmohar	<i>Delonix regia</i>	Fabaceae
21.	Imli	<i>Tamarindus indica</i>	Fabaceae
22.	Jackfruit	<i>Artocarpus heterophyllus</i>	Moraceae
23.	Mango	<i>Mangifera indica</i>	Anacardiaceae

24.	Neem	<i>Azadirachta indica</i>	Meliaceae
25.	Peepal	<i>Ficus religiosa</i>	Moraceae
26.	Sal	<i>Shorea robusta</i>	Dipterocarpaceae
27.	Sisham	<i>Dalbergia sissoo</i>	Fabaceae
28.	Teak	<i>Tectona grandis</i>	Lamiaceae
Grasses			
29.	Bermuda grass	<i>Cynodon dactylon</i>	Poaceae
30.	Doob	<i>Cynodon dactylon</i>	Poaceae
31.	Elephant Grass	<i>Arundo donax</i>	Poaceae
32.	Kush grass	<i>Desmostachya bipinnata</i>	Poaceae
33.	Weeping grass	<i>Eragrostis curvula</i>	Poaceae

3.11.5 Faunal Biodiversity

The fauna visiting core zone includes snakes (*Ptyas mucosus*), rabbits (*Lepus nigricollis*), fish (*Catla catla*), crows (*Corvus splendens*) etc. As per the information collected by the field team, the common animals of the study area are frogs (*Hoplobatrachus tigerinus*), Indian garden lizards (*Calotes versicolor*), House lizards (*Hemidactylus frenatus*). In addition, the commonly found domestic animals such as cow, dog, cat etc. and lower life forms such as ants, spider, butterfly, bee, wasp, and termite are also found in the study area. The common birds inhabiting in the study area are Bulbul (*Pycnonotus jocosus*), Pigeon (*Columba livia*), and Koel (*Eudynamys scolopaceus*) along with some water birds like Cattle egret (*Egretta garzetta*) and White- throated Kingfisher (*Halcyon smyrnensis*). Table 3.17 gives a list of fauna in the study area.

Table 3-17: Fauna of the Study Area

Sr.No.	Common Names	Scientific Name	Wildlife Schedule
Amphibians			
1	Common Indian Green Frog	<i>Rana hexadactyla</i>	Schedule-IV
2	Indian Bull Frog	<i>Hoplobatrachus tigerinus</i>	Schedule-IV
Reptiles			
1	Common Krait	<i>Bungarus caeruleus</i>	Schedule-IV
2	Indian garden lizards	<i>Calotes versicolor</i>	Schedule-IV
3	House Lizards	<i>Hemidactylus frenatus</i>	Schedule-IV
4	Indian cobra	<i>Naja naja</i>	Schedule II: Part -II
5	Rat snake	<i>Ptyas mucosus</i>	Schedule II: Part -II
Mammals			

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

Sr.No.	Common Names	Scientific Name	Wildlife Schedule
1.	Black Rat	<i>Rattus rattus</i>	Schedule-V
2.	Domestic Cow	<i>Bos Taurus</i>	Schedule-IV
3.	Indian Flying Fox	<i>Pteropus giganteus</i>	Schedule- V
4.	Indian palm squirrel	<i>Funambulus pennantii</i>	Schedule-IV
5.	House Goat	<i>Capra hircus</i>	Schedule-IV
6.	Indian Field Rat	<i>Mus booduga</i>	Schedule-V
7.	Indian Gray Langur	<i>Semnopithecus entellus</i>	Schedule-II
8.	Indian Hare	<i>Lepus nigricollis</i>	Schedule-IV
9.	Indian Pariah Dog	<i>Canis lupus familiaris</i>	Schedule-IV
10.	Water Buffalo	<i>Bubalus bubalis</i>	Schedule-IV
Aves			
1.	Asian Koel	<i>Eudynamys scolopaceus</i>	Schedule-V
2.	Asian Palm Swift	<i>Cypsiurus balasiensis</i>	---
3.	Bank Myna	<i>Acredotheres ginginianus</i>	Schedule-IV
4.	Baya Weaver	<i>Ploceus philippinus</i>	Schedule-IV
5.	Barn Swallow	<i>Hirundo rustica</i>	---
6.	Black kite	<i>Milvus migrans</i>	Schedule-IV
7.	Bronze- winged Jacana	<i>Metopidius indicus</i>	Schedule-IV
8.	Cattle Egret	<i>Egretta garzetta</i>	Schedule-IV
9.	Common Myna	<i>Acridotheres tristis</i>	Schedule-IV
10.	House Crow	<i>Corvus splendens</i>	Schedule-IV
11.	House Sparrow	<i>Passer domesticus</i>	Schedule-IV
12.	Indian Moorhen	<i>Gallinula Chloropus</i>	Schedule-IV
13.	Indian Pond Heron	<i>Ardeola grayii</i>	Schedule-IV
14.	Indian Roller	<i>Coracias benghalensis</i>	Schedule-IV
15.	Jungle Babbler	<i>Turdoides striata</i>	Schedule-IV
16.	Little Egret	<i>Egretta garzetta</i>	Schedule-IV
17.	Purple Sunbird	<i>Cinnyris asiaticus</i>	Schedule-IV
18.	Purple Swampphen	<i>Porphyrio porphyrio</i>	Schedule-IV
19.	Red- Vented Bulbul	<i>Pycnonotus cafer</i>	Schedule-IV
20.	Red Wattled Lapwing	<i>Vanellus indicus</i>	Schedule-IV

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

Sr.No.	Common Names	Scientific Name	Wildlife Schedule
21.	Red- Whiskered Bulbul	<i>Pycnonotus jocosus</i>	Schedule-IV
22.	Rock Pigeon	<i>Columba livia</i>	Schedule-IV
23.	Rose- ringed Parakeet	<i>Pssitaculata krameri</i>	Schedule-IV
24.	Spotted Dove	<i>Spilopelia chinensis</i>	Schedule-IV
25.	White- breasted Waterhen	<i>Amaurornis phoenicurus</i>	Schedule-IV
26.	White- throated Kingfisher	<i>Halcyon smyrnensis</i>	Schedule-IV
Insects			
S. No.	Common Name	Scientific Name	Family Name
1.	Jumping spiders	---	Salticidae
2.	Common Wanderer (Butterfly)	<i>Pareronia valeria</i>	Pieridae
3.	Common Social Wasp	<i>Ropalidia marginata</i>	Vespidae
4.	Fire ants (red ants)	<i>Selonopsis invicta</i>	Formicidae
5.	Indian Drywood Termites	<i>Cryptotermes dudleyi</i>	Termitoideae

Most of animals found in the study area are of least concern.

3.11.6 Aquatic life

Along its course river Punpun supports a significantly diverse flora and fauna. Numerous species Fishes, planktons & zooplanktons are found in the study area.

Fishes: Punpun River is adobe for variety of fishes. To have an idea about the fishes' local people were asked along the proposed project, sand deposited area within the fishes local people were asked along the proposed project, sand deposited area within the river and on the bank. Secondary information about fishes noticed from study shows that most common fish species are Rohu, Catla and Mangur etc. The species of fishes given in Table 3.17 are commonly reported in the fresh water bodies like river, streams, lakes, pond and estuaries. They are cosmopolitan in distribution and are reported all over India and Indian Sub continents. These species of fishes are commonly used in aqua culture practice and had good commercial importance.

Table 3-16: Fish species of Punpun River

S.No.	Local Name	Scientific Name
-------	------------	-----------------

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

1	Mrigal	Cirrhinamrigala
2	Catla	Catlacatla
3	Rohu	Lebeorohita
4	Bhakur	Catla catla
5	Karosh	Labeo kalbasu
6	Nayan	Cirhinnus mrigala
7	Calbasu	Lebeocalbasu
8	Kursa	Labeo gonious
9	Rahiya	Cirhanus reva
10	Putiya	Puntius cirrahana
11	Chanandalla	Chana nama ,chandaranga
12	Chelava	Chela laubasa , chela bacuila
13	Ras-bora	Rasbora danconius
14	Padhan	Wallago attu
15	Mangul	Elarius batacus
16	Tengan	Mystus scenghala, mystus vittatus
17	Bata	Labeobata
18	Kalabans	Labeodero
19	Saul	Channa morutius ,channa vitatus ,channa stratus

(Source: Site visit and Secondary Data)

3.12 Socio-Economic Environment

This section of the EIA report deals with Socio-Economic Impact assessment of the Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar & Mirzapur Sand Ghat Cluster N0-01, Khata no. –156, 29, Khasra No.-1670,109,317,363,361, 365Mauza- Kinjar & Mirzapur , Block-Karpi, District-Arwal (Bihar).

Socio-economic survey tools provide a means of improving understanding of local resource management systems, resource use and the relative importance of resources for households and villages.

Data Collection: Following steps were considered for the collection of primary data:

1. Identifying of Study Area
2. Site Visit
3. Analysis of Data Collected

The data on socio-economic aspects in the study area has been carried out through the analysis of the secondary data available for the study area.

The broad objectives of the socio-economic impact assessment are as follows:

- a) To study the socio-economic status of the people living in the study area of the Proposed Sand Mining Project.
- b) To assess the impact on socio-economic environment due to Proposed Sand Mining Project.
- c) To assess the impact of the project on State Gross Domestic Product (SGDP)
- d) To evaluate the community development measures proposed to be taken up by the Project Proponent, if any.
- e) To suggest Community Development measures needs to be taken for the study area

3.12.1 Methodology

The methodology adopted for impact assessment is as follows:

- a) The details of the activities and population structure have been obtained from Census 2011 and analyzed.
- b) Primary data was collected by a door-to-door survey in urban area and household's living therein. The data collected during the above survey were analyzed to evaluate the prevailing socio-economic profile of the area.
- c) Based on the above data, impacts due to construction operation on the community have been assessed and recommendations for further improvement have been made.

3.12.2 Demographic structure of the Arwal District

The district of Arwal with a population of 700843 according to 2011 Census, 0.67 percent of the total population of the state comprised within the district .The district has got five Community Development Blocks viz. Arwal, Karpi, Kurtha, Sonbhadra Banshi and Kaler.

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

There are 316 villages which form 68 Gram Panchayats in the district. There is only one municipal town, viz. Arwal Nagar Parishad. Arwal is a Small sized district and ranks 36th in the state in order of population. The district population of males and females are 363497 and 337346.

(Source: District Census Handbook Arwal)

Table 3-17: List of Villages in Study Area

SL No.	Name of the Village	No. of Household	Total Population	Total Male	Total Female	Population 0-6	Male 0-6	Female 0-6
1	Makhmilpur	254	1376	733	643	304	174	130
2	Daudpur	78	324	171	153	52	27	25
3	Nadi Khurd	346	1919	981	938	323	183	140
4	Belkari	282	1429	773	656	230	126	104
5	Bazidpur	300	1829	951	878	375	202	173
6	Salarpur	308	1951	1028	923	436	225	211
7	Manirampur	43	246	136	110	40	28	12
8	Jhikatia	385	1851	953	898	416	203	213
9	Samanpur Baddo	395	2015	1027	988	434	216	218
10	Qamariya	277	1416	757	659	181	90	91
11	Mahasi Chak	43	286	145	141	70	32	38
12	Kanaia Chak	183	984	537	447	160	89	71
13	Helalpur	408	2211	1131	1080	452	221	231
14	Dakra	199	1176	621	555	207	120	87
15	Gappo Chak	91	611	320	291	136	64	72
16	Sohraiya	876	5430	2757	2673	1036	523	513
17	Mahadpura	61	406	211	195	69	41	28
18	Barheta	171	1042	567	475	157	92	65
19	Noawan	1573	9670	5040	4630	1583	793	790
20	Maulna Chak	127	740	377	363	146	65	81
21	Muhti Chak	62	406	212	194	31	18	13
22	Abgila	63	388	208	180	69	37	32

**Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal
Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-
Arwal State-Bihar**

23	Ballopur	156	965	500	465	200	98	102
24	Sendhwa	344	2038	1084	954	398	203	195
25	Sujaula	49	292	144	148	41	20	21
26	Kaswan	1043	6106	3179	2927	1077	553	524
27	Jhunathi	321	1626	830	796	283	145	138
28	Dhana Dihri	940	5568	2910	2658	1000	522	478
29	Akhtiarpur	80	540	281	259	94	50	44
30	Jagarnath pur	6	25	14	11	6	4	2
31	Shakurabad	518	3486	1870	1616	627	341	286
32	Chagori	343	2384	1274	1110	406	218	188
33	Mahaddipur	114	699	374	325	123	71	52
34	Arif Chak	32	187	94	93	42	22	20
35	Chak Saura	264	1623	837	786	295	147	148
36	Kansua	625	3838	2009	1829	636	354	282
37	Shahbazpur	107	531	278	253	100	49	51
38	Aira	163	1015	543	472	150	79	71
39	Ishaq Chak	50	356	194	162	69	36	33
40	Nezampur	305	1675	865	810	379	200	179
41	Molna Chak	128	623	337	286	78	43	35
42	Partappur	117	716	374	342	146	73	73
43	Mobarakpur	287	1778	957	821	328	180	148
44	Benipur	256	1613	832	781	285	161	124
45	Sikaria	148	707	389	318	110	59	51
46	Madarpur	60	402	213	189	76	43	33
47	Partappur	117	716	374	342	146	73	73
48	Gangapur	506	2864	1408	1456	615	330	285
49	Painathi	287	1596	814	782	308	147	161
50	Sarea	269	1679	876	803	283	156	127
51	Dharnai	438	2473	1240	1233	516	250	266
52	Alawalpur	147	849	439	410	208	101	107

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

53	Gauhara	518	3339	1738	1601	664	329	335
54	Kusre	536	3242	1702	1540	607	312	295
Total		15799	93257	48609	44648	17203	8938	8265

3.12.3 Demographic structure of the study area

Socio-economic status of the population is an indicator of development of the region. Any developmental project of any magnitude will have a bearing on the living condition and the economic bearing of the population in particular and the region as a whole. The section delineates the overall appraisal of the socially relevant attributes. The data on socio-economic aspects in the study area has been carried out through the analysis of the secondary data available for the study area.

3.12.4 Population in Core Zone

The project site is vacant area.

3.12.5 Population in Buffer Zone

The Total Population of study area is 93257 individuals and 15799 numbers of households. A comparative assessment has been made for the respective demographic aspects, based on the year 2011 data, which has been discussed in the following sections.

The total population of study area is 93257 the percentages of male & female population are 52 % & 48 % respectively. Breakup of the population for male and female is given in Table No. 3-19.

Table 3-18: Breakup of the Population

Particulars	Number
No of households	15799
Total population	93257
Male population	48609
Female population	44648
Average family size	5

(Source: As per Census Data 2011)

3.12.6 Social structure

In 2011, about 17 % of the total population belonged to Scheduled Castes (SC) and 0.1 % of the total population belonged to Scheduled Tribes (ST). The distribution of population in the study area by social structure is presented in Table No. 3-20.

Table 3-19: Distribution of Population by Social structure in Study Area

Particulars	Number
Total Scheduled Castes	15427
Scheduled Castes Male	7913
Scheduled Castes Female	7514
Total Scheduled Tribes	86
Scheduled Tribes Male	47
Scheduled Tribes Female	39

(Source: As per Census Data 2011)

3.12.7 Literacy levels

In 2011, about 53 % of the total population belonged to Literates population and 47 % of the total population belonged to Illiterates population. The male literacy rate is 62 % and the female literacy rate was 38 %. The details are presented in **Table No. 3-21**.

Table 3-20: Distribution of Literates in Study Area

Particulars	Number
Total Literates	49847
Male	30771
Female	19076
Total illiterates	43410
Male	17838
Female	25572

(Source: As per Census Data 2011)

3.12.8 Occupation Pattern of the study area

The occupational structure of the population in the study area has been studied with reference to the total workers and non-workers. Further total workers grouped into two categories main workers and marginal workers. Main workers have been grouped into four categories namely: Cultivators, agricultural laborers, household workers and other workers.

3.12.9 Total workers

Work is defined as participation in any economically productive activity with or without compensation, wage. Such participation may be physical and/ or mental in nature. Work

involves not only actual work but also include supervision and direction of work. It even includes part time help or unpaid work on farm, family enterprise or its economic activity. All persons engaged in 'work' as defined above are workers.

The number of total workers in the study area is 30564 which are 33 % of total population. Out of total 30564 workers, which are 22135 males (72 %) and 8429 are Females (28 %). Total workers further divided into main workers and marginal workers.

3.12.10 Main workers

Those workers who had worked for the major part of the reference period (i.e., 6 months or more) are term main workers. Total number of main workers is 20309 which are 15828 Male 78 % & 4481 Female 22 % and 33 % of total population.

3.12.11 Marginal Workers

The marginal workers are those workers, who are engaged in some work for a period of less than six months, during the reference year prior to the census survey. Total number of marginal workers is 10255 which are approx.62 % (6307) Males & 38% (3948) Females.

3.12.12 Other Workers

All workers, i.e. those who have been engaged in some economic activity during the last one year are other workers. The type of workers that come under this category is government servants, municipal employees, teachers, factory workers, plantation workers, those engaged in trading, transport, banking, mining, construction, political or social work, priests, entertainment artist, etc. In effect, all workers except cultivators or agricultural laborers or household industry workers are other workers. The total other workers of this category are about 1001, in which 71.72 % are male and 28.27 % are female.

3.12.13 Cultivator

A person is classified as cultivator if he or she is engaged in cultivation of land own or from government or held from private persons or institutions for payment in money, kind or share. Cultivation work includes effective supervision or direction in cultivation. A person who has given out her/his land to another person or institution(s) for cultivation for money, kind or share of crop and who does not even supervise or direct cultivation process is not treated as cultivator. Similarly, a person working on another person's land for wages in cash or kind or combination of both is not treated as cultivator.

Total cultivators are 5739 which are 18.77 % of Total workers. The distribution of cultivators is male percentage is 88.43 % and female percentage is 11.56 %.

3.12.14Agricultural Labourers

A Persons working on the land of others for wages or share in the yield have been treated as agricultural labourers. The total Agriculture workers of this category are about 10616 which are 30.73% of the total Worker population.

3.12.15 Household Worker

Household industry relates to production, processing, servicing, repairing or making and selling but not includes professions such as a pleader, Doctor, Musician, Dancer, Waterman, Astrologer, Dhobi, Barber, even if such professions, trade or services are run at home by members of the household. The total Household workers of this category are about 521 (1.70 % of total workers) in which 68.52 % (357) are male and 31.48 % (164) are female.

3.12.16Non Workers

The non-workers are in study area 67.22 % of the total population in 2011. Out of total 62693non- workers, males are 26474 while females are 36219. Also, the male percentage is 42.23 % and the female percentage is 57.77 %.

Table 3-21: Distribution of Workers in Study Area

S. No.	Particulars	Number of Workers in the study area		
		Total	Male	Female
1.	Total Workers	30564	22135	8429
2.	Main Workers	20309	15828	4481
3.	Marginal Worker	10255	6307	3948
4.	Cultivators	5739	5075	664
5.	Agricultural Labour	10616	7669	2947
6.	Household Worker	521	357	164
7.	Others Workers	3433	2727	706
8.	Non-workers	62693	26474	36219

(Source: As per Census Data 2011)

3.12.17Rehabilitation &Resettlement (R&R) Action Plan

No further land acquisition required for the project; hence no R &R Action plan is required. There is no Land Acquisition.

3.12.18 Social infrastructure nearby project site

Nearest Habitation: - Chanaura Approx. 0.28 km, towards ENE Direction

Medical Facilities: Kinjar Hospital, Approx. 0.98 Km towards NNE

Religious facilities:- Shiv mandir Khaira -Approx. 0.42 Km towards SE

Post office & Police Station: -Post office, Village -Abgila, Approx. 3.21 Km towards ESE direction.

3.12.19 Impact Assessment & Conclusion

The project activity together with inflow of capital, in-migration and employment of local inhabitants will show positive impact on the overall social and economic condition of the people of the area. The project will provide a direct job opportunity to the local persons as both technical and non-technical workers. Literacy may further increase because of better income and awareness amongst the people. The project will provide direct employment opportunity to local people. Indirect employment is being generated in trade and other ancillary services. Employment in these sectors is both permanent and temporary or contractual and involvement of unskilled labour. A major part of this labour force is mainly from nearby villages that are expected to engage themselves both in agriculture and project activities. This will enhance their income and lead to overall economic growth of the area. The following socio-economic changes may take place due to project activities:

- The project will have a positive employment and income effect, both direct as well as indirect.
- Expected Improvement of infrastructure & transportation.
- The project will have positive impact on consumption behavior by way of raising average consumption and income through multiplier effect.
- The project will bring changes in the pattern of demand from food to non-food items as sufficient income will generate.
- People located in the project area and in close vicinity, enjoying positive changes in life style and better quality of life.

Table 3-22: Demographic particulars of the study area

1	Total no. of villages in the study area	54	
2	Total Population of the Study Area	93257	
	Male	48609	52
	Female	44648	48
	Sex Ratio (No. of females per 1000 males)	919	
3	0-6 Year Population in Study Area	17203	18
	Male	8938	52
	Female	8265	48
	Sex Ratio (No. of females per 1000 males)	925	
4	Total number of Households	15799	
	Average Household size in the Study Area as a whole	6	
5	Total Population of Schedule Caste Community in the Study Area	15427	17
	Male	7913	51
	Female	7514	49
6	Total Population of Schedule Tribe Community in the Study Area	86	0.1
	Male	47	
	Female	C b	
7	Total Literates in the Study Area	49847	53
	Male	30771	62
	Female	19076	38
8	Total illiterates in the Study Area	43410	47
	Male	17838	41
	Female	25572	59
9	Total Worker Population	30564	33
	Male	22135	72
	Female	8429	28
10	Main Worker Population	20309	22
	Male	15828	78
	Female	4481	22
11	Marginal Workers	10255	11

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

	Male	6307	62
	Female	3948	38
12	Cultivators	5739	19
	Male	5075	88
	Female	664	12
13	Agricultural Labour	10616	11
	Male	7669	72
	Female	2947	28
14	Household Worker	3433	4
	Male	2727	79
	Female	706	21
16	Non- Workers	62693	67
	Male	26474	42
	Female	36219	58

Source: Census of India 2011

3.13 Traffic Analysis

Transportation Route:

The minerals excavated will be loaded directly into trucks and transported to the concerned market. The Mining Site Arwal Punpun Kinjar and Mirzapur Cluster 01 is well connected to nearest metaled road going towards NH-33 and SH-69 road via an approach road of approx. 1.3 km towards SW direction. Two skilled persons were deployed on NH-33 road for a day on dated 05.05.2023 for traffic analysis. The evacuation route is shown in the map as given below:




Figure 3-22: Map Showing Evacuation Route of Kinjar




Figure 3-23: Map Showing Evacuation Route of Mirzapur

Traffic analysis is carried out by understanding the existing carrying capacity of the roads near to the project site and the connecting main roads in the area. Then depending on the capacity of the mine, the number of trucks that will be added to the present scenario will be compared to the carrying capacity. Traffic density measurement were made continuously for 24 hours by visual observation and counting of vehicles under three categories, viz., heavy motor vehicles, light motor vehicles and two/three wheelers.

Table 3-23: Traffic Analysis

DURING MINE OPERATION						
Proposed Capacity of mine/annum	No. of working days	Proposed Capacity of mine/day	Truck Capacity -tonnes	Frequency of trucks deployed/day	No. of working hours per days	Frequency of trucks deployed/hour

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

254307.6	240	1059	12	88	10	8
----------	-----	------	----	----	----	---

Table 3-24: Current Traffic Analysis

Classification of Traffic	Adopted PCU Value	Traffic on NH-33	
		ADT (Existing)	PCU (Existing)
Cars	1	620	510
Three Wheeler	1	45	45
Two wheeler	0.5	1380	690
Buses	3	25	75
LCV	1.5	200	300
Trucks	3	750	2250
Tractor-Trailer	4.5	420	1890
Cycle	0.5	200	100
Total Vehicles			5860

Existing V/C: $5860/18000 = 0.33$

Traffic due to proposed Project

Trucks due to proposed project: 88

Trucks per day

PCU: $88 \times 3 = 264$

Cumulative PCUs = $264+5860 = 6124$

V/C: $6124 / 18000 = 0.34$

Table 3-25: Capacity as per IRC: 64-1990

V/C	LOS	Performance
0.0 - 0.2	A	Excellent
0.2 - 0.4	B	Very Good
0.4 - 0.6	C	Good / Average / Fair
0.6 - 0.8	D	Poor
0.8 - 1.0	E	Very Poor

V/C Ratio for the existing and proposed project comes under 0.4 hence, the Level of Service of the Road will be of B quality i.e. Very Good LOS.

4 ANTICIPATED IMPACTS AND THEIR MITIGATION MEASURES

4.1 General

All Mining projects, whether existing or new, have positive or negative impacts on the surrounding environment. Depending on the nature of activities and baseline environment status, the impacts are assessed for their importance. The results of these assessments are used to formulate mitigation measures and future methodology for Environmental Monitoring and Environmental Management plan.

The environmental parameters likely to be affected by mining are related to many factors, i.e. physical, social, economic, agriculture and aesthetic. The excavated sand will be transported via trucks to outsiders. The operations may disturb environment of the area in various ways, such as removal of mass, change of landscape, flora and fauna of the area, surface drainage, and change in air, water and soil quality. While for the purpose of development and economic up-liftment of people, there is need for establishment of mining industries, but these should be environment friendly. Therefore, it is essential to assess the impacts of mining on different environmental parameters, before starting the mining operations, so that abatement measures could be planned in advance for eco-friendly mining in the area. The likely impacts on different environmental parameters due to this mining project are discussed here.

Several scientific techniques and methodologies are available to predict impacts of physical environment. Mathematical models are the best tools to quantitatively describe the cause and effect relationships between sources of pollution and different components of environment. In cases where it is not possible to identify and validate a model for a particular situation, predictions have been arrived at based on logical reasoning/consultation/extrapolation.

The following parameters are of significance in the Environmental Impact Assessment and are being discussed in detail:

- Land Environment
- Water Environment
- Air Environment
- Noise Environment
- Biological Environment
- Socio Economic Environment

➤ Soil Environment

Based on the environmental baseline scenario as detailed in Chapter 3 and the proposed mining activity in Chapter 2, this chapter assesses the likely impact and their extent on various environmental parameters along with the mitigation measures.

4.2 LAND ENVIRONMENT

The proposed extraction of stream bed materials, mining below the existing streambed, and alteration of channel-bed form and shape may lead to several impacts such as erosion of channel bed and banks, increase in channel slope, and change in channel morphology if, the operations are not carried out scientific & systematically.

The mining and allied activities involved due to mining result in creation of temporary haul roads and formation of mined pits, etc. affecting the land use pattern. In this project, silt and clay are also produced as a constituent along with minerals, which are considered to be waste.

Anticipated Impacts:

- Mining activity will impact river bed topography by formation of excavation voids.
- Undercutting and collapse of river banks.
- River bed mining may bring in some change in topography at the nearby area of the mine lease.
- Stacks of solid waste generated from mining activity may hinder the flow of water in monsoon season.

Mitigation measures:

Adopting suitable, site-specific mitigation measures can reduce the degree of impact of mining on land. Some of the land-related mitigation measures are as follows:

- Excavated pits will get replenished annually in monsoon itself & will be restored to original.
- Mineral will be mined out after leaving safety distances from both side from the bank as “No mining zone “for bank stability.
- The mine working will remain confined to allotted river bed only, so it will not disturb any surface area outside the mine lease area which may affect topography or drainage.
- Solid waste will not be stacked on the bank side as it will hinder the flow of water in monsoon season.

4.3 WATER ENVIRONMENT

Anticipated Impacts:

Mining of sand from within or near river has an indirect impact on the physico-chemical habitat characteristics during monsoon season. These characteristics include in stream roughness elements, depth, velocity, turbidity, sediment transport and stream discharge.

The detrimental effects, if any, to biota resulting from bed material mining are caused by following:

- Alteration of flow patterns resulting from modification of the *river*
- An excess of suspended sediment during monsoon season.

Mitigation measures

Project activity will be carried out only in the dry part of the Punpun River. Hence, none of the project activities affect the water environment directly. In the project, it is not proposed to divert or truncate any stream in monsoon season only. No proposal is envisaged for pumping of water either from the *River* (in monsoon) or tapping the ground water.

In the lean months, the proposed mining will not expose the base flow of the *River* and hence, there will not be any adverse impact on surface hydrology.

The deposit will be worked from the top surface up to a maximum depth of 3 m below ground level or above the ground water table whichever comes first. Hence mining will not affect the ground water regime as well.

Further mining will be completely stopped during the monsoon seasons to allow the excavated area to regain its natural profile.

4.4 AIR ENVIRONMENT

Anticipated Impacts:

Emission of fugitive dust is envisaged due to:

- Mining Activities includes excavation and lifting of minerals. The whole process will be done by semi-mechanized process without drilling and blasting. Therefore, the dust generated is likely to be insignificant as compared to mining processes involving drilling, blasting, mechanized loading etc.
- Transportation of minerals will be done by road using trucks. Fugitive dust emission is expected from the transportation of trucks on the haul roads. Evaluation of fugitive dust emission has been done by using line source model as given below:

4.4.1 Air Modeling

Objective

Atmospheric modelling is used by air quality managers to make decisions on effective and efficient ways to implement the National Ambient Air Quality Standards (NAAQS) and improve air quality. Air quality modelling is done to estimate the relationship between sources of pollution and their effects on ambient air quality, predict the impacts from potential emission sources, and simulate ambient pollution concentrations under different policy scenarios. They are critical for determining the relative contributions from different sources, monitoring compliance of air quality regulations, and making policy decisions

4.4.2 Air Quality Model

In order to estimate the ground level concentrations due to the emissions from the proposed project, EPA approved American Meteorological Society/Environmental Protection Agency Regulatory Model - AERMOD View 10.0.1 dispersion Model has been used. AERMOD View Dispersion Model provides option to model emissions from a wide range of sources that are present at a typical industrial source complex. The model considers the sources and receptors in undulated terrain as well as plain terrain and the combination of both. The basis of the model is the steady state Gaussian Plume Equation, with modifications to model simple point source emissions from stacks that experience the effect of aerodynamic down wash due to nearby buildings, isolated vents, multiple vents, storage piles etc. AERMOD View dispersion model with the following options has been used to predict the cumulative ground level concentrations due to the proposed emissions. Area being rural, the rural dispersion parameters are considered as below:

- Predictions have been carried out to estimate concentration values over radial distance of 10 km around the sources.
- Cartesian receptor network has been considered.
- Emission rates from the sources were considered as constant during the entire period.
- The ground level concentrations computed were as in basis without any consideration of decay coefficient.
- Calm winds recorded during the study period were also taken into consideration.
- 24-hour mean meteorological data, extracted from the meteorological data collected during the study period as per guidelines of IMD/CPCB has been used to compute the mean ground level concentrations to study the impact of proposed activity.
- Stability class was evaluated based on wind direction fluctuation.
- The mathematical equations used for the dispersion modelling assumes that the earth surface acts as a perfect reflector of plume and physico-chemical processes such as dry and wet deposition and chemical transformation of pollutants are negligible.
- Washout by rain is not considered.
- Source of emission is continuous and at steady state.

Sources of Pollution/Emission

1. Active Mining Area: 100m x 100m (**Area Source**)
2. Mine Road (**Line Source**)

4.4.3 Emission Calculation

An emissions factor is a representative value that attempts to relate the quantity of a pollutant released to the atmosphere with an activity associated with the release of that pollutant. The general equation for emissions estimation is:

$$E = A \times EF \times (1 - ER/100)$$

Where;

E = emissions in (gm/sec);

A = activity rate (Tonnes/Hr);

EF = emission factor (Kg/Tonnes), and

ER = Overall emission reduction efficiency, %

Emission rate of pollutants from operation of mining is calculated based on the emission factors given in the AP-42 published by USEPA. As per the emission factors published in the above documents, the emission rate has been computed and is provided below.

4.4.4 Quantitative estimation of impacts on air environment

An attempt has been made to predict the incremental rise of various ground level concentrations (GLCs) above the baseline status in respect of air pollution due to mining operations. The mathematical model used for predictions in the study is USEPA approved AERMOD View 10.0.1 software which is designed for point source, line source and area sources for the prediction of impacts due to mine operations. For estimation of the GLC in worst case scenario, the mining operations are assumed to be carried out on the flat terrain. The predicted GLC computed using AERMOD View developed by Lakes Environment model is plotted on isopleths and are shown in Figure given below.

4.4.5 Meteorological Data

The meteorological data recorded continuously during season of **Summer (Pre- monsoon)** on hourly basis for wind speed, wind direction, relative humidity, precipitation and temperature and the same is processed to extract the 24-hour mean meteorological data as per the guidelines of IMD and MoEF for application of AERMOD Version 10.0.1 model. Stability classes computed for the mean hours are based on the guidelines issued by CPCB on modelling. Mixing heights representative of the region have been taken from the available published literature.

4.4.6 Stability Classification

Wind direction fluctuation method (CPCB PROBES/70/1997-1998) is adopted for hourly stability as determined by wind direction fluctuation method as suggested by Slade (1965).

$$\sigma_{\theta} = Wdr/6$$

Wdr: the overall wind direction fluctuation or width of the wind direction in degrees, over the averaging period.

σ_{θ} : the standard deviation of wind direction fluctuation.

The stability classes are as detailed below:

Table 4-1 Slades Stability Classification based Wind direction fluctuation

Stability Class	σ_{θ} (degree)
A (Extremely Unstable)	>22.5

B (Moderately Unstable)	22.4-17.5
C (Slightly Unstable)	17.4-12.5
D (Neutral)	12.4-7.5
E (Slightly Stable)	7.4-3.5
F (Stable)	<3.5

4.4.7 Dispersion Parameters

The area is classified as urban when more than 50% of land inside a circle of **3 km** radius around the source can be considered built up with heady or medium industrial, commercial or residential units.

Table 4-2 Brigg`s Dispersion Parameters σ_y (m) and σ_z (m) ($100m < x < 10000m$)

S.No.	Stability Class	$\sigma_y(m)$	$\sigma_z(m)$
For Rural Conditions			
1	A	$0.22x(1+0.0001x)^{-0.5}$	$0.2x$
2	B	$0.16x(1+0.0001x)^{-0.5}$	$0.12x$
3	C	$0.11x(1+0.0001x)^{-0.5}$	$0.08x(1+0.0002x)^{-0.5}$
4	D	$0.08x(1+0.0001x)^{-0.5}$	$0.06x(1+0.0015x)^{-0.5}$
5	E	$0.06x(1+0.0001x)^{-0.5}$	$0.03x(1+0.0003x)^{-1}$
6	F	$0.04x(1+0.0001x)^{-0.5}$	$0.016x(1+0.0003x)^{-1}$
For Urban Conditions			
1	A-B	$0.32x(1+0.0004x)^{-0.5}$	$0.24x(1+0.001x)^{-0.5}$
2	C	$0.22x(1+0.0004x)^{-0.5}$	$0.20x$
3	D	$0.16x(1+0.0004x)^{-0.5}$	$0.14x(1+0.0003x)^{-0.5}$
4	E-F	$0.11x(1+0.0004x)^{-0.5}$	$0.08x(1+0.0015x)$

Where x is the downwind distance in meters.

4.4.8 Mixing Height

As site specific mixing height were not available, mixing height based on CPCB publication, “Spatial Distribution of Hourly Mixing Depth over Indian Region”, PROBES/88/2002-03 has been considered for model to establish the worst-case scenario.

4.4.9 Monthly Wind Speed and Wind Direction

The weather is one of the main factors affecting the air quality. Weather can help to clear away pollutants from atmosphere to improve air quality, or it can make air pollution extremely worse by helping to form highly polluted regions. The concentration of air pollutants in ambient air is governed by the meteorological parameters such as atmospheric wind speed, wind direction, relative humidity, and temperature. Rainfall can effectively remove atmospheric particulate pollutants, and the removal rate of PM10 is greater than the removal rate of PM2.5. In general wind speed more than 7 m/s can lift dust. Heavier particles will settle near the source area, with the smaller ones settling farther away. The site-specific weather data has been collected by installation of weather monitoring station at site.

Table 4-3 Weather Monitoring Data of the Site

Months	Relative Humidity, %	Rainfall, mm	Mean Wind Speed, m/sec	Wind Directions (blowing from)	Avrg. .Temperature (degree Celsius)
March	43%	32	3.5	North West	30
April	36%	18	3.1	West	26
May	50%	8	2.8	South West	18

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar




Figure 4-1 Windrose Data of the Site

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

4.4.10 Model Results




Figure 4-2 Predicted GLC concentration of PM10

4.4.11 Mitigation measures

The collection and lifting of minerals will be done by loaders. Therefore, the dust generated is likely to be insignificant as there will be no drilling & blasting. The only air pollution sources are the road transport network of the trucks. The mitigation measures like the following will be resorted:

- ✓ Water sprinkling will be done on the haul roads twice in a day. This will reduce dust emission further by 74%
- ✓ Speed limits will be enforced to reduce airborne fugitive dust from vehicular traffic.
- ✓ Spillage from the trucks will be prevented by covering tarpaulin over the trucks.
- ✓ Deploying PUC certified vehicles to reduce their emissions.
- ✓ Proper tuning of vehicles to keep the gas emissions under check.

Monitoring to ensure compliance with emission limits would be carried out during operation

4.5 NOISE ENVIRONMENT

The proposed mining activity is semi-mechanized in nature. No drilling & blasting is envisaged for the mining activity. Hence, the only impact is anticipated is due to movement of vehicles deployed for transportation of minerals.

Anticipated Impacts:

- Mental disturbance, stress & impaired hearing.
- Decrease in speech reception & communication.
- Distraction and diminished concentration affecting job performance efficiency.

The noise level in the working environment are compared with the standards prescribed by Occupational Safety and Health Administration (OSHA-USA) which has been adopted and enforced by the Govt. of India through model rules framed under Factories Act, 1980 and CPCB 2000 norms. The summary of the permissible exposures in cases of continuous noise as per above rules is given below:

Table 4-4 Damage risk criteria for hearing loss OSHA regulations

Maximum allowable duration	Sound pressure dB(A)	Remarks
---------------------------------------	---------------------------------	----------------

per day in hour		
(1)	(2)	(3)
8.0	90	1. For any period of exposure falling in between any figure and lower figure as indicated in column (1), the permissible sound is to be determined by extrapolation or proportionate scale.
6.0	92	
4.0	95	
3.0	97	
2.0	100	
1 ½	102	
1	105	
¾	107	
½	110	
¼	115	2. No exposure in excess of 115 dB(A) is permissible.

Noise at lower levels (sound pressure) is quite acceptable and does not have any bad effect on human beings, but when it is abnormally high- it incurs some maleficent effects.

a. Mitigation measures

The following measures have been envisaged to reduce the impact from the transportation of minerals:

- The vehicles will be maintained in good running condition so that noise will be reduced to minimum possible level.
- In addition, truck drivers will be instructed to make minimum use of horns in the village area and sensitive zones.
- No such machinery is used for mining which will create noise to have ill effects.
- Awareness will be imparted to the workers about the permissible noise levels & maximum exposure to those levels.

4.6 BIOLOGICAL ENVIRONMENT

Mining which leads to the removal of channel substrate, re-suspension of streambed sediment and stockpiling on the streambed, will have ecological impacts. These impacts may have an effect on the direct loss of stream reserve habitat, disturbances of species attached to streambed deposits, reduced light penetration, reduced primary production, and reduced feeding opportunities. Sand mining generates additional traffic, which negatively impairs the environment.

Anticipated Impacts:

Flora

The proposed project of river bed sand mining shall be carried out on the riverbed of Punpun River. There are no trees in the project area. The project shall also not lead to any change in land use and will be replenished every year after successive rains. The proposed mining activity, which although is an economically gainful activity, also constitutes river training work. It allows for necessary dredging activity which may otherwise lead to flooding of the valley.

There shall be negligible air emissions or effluents from the project site during loading of the truck. This shall be a temporary effect and not anticipated to affect the surrounding vegetation significantly.

Fauna

Animals are sensitive to noise and avoid human territory. The project stretch of the river is not an identified drinking water point for the animals. However, any animal desirous of accessing the river can continue to do so upstream or downstream of the stretch during the mining activities, as there will not be any damming or diverting of water. Hence, no significant impact is anticipated from the proposed project.

Mitigation measures

As the proposed mining will be carried out in a scientific manner, not much significant impact is anticipated, however, the following mitigation measures will be taken to further minimize it:

Flora

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

Although, the project will not lead to any tree cutting, plantation activities shall be undertaken to improve the vegetation cover of the area. To avoid dust emissions, the mined materials will be covered with tarpaulin during transportation.

The list of plants proposed for green belt is as follows.

Table 4-5 List of Trees proposed for Greenbelt (Evergreen, quick growing)

S.No.	<i>Scientific Name</i>	Family	Common Name	Hindi Name
1	<i>Aegle marmelos</i>	Rutaceae	Stone apple	Bael
2	<i>Azadirachta indica</i>	Meliaceae	Indian Lilac	Neem
3	<i>Alstonia scholaris</i>	Apocynaceae	Blackboard tree	Chitvan
4	<i>Cassia fistula</i>	Fabaceae	Cassia fistula Linn	Amaltas
5	<i>Callistemon</i>	Myrtaceae	Bottle brush	Cheel
6	<i>Delonix regia</i>	Fabaceae	Royal Poinciana	Gulmohar
7	<i>Ficus racemosa</i>	Moraceae	Cluster fig	Gular
8	<i>Mangifera indica</i>	Anacardiaceae	Mango Tree	Aam
9	<i>Psidium guajava</i>	Myrtaceae	Guava Tree	Amrud
10	<i>Phyllanthus emblica</i>	Phyllanthaceae	Indian gooseberry	Amla
11	<i>Putranjiva roxburghii</i>	Putranjivaceae	Putranjiva	Putijia
12	<i>Saraca asoca</i>	Fabaceae	Asoka- Tree	Ashok
13	<i>Syzygium cumini</i>	Myrtaceae	Java Plum	Jamun
14	<i>Terminalia arjuna</i>	Combretaceae	Arjun	Kahu
15	<i>Tectona grandis</i>	Lamiaceae	Teak	Sagwan

Fauna

The workers shall be directed to not venture out of the leased area for collecting fuel wood, or hunting. They shall also be trained not to harm any wildlife. No work shall be carried out after sunset.

4.7 Socio-Economic Environment

4.7.1 Management Plan for Socio-Economic Environment

- I. In general, socio-economic environment will have positive impact due to the mining project in the area.
- II. The deployed laborers will be from nearby villages only as these people are mainly dependent upon such mining activities.
- III. In order to further improve the socio-economic conditions of the area, the management will contribute for development works in consultation with local bodies.

4.8 Soil Environment

Movement of vehicles on the mine lease will also cause soil erosion. It is also anticipated that the garbage from the labour force and discharge of domestic wastewater will also cause the soil pollution.

- I. Wastes and debris generated at the site will be collected time to time and disposed suitably to avoid any contamination.
- II. Fuel oil for mining equipment will be stored on the cemented floor.

4.9 Solid Waste Management

Waste management is an important facet of environment management. Thus, solid waste management is important from both aesthetics and environment viewpoints. The solid waste will be generated approx. **1.2 Kg/day** on the project site.

- I. Generated food waste or any other domestic waste will be collected in dustbins and will be properly disposed of as per Solid Waste Management Rules 2016.
- II. There are no toxic elements present in the mineral which may contaminate the soil or river water.

4.10 Traffic Analysis

Traffic Management:

1. Roads will be repaired regularly and maintained in good conditions.
2. Haul roads will be sprinkled with water to keep the dust suppressed.
3. A supervisor will be appointed to regulate the traffic movement near the site.
4. Speed breakers or sign board will be constructed with near accident-prone areas to calm the traffic and its speed.
5. Signage will be erected at the sensitive & precarious places to caution or provide information to road users.

5 ANALYSIS OF ALTERNATIVES (TECHNOLOGY AND SITE)

5.1 Introduction

Consideration of alternatives to a project proposal is a requirement of EIA process. During the scoping process, alternatives to a proposal can be considered or refined, either directly or by reference to the key issues identified. A comparison of alternatives helps to determine the best method of achieving the project objectives with minimum environmental impacts or indicates the most environmentally friendly and cost-effective options.

5.2 Alternative for Mine Lease

Sand (minor mineral) deposits are site specific. It is present in inside river bed **Area 8.46 Ha**. The mining of the material will be done by open cast semi-mechanized method inside river bed. The mining will be done as per laid down procedures Bihar Minerals (Concession, Prevention of Illegal Mining, Transportation & Storage) Rules, 2019 (as amended in 2021). **No overburden** from inside riverbed block will be produced. Therefore, no alternates it is suggested as the mineral is site specific.

5.3 Alternative for Technology and other Parameters

Some alternatives considered during EIA study are discussed below:

Table 5-1 Alternative for Technology and other Parameters

S. No.	Particular	Alternative Option 1	Alternative Option 2	Remarks
1.	Technology	Opencast Semi mechanized and mechanized mining.	Opencast Mechanized mining.	Opencast semi-mechanized for Riverbed is preferred Benefits: <ul style="list-style-type: none">•No electric power requirement•Minimal noise will be generated•Minimal air pollution will be generated.
2.	Employment	Local employment	Outsource employment	Local employment is preferred. Benefits: <ul style="list-style-type: none">•Provides employment to local people along with financial benefits•No residential building/housing is required.

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

3.	Laborer transportation	Public transport	Private transport	Local labors will be deployed so They will either reach mine site by Bicycle or by foot. Benefits: •Cost of transportation of men will be negligible.
4.	Material transportation	Public transport	Private transport	Material will be transported through trucks/trolleys on the contract basis Benefits: •It will give indirect employment.
5.	Water requirement	Tanker supplier	Ground water/surface water supply	Tanker supply will be preferred. Benefits: •No change in the surface water or ground water quality.
6.	Road	Haul road	Metallic road	Haul road will be considered for Linking mine site from. Minimum distance will be measured along with less number of trees for considering optimum haul road roots. Benefits: Less distance, less fuel used, minimum or negligible no. of trees will be cut in best opted haul road root.

5.4 Summary

We have analyzed all the option for alternative so the proposed mine site. This project is sand specific project and existing land use of mine lease classified as River Body which will continue to be so even after the current mining project is over, hence no alternate site is suggested for this project.

6 ENVIRONMENTAL MONITORING PROGRAM

6.1 Introduction

Regular monitoring of the various environmental parameters is necessary to evaluate the effectiveness of the management programme so that the necessary corrective measures can be taken in case there are some drawbacks in the proposed programme. Since environmental quality parameters at work zone and surrounding area are important for maintaining sound operating practices of the project in conformity with environmental regulations, the post project monitoring work forms part of Environmental Monitoring Program. Environmental Monitoring Program will be implemented once the project activity commences. Environmental Monitoring Program includes: (i) Environmental surveillance (ii) Analysis and interpretation of data (iii) Preparation of reports to support environmental management system and (iv) Organizational set up responsible for the implementation of the programme. Environmental Monitoring will be taken up for various environmental components as per conditions stipulated in Environmental Clearance Letter issued by MoEF&CC and Consent to Operate issued by the State Pollution Control Board. Compliance of same will be submitted to respective authorities on regular basis.

6.2 Environmental Management Cell

In order to maintain the environmental quality within the stipulated standards, regular monitoring of various environmental components is necessary which will be complied as per conditions. For this the lessee **Maa Vaishnavi Enterprises Director. – Shashibhushan Sharma, Arwal Punpun Kinjar and Mirzapur Cluster 01** has taken decision to formulate an Environment Policy of the mine and constitute an Environmental Management Cell and committed to operate the proposed mine with the objectives mentioned in approved Environment Policy. The system of reporting of Non-conformances /violation of any Environmental Law/Policy will be as per quality management system. The internal audit will be conducted on periodic basis and any Non-conformances/violation to Environmental Law/Policy will be closed and discussed during Management Review Meetings of board of directors/partners.

Hierarchy

An EHS Manager will be appointed to look after all environmental issues and ensure compliance with Environmental Clearance conditions/SPCB norms. An Assistant Manager and Executive Environment Engineer will be appointed under the EHS Manager. EHS Manager will report to the Lessee directly and discuss the non-compliance if so any. An immediate solution will be arrived to ensure compliance with norms.




Figure 6-1 Hierarchy of Environment System for Dealing Environmental Issues

6.2.1 Responsibilities for Environmental Management Cell (EMC)

The responsibilities of the EMC include the following:

- Environmental Monitoring of the surrounding area
- Developing the green belt/Plantation
- Ensuring minimal use of water
- Proper implementation of pollution control measures
- Access the risk area
- Implementation of QMS
- Conducting Internal Audits
- Closing of NCs and conduction Management Review Meetings.

6.3 Environmental Monitoring and Reporting Procedure

Monitoring shall confirm that commitments are being met. This may take the form of direct measurement and recording of quantitative information, such as amounts and concentrations of discharges and wastes, for measurement against corporate or statutory standards, consent limits or targets. It may also require measurement of ambient environmental quality in the vicinity of a sit using ecological/biological, physical and chemical indicators. Monitoring may include socio-economic interaction, through local liaison activities or even assessment of complaints.

The key aims of environmental monitoring are:

- To ensure that results/ conditions are as forecast during the planning stage, and where they are not, to pinpoint the cause and implement action to remedy the situation.
- To verify the evaluations made during the planning process, in particular with risk and impact assessments and standards and target setting and to measure operational and process efficiency.
- Monitoring will also be required to meet compliance with statutory and corporate requirements. Finally, monitoring results provide the basis for auditing, *i.e.* to identify unexpected changes.

6.4 Monitoring Schedule

Regular Monitoring of all the environmental parameters *viz.*, air, water, noise and soil as per the formulated program based on CPCB and MoEF&CC guidelines will be carried out every year in order to detect any changes from the baseline status.

Table 6-1 Monitoring Schedule

S.No.	Description of Parameters	Schedule of Monitoring
1	Air Quality	24 hourly samples twice a week in each season except monsoon
2	Water Quality (Surface &Groundwater)	Once a season for 4 seasons in a year
3	Soil Quality	Once in a year in project area
4	Noise Level	Twice a year for first two years & then once a year

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar

5	Socio-economic Condition	Once in 3 years
6	Plantation Monitoring	Once in a season

6.4.1 Locations of Monitoring Stations

The location of the monitoring stations was selected on the basis of prevailing micro meteorological conditions of the area like; wind direction and wind speed, relative humidity, temperature. Locations for the post project monitoring shall be as under.

Table 6-2 Locations of Monitoring Stations

S. No.	Description	Location
1.	Ambient Air Quality	Lease area, Villages in down Wind direction from the Lease Boundary
2.	Noise Level Monitoring	Lease Boundary, High noise generating areas within the lease boundary like joining highways, nearest village, sensitive areas in the surrounding of the mine lease.
3.	Water Level and Quality	Nearby Surface and Ground water sources
4.	Soil Quality	Lease area and Villages within study area.

Table 6-3 Budget for monitoring

S. No.	Description	Cost to be incurred (in lakhs/annum)
1	Water Quality (Surface & Groundwater), Soil Quality, Air Quality, Noise Level	2.0
TOTAL		2.0

6.5 Reporting Schedule during Operation of Mine

After completion of analysis, copies of all the analysis reports will be sent to MoEF&CC Regional Office and SPCB. Copies of the reports will be maintained in the office and will be made available to the concerned inspecting authorities.

6.6 Budget Allocation for Monitoring

Budget for monitoring of Air, water, Noise and Soil will be Rs.2.0 Lakhsto be incurred by the project proponent for undertaking pollution prevention measures during the mining activity.

6.7 Summary

In order to maintain the environmental quality within the stipulated standards, regular monitoring of various environmental components is necessary which will be complied as per conditions. For this lessee **Maa Vaishnavi Enterprises Director. – Shashibhushan Sharma** has taken decision to formulate an Environment Policy of the mine and constitute an Environmental Management Cell and committed to operate the proposed mine with the objectives mentioned in approved Environment Policy. EMP may also require measurement of ambient environmental quality in the vicinity of a sit using ecological/biological, physical and chemical indicators. Monitoring may include socio-economic interaction, through local liaison activities or even assessment of complaints. Regular Monitoring of all the environmental parameters viz., air, water, noise and soil as per the formulated program based on CPCB and MoEF&CC guidelines will be carried out every year. The location of the monitoring stations was selected on the basis of prevailing micro meteorological conditions of the area like; wind direction and wind speed, relative humidity, temperature. A budget for monitoring of Air, water, Noise and Soil will be incurred by the project proponent for undertaking pollution prevention measures during the mining activity.

7 ADDITIONAL STUDIES

7.1 General

This chapter will highlight the additional studies that had been performed based on feedback from internal quality assessment, regulatory authority and stakeholder. Mining operations are associated with several potential hazards that affect adversely the human health and environment. It would normally require the assistance of emergency services to handle it effectively. The mining operation will be taken up under the supervision and control of qualified staff including Mine Manager (Grade I). Similarly, Sand mines also have impending dangers and risk which need to be addressed for which a disaster management plan has been prepared with an aim of taking precautionary steps to avert disasters and also to take such action after the disaster which limits the damage to the minimum.

7.2 Items Identified by Proponent

No requirements of additional studies have been identified due to the unique location and proposed method of mining to be adopted.

7.3 Items Identified by Regulatory Authority

All studies identified by regulatory authority have been discussed in detail in Chapter 4.

7.4 Items Identified by the Public and Other Stakeholders

The public hearing will be conducted after the draft EIA submission to the concerned authorities. The issues and items identified by the public and other stake holders will be granted in the form of public hearing minutes, accordingly it will be included in Final EIA report.

7.5 Risk Analysis and Disaster Management Plan

All types of industries face certain types of hazards which can disrupt normal activities abruptly. Similarly, river bed mines also have risks which need to be addressed for which a disaster management plan has been formulated with an aim of taking precautionary steps to avert disasters and also take such action after disasters which limits the damage to minimum. In the sections below, the identification of various hazards, probable risks during the operational phase of the mining, maximum credible accident analysis and consequences analysis are addressed either qualitatively or quantitatively.

Risk assessments will help mine operators to identify high, medium and low risk levels. This is a

requirement of the Occupational Health and Safety Act 2000. Risk assessments will help to priorities the risks and provide information on the need to safely control the risks. In this way, mine owners and operators will be able to implement safety improvements. The following natural/industrial problem may be encountered during the mining operation.

- ✓ Inundation: Filling of the mine pit due to excessive rains
- ✓ Slope failures at the mine faces or stacks
- ✓ Accident due to fire (in forested areas)

As per proposal made under the mining plan the area will be developed by means open cast mining method. Extraction of minerals is to be carried out by open cast semi-mechanized method. Water table will not be touched during the mining process. No high-risk accidents like landslides, subsidence flood etc. have been apprehended.

7.5.1 Risks due to Inundation

Mining will be done during the non-monsoon periods (October-June); therefore, problem of inundation is not likely to happen.

7.5.2 Risks Due to Failure of Pit Slope

In order to allay dangers due to open cast slope failure, final pit, slope stability estimations will be made for the existing mines. Determining the factor of safety, the slopes should be monitored at regular intervals to check for any possible failure.

7.5.3 Risks due to Failure of Waste Dumps

All the Material excavated during mining will be saleable, therefore no waste dumps are proposed.

7.5.4 Risks of Accidents due to Trucks and Dumpers

Identifying the hazards that come along with the presence of vehicles at the workplace (e.g. reversing operations, loading) can cause harm if not properly handled. Among some of the factors that may make vehicle accidents more likely are:

- ✓ Rough access roads
- ✓ Time pressure
- ✓ Inadequate brakes (Possibly from lack of maintenance)
- ✓ Carelessly parked vehicles (e.g. being parked on a slope without being adequately secured)
- ✓ Unsafe coupling and uncoupling of trailers, and

- ✓ Untrained drivers
- ✓ Overturning vehicles
- ✓ Over speeding of the vehicles

To avoid such instances, trainings will be given to the workers and their representatives and involve them in the risk assessment process and train them what to do, to reduce risk. All transportation within the mine lease area should be carried out directly under the supervision and control of management.

The vehicles will be maintained in good working condition and checked thoroughly at least once a month by the competent person authorized for the purpose by the management.

- ✓ Road signs will be provided each and every turning point up to the main road (wherever required)
- ✓ To avoid danger while reversing the vehicles especially at working place/loading points, stopper should be posted to properly guide reversing/spotting operating.
- ✓ Only trained drivers will be hired.

7.6 Disasters and Its Management

Mining and allied activities are associated with several potential hazards to both the employees and the public at large. A worker in a mine will be able to work under conditions, which are adequately safe and healthy. At the same time the environmental conditions also will not impair his working efficiency. This is possible only when there is adequate safety in mines. Hence mine safety is one of the most essential aspects of any working mine. The safety of the mine and the employees is taken care of by the Mines Act 1952, which is well defined with laid down procedure to ensure safety and constantly monitored and supervised by Directorate General of Mines Safety and Department of Mines, State Government.

7.6.1 Identification of Hazards


There are various factors, which can create disaster in sand mine. These hazards are as follows:

- ✓ Inundation / Flooding.
- ✓ Quick Sand Condition.
- ✓ Drowning.
- ✓ Accident due to vehicular movement.
- ✓ Accident during sand loading, transporting and dumping.

7.6.2 Sand Loading

The sand is loaded in the trucks using hand shovels and back-hoe. There are possibilities of injury in the hands during loading with shovels and staying under bucket movement.

- ✓ There are possibilities that the workers standing on the other side of loading may get injury due to over thrown sands with pebbles.
- ✓ There are possibilities of workers getting injured during opening of side covers of the trucks to facilitate sand loading.
- ✓ There are possibilities of riverbank collapse due to close proximity of sand extraction.
- ✓ There are chances of falling of cattle/children into sand pit in river bed, may be fatal due to fall in such pits were reported from other areas to the Department of Mines.
- ✓ Chance of workers getting injured due to improper balancing of truck while loading.



7.6.3 Heavy Machinery

Most of the accidents occur during transportation by dumpers, trucks and other heavy vehicles and are often attributable to mechanical failures, in which the factor of human errors cannot be ruled out.

7.6.4 Inundation / Flooding

- ✓ The possibility of inundation/flooding of the sand mines are very high during monsoon or during heavy rains in lean season as the mine area lies over the sand dunes of a riverbed.

- ✓ There are dangers to the trucks and other machineries due to flooding.
- ✓ There are dangers to the workers working in the sand dunes. Inundation or flooding is expected and beneficial for these sand mines as during this time only the sand reserve gets replenished.

7.6.5 Safety Features Required in Tippers/Trucks

- ✓ **Rear Vision System:** For assisting operator to have back view during reversing.
- ✓ **Auto dipping System:** To reduce glaring of eyes of operator during night.
- ✓ **Load Indicator and Recorder:** Enables management to detect and prevent over loading.
- ✓ **Global Positioning system:** To prevent illegal transport and selling of sand, restricting short-cut routes other than stipulated routes and computerized monitoring.
- ✓ **Seat belt reminder:** To alert operator for using the seat belt.

7.6.6 Mitigation of Hazards

Measures to Prevent Accidents during Sand Loading.

- ✓ The trucks will be brought to a level so that the sand loading operation suits to the ergonomic Condition of the workers and the back-hoe.
- ✓ The loading will be done from one side of the truck only.
- ✓ The workers will be provided with gloves and safety shoes during loading.
- ✓ Opening of the side covers (pattas) will be done carefully and with warning to prevent injury to the loaders.
- ✓ No sand will be collected within 7.5m from bank, especially from outer bank of the meandering river. Safe clearance will be mainly determined by the height of the river bank and thickness of sand to be extracted from the close vicinity of that bank.
- ✓ Ponding in the river bed shall not be allowed.
- ✓ Operations during daylight only.
- ✓ No foreign material (garbage's) will be allowed to remain/spill in river bed and catchment area, or no pits/pockets are allowed to be filled with such material.
- ✓ Stockpiling of harvested sand on the river bank will be avoided.
- ✓ For particular operations, approaching river bed from both the banks will be avoided.

7.7 Replenishment of Sand Deposits

The replenishment study has been carried out during the preparation of DSR by Subdivisional Committee, Arwal after analyzing datasets of consecutive calendar years. Both field-based surveys coupled with satellite imagery study and empirical study were carried out to determine the rate of replenishment in each river of the district. The determined values of various methods as adopted for replenishment study gives a comparable value and in all cases the values are found to be much more as compared to the capping limit (60%) as suggested in the Enforcement & Monitoring Guidelines for Sand Mining (EMGSM) January 2020, Issued by Ministry of Environment, Forest and Climate Change (MoEF & CC) 2020. It is suggested to have a periodical review along with field data acquisition during pre and post monsoon periods to record the seasonal variance of the sedimentation rate on annual basis and update this DSR in case of any abnormal findings.

Theoretical Replenishment study based on mining lease shows variation from 74.50% to 95.60% with an average of 81.52% of replenishment rate in the district. An average replenishment rate for the year for Arwal District comes to about 86.39%.

[\(Source: Approved DSR\)](#)

7.8 Social Impact Assessment, Rehabilitation & Resettlement (R&R) Action Plan

Socio Economic Impact Assessment (SEIA) refers to systematic analysis of various social and economic characteristics of human being living in a given geographical area during a given period. SEIA is carried out separately but concurrently with Environment Impact Assessment (EIA). It focuses the effect of the project on social and economic well-being of the community.

7.8.1 Impact on Demographic Composition

The proposed project will hardly make any difference in the demographic composition of the study area as the additional employment is envisages to create that will be met locally to the maximum extent. Hence, the chances of in-migration of people from outside the study area are remote. Accordingly, there will be no variation in the total population of the study area including that of sex ratio, when the mine starts operating.

7.8.2 Employment Opportunities

The proposed project will provide employment to the local people. It has been estimated that 8 people will get direct employment in this mining project. It is a positive impact of the project since it is providing employment opportunities to the local people.

7.8.3 Increased Supply of Sand in the Market

With the commencement of the proposed mining project the supply of sand will increase and the gap between demand and supply will decrease to some extent, if not fully.

7.8.4 Impact on Agriculture

The entire mining area is part of river bed and the entire land is Government Revenue Land. It is a non-forest land and the proposed activity is to take place in the bed of river Punpun & agriculture field. There will be no negative impact on agriculture because compensation will be made to the land owners and agriculture land is reclaimed & give back to the land owners after the completion of mining contract so that they will again use the field for cultivation. Scientific mining will be adopted in the proposed mining project the area will be free from annual floods, which destroy standing crops, land and property. This is a positive impact of the proposed mining project.

7.8.5 Impact on Road Development

Movement of tractor-trolleys and other vehicles to and fro the mining site is expected to increase substantially, when mining will start. The existing roads connecting the quarry with the National and State Highways are mostly narrow mud roads. There will be mud slide and traffic bottle neck if these roads are not widened and their conditions are not improved. Hence, there is good scope for road development in the mining area. Further, there are risks of accidents during loading of extracted minerals into tractor-trolleys and transportation to markets for sell. However, accidents can be avoided by taking due care & precautions.

7.8.6 Income to Government

The proposed mining activity will benefit the State in the form of royalty, dead rent, fees & earning from taxes.

7.8.7 Impact on Law and Order

As most of the workers to be employed in the proposed mining project are local residents no law & order problem is envisaged. It is expected that the workers will attend to their duties from their

residence and return to their homes after the day's work. There would have been law & order problem if the workers were migrants and lived in shanties closed to the mining area. However, to meet any untoward incident one police post may be set up closed to the mining area.

7.8.8 Impact on Health

There are no chances of occurring diseases, due to manual mining of sand. Sand is non-toxic. However, sand mining activities such as excavation and loading unloading of sand require precautions since it create respiratory problems among mine workers. Excessive inhalation of sand is a serious health concern. To avoid respiratory problem from sand necessary protection should be taken.

Rehabilitation and Resettlement (R&R) action plan is not applicable for this project.

7.9 Summary

Risk assessments will help to priorities the risks and provide information on the need to safely control the risks. In this way, mine owners and operators will be able to implement safety improvements. Mining and allied activities are associated with several potential hazards to both the employees and the public at large. A worker in amine will be able to work under conditions, which are adequately safe and healthy. At the same time the environmental conditions also will not impair his working efficiency. This is possible only when their inadequate safety in mines. Hence mine safety is one of the most essential aspects of any working mine. It is very important to conserve the scheduled fauna in the area by the local authority as well as by the forest officials. People are not aware about the wildlife and protection of wild animals. There is an urgent need of education and awareness to local people about the wild life and their importance. A green belt will be developed around the core zone. Green belt plantation will be started with the beginning of the mining and will be completed at the end of mine lease. This mining project has positive impact on social and economic well-being of the community because this project provides employment opportunities to local people and many social welfares works done by project proponent. There is no displacement of the population within the project area and adjacent nearby area.

8 PROJECT BENEFITS

8.1 GENERAL

The proposed sand mining project will improve the socio-economic and reduce the chances of flood. This will be in form of roads, water supply, employment and economic growth.

8.2 PHYSICAL BENEFITS

- ✓ Generate useful economic resource for construction.
- ✓ Improve Socio-economic conditions of surrounding areas.
- ✓ Protecting river banks.
- ✓ Reduce the probability of submergence of adjoining agricultural lands.
- ✓ Protection of crops being cultivated along the river bank.
- ✓ Reducing aggradations of river level.
- ✓ **Improvements in the physical infrastructure:** -The proposed Sand mine will have numerous induced impacts on society such as growth in schools, hospitals, hotels & restaurants, transport etc.
- ✓ **Improvements in the social infrastructure:** -The social infrastructure like repairing of handpumps, submersibles for agriculture, maintenance of nearby school infrastructure and maintenance of haulage path and village roads.
- ✓ **Employment potential** -- The present project will provide employment to 8 people.
- ✓ **Other tangible benefits:** -Deepening and cleaning of the river flood plain/bed will help in reduction of flood in the area, job opportunity to the labours.

8.3 SOCIAL BENEFITS

The mining in the area will create rural employment. It has been observed that conditions of the village around mining areas are better than that of distant villages. The mining activity in the region will have positive impact on the social economic condition of the area by way of providing employment to the local in-habitants; wages paid to them will increase the per capita income, housing, education, medical and transportation facilities, economic status, health and agriculture.

A detailed programme for socio economic development of the area has been framed. The salient features of the programme are as follows:

- ✓ Social welfare programme like provision of medical facilities educational facilities, water supply for the employees as well as for nearby villagers will be taken.
- ✓ A well laid plan for employment of the local people has been prepared by giving priority to local people.
- ✓ Supplementing Govt. efforts in health monitoring camps, social welfare and various awareness programs among the rural population.
- ✓ Assisting social forestry programme.
- ✓ Adoption of villages for general development.
- ✓ Supply of water to village nearby villages.
- ✓ Development of facilities within villages like roads, etc.
- ✓

8.4 Corporate Environmental Responsibilities

As per MoEFCC OM dated 30th Sept., 2020 adequate funds shall be earmarked as per the commitments made by project proponent and requirements to address the issues raised during the public hearing in lieu of corporate Environment Responsibility (CER) and this will be covered under EMP. Detailed action plan for the activities along with the budgetary allocation will be incorporated in this EIA/EMP Report upon completion of public hearing.

8.5 ECOLOGICAL BENEFITS

A green belt will be developed along the boundary of the mining lease area. The area for green belt plantation consists of undisturbed soil; hence plantation could be made as in any garden or road side plantation. Green belt is erected not from biodiversity conservation point of view but is basically developed as a screen to check the spread of dust pollution. It is proposed to plant **85** Nos. of **native species** along with some fruit bearing and medicinal trees during the plan period and a budget of **Rs 0.26 Lakh** for plantation is given in **EMP**.

8.6 CONCLUSION

The management will recruit the semi-skilled and unskilled workers from the nearby villages. The project activity and the management will definitely support the local Panchayat and provide

other form of assistance for the development of public amenities in this region. The company management will contribute to the local schools, dispensaries for the welfare of the villagers. A suitable combination of trees that can grow fast and also have good leaf cover will be adopted to develop the green belt. It is proposed to plant **85 Nos.** native species per during the mining plan period.

9 ENVIRONMENTAL COST BENEFIT ANALYSIS

9.1 ENVIRONMENTAL COST BENEFIT ANALYSIS

As per EIA Notification dated 14th September, 2006 as amended from time to time; the chapter on “Environmental Cost Benefit Analysis” is applicable only, if the same is recommended at the Scoping Stage.

As per the ToR points issued on dated 25th April 2023 by SEIAA Bihar, (File No.SIA/BR/MIN/2365/2023 the Environmental Cost Benefit Analysis is not required.

10 ENVIRONMENT MANAGEMENT PLAN

10.1 GENERAL

Environmental Management Plan is a guiding document for environmental impacts associated with the proposed projects. It is a guiding document for management of good environmental condition on the site & surrounding of the proposed sand mine. The Environmental Management Plan (EMP) has been formulated and integrated with the sand mine planning keeping in view overall scientific development of local habitat and reduce the adverse impact that may be caused due to the sand mining operation. A scientific assessment of these impacts those are likely to influence the existing environmental scenario is needed. This could also facilitate in formulating a suitable environmental management plan depicting all mitigation measures. It can help in implementing the project in an eco-friendly manner. The project activities influencing the following environmental attributes have been studied and their impacts on the following attributes have been assessed.

The Environment Management Plan (EMP) will outline the measures that will be undertaken to ensure compliance with environmental legislation and recommendations from the EAC / SEAC to minimize adverse impacts on the environment. The environmental management plan consists of the set of mitigation, management, monitoring and institutional measures to be taken during the implementation and operation of the project, to eliminate adverse environmental impacts or reduce them to acceptable levels. The present environmental management plan addresses the components of environment, which are likely to be affected by the different operations in a mine area. The environmental management must be integrated into the process of mine planning so that ecological balance of the area is maintained and adverse effects are minimized. An Environmental Management Plan (EMP) is a site specific plan developed to ensure that the project is implemented in an environmentally sustainable manner. An effective EMP ensures the application of best practice environment management to a project the purpose of an EMP is to:

- I. Assists proponent in the preparation of an effective and user friendly EMP.
- II. Improve the contribution that an EMP can make to the effectiveness of the environmental management process.
- III. Ensure a minimum standard and consistent approach to the preparation of EMP's.

- IV. Ensure that the commitments made as part of the project's EIA are implemented throughout the project life.
- V. Ensure that environment management details are captured and documented at all stages of a project.

The design of EMP for operational phase has been aimed to achieve the following objectives:

- I. To ensure adoption of state of art technological environmental control measures and implementing them satisfactorily.
- II. Effectiveness of mitigatory measures in mitigation of impacts.
- III. Description of monitoring program of the surrounding environment.
- IV. Institution arrangements to monitor effectively and take suitable corrective steps for implementation of proper EMP.
- V. An Environmental Management Cell (EMC) should be set up to take care of all environment aspects and to maintain environmental quality in the project area.




Figure 10-1 Flow Chart of EMP

10.2 LAND USE PATTERN

River bed mining can lead to river bank erosion and sedimentation arising from changes in hydrology due to alteration in water depths and river bed morphology. Sand and gravel in low land river land forms are biologically important and an economic asset. Keeping this in mind, the following management plans are suggested:

- I. Mineral will be mined out after leaving sufficient safety zone from the bank as per sand Enforcement & Monitoring Guidelines for Sand Mining 2020
- II. The mining is planned in non-monsoon seasons only, so that the excavated area gets replenished during the monsoon each year.
- III. Pits will get replenished naturally every year after monsoon.
- IV. Grass/plants will be planted on the bank of the river for their stability.

10.3 AIR ENVIRONMENT MANAGEMENT

Mitigative measures suggested for air emission control will be based on the baseline ambient air Quality monitoring data. From the point of view of maintenance of an acceptable ambient air quality in the region, it is desirable that the air quality needs to be monitored on a regular basis to check it vis-à-vis the NAAQS prescribed by MoEF&CC and in cases of non-compliance, appropriate mitigative measures will be adopted. In order to minimize impacts of mining on air and to maintain it within the prescribed limits of CPCB/ SPCB, an Environmental Management Plan (EMP) has been prepared. This will help in resolving all environmental and ecological issues likely to cause due to mining in the area.

During the course of mining no toxic substances are released into the atmosphere as such there seems to be no potential threat to health of human beings. In the mining activities, the only source of dust emission from loading & gaseous emissions is from the engines of vehicles. The reasons may be quality of fuel, improper operation of the engine, etc., proper maintenance of engines will improve combustion process and brings reduction in pollution.

10.3.1 Control of Gaseous Pollution

In mining activities, the only source of gaseous emissions is from the engines of transport vehicles. The emissions from the diesel engines of the machinery can be controlled by proper maintenance and monitoring of machines.

10.3.2 Control of Dust Pollution

The main pollutant in air is PM10, which is generated due to various mining activities. However, to reduce the impact of dust pollution the following steps have been taken during various mining Activities.

a) During loading operation

- I. Latest loading equipment like hydraulic excavators will be used with dumpers. This reduces the number of buckets to fill from height and thus have comparatively less dust generation. The propagation of this dust is confined to loading point only and does not affect any person both the operators of excavator and dumpers who will sit in closed chamber and will be equipped with dust mask.
- II. Skilled operators will operate excavators.
- III. Avoid overloading of dumpers and consequent spillage on the roads.

b) During Transport operation

- I. All the haulage roads including the main ramp be kept wide, leveled, compacted and properly maintained and watered regularly during the shift operation to prevent generation of dust due to movement of dumpers, and other vehicles.
- II. Mineral carrying trucks will be effectively covered by Tarpaulin to avoid escape of fines to atmosphere.
- III. Regular Compaction and grading of haul roads to clear accumulation of loose material.
- IV. Air quality will be regularly monitored both in the core zone and the buffer zone.

c) Plantation work carried out

In order to reduce air pollution in the surroundings, green belt will be developed along mine approach road. The plantation will be done along the bank of a river.

d) Monitoring of air pollution

Periodic air quality survey will be carried out to monitor the changes consequent upon mining activities as per the norms of CPCB.

10.4 NOISE AND VIBRATION ENVIRONMENT

The ambient noise level monitoring carried out in and around the proposed mine lease area shows that ambient noise levels are well within the stipulated limits of MoEF&CC. There is no drilling and blasting for mineral extraction. Noise pollution will only be due to loading and transporting equipment. Effective steps will be taken to keep the noise level well below the limit of 85 dbA as prescribed by DGMS.

10.4.1 Noise Abatement and Control

- I. Proper maintenance of all machines is being carried out, which help in reducing generation of noise during operations.
- II. No other equipment's except the Transportation vehicles and Excavator and Loaders (as and when required) for loading is allowed.
- III. Noise generated by this equipment is intermittent and does not cause much adverse impact.
- IV. Periodical monitoring of noise will be done to adopt corrective actions wherever needed.
- V. Plantation will be taken up along the approach roads. The plantation minimizes propagation of noise and also arrests dust.
- VI. Mining will be done on day time only.

10.5 Surface and Ground Water Management

During the operational phase of mine no waste water or industrial effluent will be generated. The environmental management for water pollution control includes:

- I. Mining will neither intersect the ground water table of the area. So not at all disturbing water environment.
- II. The mining does not have any impact on topography and natural drainage of surrounding area.
- III. Local people will be employed and no permanent housing will be done so no permanent drainage pattern for sewerage system is required as domestic sewage shall be disposed of into septic tank followed by soak pits.
- IV. Monitoring of water quality of nearby surface water, ground water and domestic water will be conducted once in every season except monsoon to evaluate the performance of the mitigation measures.

10.5.1 Waste Water Management

No waste water is generated from the mining activity of minor minerals as the project only involves lifting/excavation of Sand and transportation directly to the consumers.

10.5.2 Water Conservation

The project does not consume any process water except for drinking, dust suppression and plantation. Plantation is proposed, which will increase the water holding capacity and help in recharging of ground water.

10.6 SOLID WASTE MANAGEMENT

Waste management is an important facet of environment management. Thus, solid waste management is important from both aesthetics and environment viewpoints.

- III. Generated food waste or any other domestic waste will be collected in dustbins and will be properly disposed of.
- IV. There are no toxic elements present in the mineral which may contaminate the soil or river water.

10.7 GREEN BELT DEVELOPMENT

The proposed green belt in the lease area is to be developed taking into consideration the availability of area as the efficiency of green belt in pollution control mainly depends on tree species, its width, distance from pollution sources, side of the habitat from working place and tree height. The proposed green belt has been designed to control PM10, gaseous pollutants, noise, surface run off and soil erosion etc. While considering the above aspects due care will be taken for selecting the suitable characteristics plant species such as fast growing, locally suitable plant species, resistant to specific pollutant and those which would maintain the regional ecological balance, soil and hydrological conditions.

10.7.1 Plantation Program

Under the afforestation plan, plantation in nearby villages and connecting roads will be undertaken. The implementation for development of greenbelt will be of paramount importance as it will not only add up as an aesthetic feature but will also act as a pollution sink. The species

to be grown in the areas will be dust tolerant and fast growing species so that a permanent greenbelt is created. Plantation in the barrier zone and roads is necessary as these areas will contain fine particulates resulting from mining operation and vehicle movement. Mining activities will not cause any harm to riparian vegetation cover as the working will not extend beyond the offset left against the banks in the river. It is proposed to have plantation on both sides of the roads as greenbelt to provide cover against dust dissemination. River banks will be strengthened by way of plantation on the banks. Plantation will also be carried out as social forestry programme in village, school and the areas allocated by the Panchayat/State authorities. Native plants and other local species will be planted. A suitable combination of trees that can grow fast and also have good leaf cover shall be adopted to develop the greenbelt. It is proposed to plant **85 numbers** of native species will be planted during the plan period. List of Species for Greenbelt Development is given in Table 10.1 Plantation will increase the water holding capacity and help in recharging of ground water. No artificial rainwater harvesting is proposed for the present project.

Table 10-1 List of Species for Greenbelt Development

S.No.	Scientific Name	Family	Common Name	Hindi Name
1	<i>Aegle marmelos</i>	Rutaceae	Stone apple	Bael
2	<i>Azadirachta indica</i>	Meliaceae	Indian Lilac	Neem
3	<i>Alstonia scholaris</i>	Apocynaceae	Blackboard tree	Chitvan
4	<i>Cassia fistula</i>	Fabaceae	Cassia fistula Linn	Amaltas
5	<i>Callistemon</i>	Myrtaceae	Bottle brush	Cheel
6	<i>Delonix regia</i>	Fabaceae	Royal Poinciana	Gulmohar
7	<i>Ficus racemosa</i>	Moraceae	Cluster fig	Gular
8	<i>Mangifera indica</i>	Anacardiaceae	Mango Tree	Aam
9	<i>Psidium guajava</i>	Myrtaceae	Guava Tree	Amrud
10	<i>Phyllanthus emblica</i>	Phyllanthaceae	Indian gooseberry	Amla
11	<i>Putranjiva roxburghii</i>	Putranjivaceae	Putranjiva	Putijia
12	<i>Saraca asoca</i>	Fabaceae	Asoka- Tree	Ashok
13	<i>Syzygium cumini</i>	Myrtaceae	Java Plum	Jamun

14	<i>Terminalia arjuna</i>	Combretaceae	Arjun	Kahu
15	<i>Tectona grandis</i>	Lamiaceae	Teak	Sagwan

10.8 SOCIO-ECONOMIC ENVIRONMENT

10.8.1 Management Plan for Socio-Economic Environment

- I. In general, socio-economic environment will have positive impact due to the mining project in the area.
- II. The deployed laborers will be from nearby villages only as these people are mainly dependent upon such mining activities.
- III. In order to further improve the socio-economic conditions of the area, the management will contribute for development works in consultation with local bodies.

10.9 OCCUPATIONAL HEALTH AND SAFETY

Occupational Health and Safety professionals develop and coordinate safety and health systems and strategies within organizations. They identify workplace hazards, assess risks to employee health and safety, and recommend solutions. Increasingly, Health and Safety Professionals are also responsible for many of the environmental aspects of their workplace. As this profession matures there is an increased emphasis on risk management strategy and on the development of workplace culture.

Occupational Health and Safety professionals in the minerals industry may perform the Following tasks-

- I. The collection of minor minerals from the Sand mine does not cause any occupational ill effects.
- II. Except fugitive dust generation there is no source which can show a low probability for health-related diseases and proper dust suppression will control dust generation and dispersion.
- III. Dust masks will be provided to the workers working in the dust prone areas as additional personal protective equipment.
- IV. The occupational health hazards have so far not been reported.
- V. Awareness program will be conducted about likely occupational health hazards so as to have preventive action in place.

- VI. Any workers health related problem will be properly addressed.
- VII. Periodical medical checkup will be conducted.
- VIII. Promote occupational health and safety within their organization and develop safer and healthier ways of working;
- IX. Help supervise the investigation of accidents and unsafe working conditions, study possible causes and recommend remedial action;
- X. Develop and implement training sessions for management, supervisors and workers on health and safety practices and legislation;
- XI. Coordinate emergency procedures, mine rescues, firefighting and first aid crews;
- XII. Communicate frequently with management to report on the status of the health and safety strategy and risk management strategy, and Develop occupational health and safety strategies and systems, including policies, procedures and manuals.

Table 10-2 Budget for occupational health

S. No.	Activities recommended for communities' level services	Tentative cost (Lakh Rs)
1	Awareness campaigns regarding health issues in the nearby villages.	0.50
2	Provide free health checkups & medicines to the nearby villagers of the project site.	1.0
3	Assistance to set up a temporary health center during the lease tenure.	0.50

10.10 COST OF EMP MEASURES

Following provisions are proposed to be taken for improving, control and monitoring of environment protection measures

Table 10-3 Budget for EMP (Lakhs)

Sl. No	Description	Capital Cost (lakh)	Recurring Cost (lakh)
1	Pollution Control & Dust Suppression	Nil	4.0

2	Pollution Monitoring i) Air pollution ii) Water pollution iv) Noise Pollution	--	2.0
3	Plantation and salary for one gardener (part time basis).	1.7	0.5
4	Haul road Maintenance Cost	1.25	1.44
TOTAL		2.95	7.94
Budget for Occupational Health		-	2.5
Grand Total		2.95	10.44

10.11 SUMMARY

As per Above discussion there is no measure impact on the environment due to mining except fugitive mission in the form of dust generated during handling of mineral. The adequate preventive measures will be adopted to contain the various pollutants within permissible limits. Plantation development will be carried out in the mine premises, along the approach roads, around Govt. buildings, schools approx. 85 trees during plan period. It will prove an effective pollution mitigate technique, and help avoid soil erosion during monsoon season. Employment opportunities will be provided to the locals only as providing extraction of minerals from the mine site is the only prevailing occupation for them for their livelihood. A budget of Rs. **2.95** Lakh(Capital Cost) &**10.44** Lakhs(Recurring Cost) for EMP is incurred by Project Proponent.

11 SUMMARY & CONCLUSION

11.1 Introduction

Mine Plan: The mining plan for the Arwal Punpun Kinjar & Mirzapur Cluster 01 Sand Ghat on Punpun River has been approved from the Department of Mines & Geology, Govt. of Bihar through vide letter No. 1874/M. Patna dated 06/04/2023 Copy of approval Letter of Mining Plan and Progressive Mine Closure Plan has attached as **Annexure II**.

ToR Letter: It is in this context, hard copy of Form-I and Pre-Feasibility Report has been submitted to SEIAA/SEAC, Bihar on 14.04.2023 requesting for issue of “Terms of Reference” (ToR). The ToR Letter has been issued on date 25.04.2023 by SEIAA, (File no-SIA/1(a)/2365/2023).

Baseline data collection: The baseline data was collected in Summer season from 1st of March 2023 to 31st of May 2023.

The Proposed Sand Mining Project at Khata No. 156, 29, Khasra No. 1670,109, 317,363, 361, 365 in Mauza- Kinjar, and Mirzapur, Block-Karpi, District- Arwal, State-Bihar of Arwal Punpun Kinjar & Mirzapur Cluster sand ghat on Punpun River. Mine Lease Area – 8.46 Ha for production of 152280 Cum per year 254307.6 TPA

Table 11-1: Details of the Project

S. No.	Particulars	Details						
1.	Nature and Size of the Project	Mining of Sand Minor Minerals with Production Capacity of 152280 CUM/Year or 254307.6Tonnes /Year (M.L. Area- 8.46 ha).						
2.	Location							
	Plot/Survey/Khasra No.	River Name	Mauza	Khata no	Khasra no	Name of the Ghat	Area (Ha.)	
		Punpun	Kinjar	156	1670,109	Arwal Punpun Kinjar & Mirzapur Cluster 01	8.46	
			Mirzapur	29	317,363, 361, 365			
	Village/ Mauza	Mauza- Kinjar & Mirzapur						
	Block	Block- Karpi						

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar.

	District	Arwal																																																																																																																			
	State	Bihar																																																																																																																			
Geographical Coordinates	Latitude and Longitude of	Arwal Punpun Kinjar & Mirzapur Cluster 01:-																																																																																																																			
		Coordinates of the Lease Boundary Kinjar																																																																																																																			
		<table> <tr> <th>Sl no.</th><th>Latitudes</th><th>Longitudes</th></tr> <tr><td>1</td><td>25.210021</td><td>84.830596</td></tr> <tr><td>2</td><td>25.210119</td><td>84.830801</td></tr> <tr><td>3</td><td>25.209735</td><td>84.831235</td></tr> <tr><td>4</td><td>25.209324</td><td>84.831417</td></tr> <tr><td>5</td><td>25.208372</td><td>84.831324</td></tr> <tr><td>6</td><td>25.207727</td><td>84.831271</td></tr> <tr><td>7</td><td>25.207248</td><td>84.831059</td></tr> <tr><td>8</td><td>25.206754</td><td>84.830827</td></tr> <tr><td>9</td><td>25.20632</td><td>84.830567</td></tr> <tr><td>10</td><td>25.206207</td><td>84.830479</td></tr> <tr><td>11</td><td>25.205717</td><td>84.830005</td></tr> <tr><td>12</td><td>25.2054</td><td>84.829704</td></tr> <tr><td>13</td><td>25.205367</td><td>84.829679</td></tr> <tr><td>14</td><td>25.205341</td><td>84.829843</td></tr> <tr><td>15</td><td>25.205334</td><td>84.829902</td></tr> <tr><td>16</td><td>25.205372</td><td>84.830175</td></tr> <tr><td>17</td><td>25.205393</td><td>84.830334</td></tr> <tr><td>18</td><td>25.205729</td><td>84.830703</td></tr> <tr><td>19</td><td>25.206069</td><td>84.831177</td></tr> <tr><td>20</td><td>25.206394</td><td>84.831542</td></tr> <tr><td>21</td><td>25.206394</td><td>84.831682</td></tr> <tr><td>22</td><td>25.205954</td><td>84.83169</td></tr> <tr><td>23</td><td>25.205593</td><td>84.831448</td></tr> <tr><td>24</td><td>25.205503</td><td>84.831268</td></tr> <tr><td>25</td><td>25.205312</td><td>84.830885</td></tr> <tr><td>26</td><td>25.205178</td><td>84.830584</td></tr> <tr><td>27</td><td>25.205009</td><td>84.830214</td></tr> <tr><td>28</td><td>25.204836</td><td>84.829593</td></tr> <tr><td>29</td><td>25.204839</td><td>84.829087</td></tr> <tr><td>30</td><td>20.205217</td><td>84.82827</td></tr> <tr><td>31</td><td>25.205414</td><td>84.828187</td></tr> <tr><td>32</td><td>25.205402</td><td>84.828358</td></tr> <tr><td>33</td><td>25.205414</td><td>84.828602</td></tr> <tr><td>34</td><td>25.205436</td><td>84.82879</td></tr> <tr><td>35</td><td>25.205475</td><td>84.828964</td></tr> <tr><td>36</td><td>25.205553</td><td>84.82924</td></tr> <tr><td>37</td><td>25.205655</td><td>84.829477</td></tr> <tr><td>38</td><td>25.205755</td><td>84.829673</td></tr> </table>	Sl no.	Latitudes	Longitudes	1	25.210021	84.830596	2	25.210119	84.830801	3	25.209735	84.831235	4	25.209324	84.831417	5	25.208372	84.831324	6	25.207727	84.831271	7	25.207248	84.831059	8	25.206754	84.830827	9	25.20632	84.830567	10	25.206207	84.830479	11	25.205717	84.830005	12	25.2054	84.829704	13	25.205367	84.829679	14	25.205341	84.829843	15	25.205334	84.829902	16	25.205372	84.830175	17	25.205393	84.830334	18	25.205729	84.830703	19	25.206069	84.831177	20	25.206394	84.831542	21	25.206394	84.831682	22	25.205954	84.83169	23	25.205593	84.831448	24	25.205503	84.831268	25	25.205312	84.830885	26	25.205178	84.830584	27	25.205009	84.830214	28	25.204836	84.829593	29	25.204839	84.829087	30	20.205217	84.82827	31	25.205414	84.828187	32	25.205402	84.828358	33	25.205414	84.828602	34	25.205436	84.82879	35	25.205475	84.828964	36	25.205553	84.82924	37	25.205655	84.829477	38
Sl no.	Latitudes	Longitudes																																																																																																																			
1	25.210021	84.830596																																																																																																																			
2	25.210119	84.830801																																																																																																																			
3	25.209735	84.831235																																																																																																																			
4	25.209324	84.831417																																																																																																																			
5	25.208372	84.831324																																																																																																																			
6	25.207727	84.831271																																																																																																																			
7	25.207248	84.831059																																																																																																																			
8	25.206754	84.830827																																																																																																																			
9	25.20632	84.830567																																																																																																																			
10	25.206207	84.830479																																																																																																																			
11	25.205717	84.830005																																																																																																																			
12	25.2054	84.829704																																																																																																																			
13	25.205367	84.829679																																																																																																																			
14	25.205341	84.829843																																																																																																																			
15	25.205334	84.829902																																																																																																																			
16	25.205372	84.830175																																																																																																																			
17	25.205393	84.830334																																																																																																																			
18	25.205729	84.830703																																																																																																																			
19	25.206069	84.831177																																																																																																																			
20	25.206394	84.831542																																																																																																																			
21	25.206394	84.831682																																																																																																																			
22	25.205954	84.83169																																																																																																																			
23	25.205593	84.831448																																																																																																																			
24	25.205503	84.831268																																																																																																																			
25	25.205312	84.830885																																																																																																																			
26	25.205178	84.830584																																																																																																																			
27	25.205009	84.830214																																																																																																																			
28	25.204836	84.829593																																																																																																																			
29	25.204839	84.829087																																																																																																																			
30	20.205217	84.82827																																																																																																																			
31	25.205414	84.828187																																																																																																																			
32	25.205402	84.828358																																																																																																																			
33	25.205414	84.828602																																																																																																																			
34	25.205436	84.82879																																																																																																																			
35	25.205475	84.828964																																																																																																																			
36	25.205553	84.82924																																																																																																																			
37	25.205655	84.829477																																																																																																																			
38	25.205755	84.829673																																																																																																																			

39	25.205897	84.829902
40	25.206027	84.830056
41	25.206115	84.830158
42	25.206227	84.830273
43	25.20676	84.830683
44	25.207003	84.830821
45	25.207135	84.830884
46	25.207429	84.830987
47	25.207491	84.831004
48	25.207773	84.831064
49	25.208029	84.831091
50	25.20839	84.831075
51	25.208982	84.830964
52	25.2095	84.830814
53	25.210021	84.830596

Mirzapur

Sl. no.	Latitudes	Longitudes
1	25.209665	84.821963
2	25.210105	84.821567
3	25.210198	84.821452
4	25.210339	84.821289
5	25.210515	84.821075
6	25.210658	84.820745
7	25.210757	84.820501
8	25.210824	84.820244
9	25.210835	84.820186
10	25.210849	84.820105
11	25.210856	84.820041
12	25.21086	84.819957
13	25.210858	84.819867
14	25.21084	84.81976
15	25.210794	84.819616
16	25.210749	84.819527
17	25.210698	84.819445
18	25.210622	84.81935
19	25.210528	84.81927
20	25.210355	84.819155
21	25.210158	84.819105
22	25.209925	84.819082
23	25.209657	84.819104
24	25.20919	84.819204
25	25.208769	84.819362
26	25.208187	84.819653
27	25.207691	84.819797
28	25.207414	84.819896

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar.

			29	25.207131	84.820017			
			30	25.20673	84.820222			
			31	25.206475	84.820369			
			32	25.206301	84.820478			
			33	25.206298	84.820297			
			34	25.206417	84.820208			
			35	25.206776	84.81994			
			36	25.207167	84.81951			
			37	25.207383	84.819326			
			38	25.207745	84.819003			
			39	25.208152	84.818682			
			40	25.20845	84.8186			
			41	25.20875	84.818516			
			42	25.209022	84.818439			
			43	25.209134	84.818441			
			44	25.209445	84.818441			
			45	25.209771	84.818456			
			46	25.210267	84.818492			
			47	25.210783	84.818677			
			48	25.211056	84.819077			
			49	25.211286	84.81948			
			50	25.211371	84.819977			
			51	25.211037	84.821037			
			52	25.210721	84.821517			
			53	25.210386	84.821805			
			54	25.210039	84.821984			
			55	25.209687	84.822134			
				Toposheet (OSM) No.	G45M11, G45M12, G45M15, G45M16			
			3.	Lease Area Details				
				Lease Area	8.46 Ha.			
				Type of Land	River bed of Punpun			
				Topography	Undulated (Riverbed)			
				Site Elevation Range	88.25 m to 88.15 m at Kinjar , 87.3m to 87.1 m at Mirzapur			
			4.	Cost Details				
	Cost of the project	Rs. 134.63 Lakhs (Including Auction Cost)						
	Cost for EMP	2.95 Lakh (Capital Cost) & 10.44 Lakhs (Recurring Cost)						
5.	Environmental Settings of the area							

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar.

Ecological Sensitive Areas (National Park, Wild Life Sanctuary, Biosphere Reserve, Reserve/ Protected Forest etc.) within 10 Km radius	There is no any Ecological Sensitive Areas (National Park, Wild Life Sanctuary, Biosphere Reserve, Reserve/ Protected Forest etc.) within 10 Km radius.
Nearest Town/ Major City with population	Nearest Town & District Headquarter: Arwal, Approx. 16.16 km towards WNW
Nearest Railway Station	Jehanabad Railway Station, approx. 16.14 Km towards ENE Jay Prakash International Airport, Patna approx. 50.02 Km towards NE.
Nearest National/State Highway	SH-69, - Approx. 1.34 Km towards ESE
Nearest Airport	Jay Prakash International Airport, Patna approx. 50.02 Km towards NE.
Nearest Post Office	Post office, Village -Abgila, Approx. 3.21 Km towards ESE direction.
Medical Facilities	Kinjar Hospital, Approx. 0.98 Km towards NNE
Education Facilities	Primary School, Mahariya Approx. 0.74 Km towards WNW
Seismic Zone	Zone III (IS 1893: 2002)
Water Body	Punpun River (Riverbed)

11.2 PROJECT DESCRIPTION

The proposed project is for mining of Sand (Minor Mineral) by open cast semi-mechanized method in over an area of **8.46 Ha**. By Maa Vaishnavi Enterprises Director. – Shashibhushan Sharma S/o- Shri Umesh Sharma throughout Arwal Punpun Kinjar & Mirzapur Cluster 01 sand ghat of district Arwal. The district experiences severe cold during winter whereas on the other hand in summer it is very hot. The project site falls under seismic zone III which is a high damage risk zone (MSK VIII-IX). About 73.63 percent of the geographical area of North Bihar is considered to be prone to floods. Bihar often faces drought situation of different scales/levels that intrinsically lead to famine situations. The total geological reserve is 423846

Tonnes/annum and total mineable reserve is 254307.6 **Tonnes/annum** Mine lease area will be worked in benches and the digging depth will be restricted to 3.0 m only or before water table, whichever come fast. This will be further replenished during rainy season. Mineral Sand will be transported by trucks. The deposit is moderate to good quality sand. It is widely used in construction, buildings, bridges and other infrastructure. It is free from clay and non-sticky in nature. Total water requirement for the project is **5.33 KLD**. Total man power requirement for the project is **8 Persons**. The site facilities like temporary, rest-shelter, first aid facility, drinking water facility etc. will be provided as per requirement. There is no litigation pending against this project.

11.3 DESCRIPTION OF ENVIRONMENT

The generation of primary data as well as collection of secondary data and information from the site and surroundings was carried out during 1st March 2023 to 31st May 2023. The EIA study is being done for the Mine Lease (core zone) and area within 10 Km distance from mine lease boundary (buffer zone), both of which together comprise the study area. Baseline environment was determined within the study area, which represents 10 km radius of the surrounding area to the project site. This collected data was further used to identify potential impacts of the mining activity on the surrounding environment and formulate mitigation measures. **Table 11.2**

Table 11-2 Baseline Environmental Status

Attribute	Baseline status
Ambient Air Quality	The ambient air quality study for the 8 AAQ monitoring stations shows that the maximum and minimum ground level concentration for PM ₁₀ is respectively 80.0 µg/m ³ at AQ4 and 50.1 µg/m ³ at AQ6. Whereas the maximum and minimum ground level concentration for PM _{2.5} ranges between 45.5µg/m ³ at AQ- 4 and 26.7 µg/m ³ at AQ6 respectively. Similarly, for SO ₂ , the maximum and minimum ground level concentration varies between 19.6 µg/m ³ and 6.7 µg/m ³ for respectively AQ4 and AQ5 stations. For NO ₂ the maximum and minimum ground level concentration varies between 35.4 µg/m ³ & 13.3 µg/m ³ for respectively AQ-4 and AQ-3

	stations.CO the minimum and maximum ground level concentration varies between 0.17 mg /m ³ &0.83 mg/m ³ for respectively AQ2 and AQ5 stations
Noise Levels	Noise monitoring study reveals that the minimum & maximum noise levels at day time were recorded as 42.3dB (A) at NQ-2 &52.6dB (A) at NQ7. The minimum & maximum noise levels at night time were found to be 30.9dB (A) at NQ-6 & 42.1dB (A) at NQ3.
Water Quality	5Groundwater samples and 4 surface water samples were analyzed and concluded that: The ground water from all sources remains suitable for drinking purposes as all the constituents are within the limits prescribed by drinking water standards by Indian Standards IS: 10500. From the Surface water analysis it is evident that most of the parameters of the samples comply with 'Category 'D' standards of CPCB indicating their suitability for Drinking water source after conventional treatment and disinfection.
Soil Quality	Samples collected from identified locations indicate pH value ranging from 7.00 to 7.80 which shows that the soil is slightly alkaline in nature. Organic Matter ranges from 1.94 % to 2.10 % in the soil samples and, whereas the Potassium is found to be ranging from 185.8 mg/kg to 263.8 mg/kg.
Ecology and Bio-diversity	There are no Ecologically Sensitive Areas present in the study area.

11.3.1 ANTICIPATED IMPACTS AND MITIGATION MEASURES

Based on the Baseline Environment, as determined in Chapter 3, environmental impacts of the mining activity on the surrounding environment are described in following sub-sections.

11.3.2 Impact on Land Use Pattern

Presently there is no activity on the land. The project site is located on bank of river. There is no human settlement in the near vicinity of the project. Restoration of mine lease area is a natural process. There would not be cutting & felling of trees.

11.3.3 Impact on Air Quality

Information on air quality was studied and predicted that the mining activity will not affect the air quality in a significant manner. In mining operations, loading, and transportation operations may cause the deterioration in air quality. In the present case, only wet materials will be handled. The collection and lifting of minerals will be done Semi mechanized mining method shall be adopted for the mining of sand. Therefore, the dust generated is insignificant. Water sprinkling will be done in regular manner for dust suppression.

11.3.4 Impact of Noise Levels

Noise level will increase due to transportation. The project site away from the villages no major impact of the noise level will be there. Vehicle with low noise level will be preferred for the project.

11.3.5 Impact on Water Quality

More over due to small scale of mining operation using minimum machineries, dust suppression is by water spraying through water sprinkler limited to haulage road. Rainwater flowing through the exposed mine cuts would carry some sediment of soil and rock. These are found to be nontoxic in nature and the runoff from mining area are the deposits of the river which were carried in past. Surface runoff water from mines has only high turbidity during monsoon. As discussed, the mining activity will require very less quantity of water in comparison to the recharging. Hence, it will not affect the water regime of the area.

11.3.6 Impact on Soil Quality

The soil textures a yellowish, light-coloured variety of red soil. The basin land of the rivers is mostly sandy soil, and the land adjacent to the rivers is sandy loam. It is due to settling of air borne dust or due to wash off of solid particulates by surface or ground water. This may lead to change in porosity, permeability & other such physical characteristics of soil of the area.

11.3.7 Flora & Fauna

Flora

Floral environment is affected by mining activities due to:

- Air Pollution i.e. both dust & gaseous pollution
- Water pollution
- Land Pollution

Pollutant like dust, gaseous emanations, solid & liquid effluents will be minimized at the generation point itself and adequate measures will be taken to prevent their impact on environment.

ii) There is no forest in the core zone of mining lease area and its surrounding. So, there will be no deforestation due to mining.

iii) The mining lease area is devoid of vegetation. So, the greenery to be developed under green belt development programme will improve the floral environment of the area.

Fauna

There is no likelihood of any adverse impact on the faunal environment too due to mining activities.

11.3.8 Socio-Economic Profile

The social demographic profile of the area is not likely to be much affected, as there is not much displacement of people due to the project. The mining in the area will create rural employment. The mining activity in the region has positive impact on the social economic condition of the area by providing employment to the local inhabitants; wages paid increase the per capita income.

11.4 ANALYSIS OF ALTERNATIVES (TECHNOLOGY AND SITE)

We have analyzed all the option for alternatives of the proposed mine site. This project is sand specific project and existing land use of mine lease classified as River Body which will continue to be so even after the current mining project is over, hence no alternate site is suggested for this project.

11.5 ENVIRONMENTAL MONITORING PROGRAM

This chapter includes the technical aspects of monitoring the effectiveness of mitigation measures (including measurement methodologies, data analysis, reporting schedules, emergency procedures, detailed budget & procurement schedules). In order to maintain the environmental quality within the stipulated standards, regular monitoring of various environmental components is necessary which will be complied as per conditions. For this lessee Maa Vaishnavi Enterprises, Director. – Shashibhushan Sharma S/o- Shri Umesh Sharma taken decision to formulate an Environment Policy of the mine and constitute an Environmental Management Cell and committed to operate the proposed mine with the objectives mentioned in approved Environment

Policy. EMP may also require measurement of ambient environmental quality in the vicinity of a sit using ecological/biological, physical and chemical indicators. Monitoring may include socio-economic interaction, through local liaison activities or even assessment of complaints. Regular Monitoring of all the environmental parameters *viz.*, air, water, noise and soil as per the formulated program based on CPCB and MoEF&CC guidelines will be carried out every year. The location of the monitoring stations was selected on the basis of prevailing micro meteorological conditions of the area like; wind direction and wind speed, relative humidity, temperature. A budget for monitoring of Air, Water, Noise and Soil will be **Rs.2.0 Lakhs** to be incurred by the project proponent for undertaking pollution prevention measures during the mining activity.

11.6 ADDITIONAL STUDIES

Risk assessments will help to priorities the risks and provide information on the need to safely control the risks. In this way, mine owners and operators will be able to implement safety improvements. Mining and allied activities are associated with several potential hazards to both the employees and the public at large. A worker in a mine will be able to work under conditions, which are adequately safe and healthy. At the same time the environmental conditions also will not impair his working efficiency. This is possible only when there is adequate safety in mines. Hence mine safety is one of the most essential aspects of any working mine. It is very important to conserve the scheduled fauna in the area by the local authority as well as by the forest officials. People are not aware about the wildlife and protection of wild animals. There is an urgent need of education and awareness to local people about the wild life and their importance. A green belt will be developed around the core zone. Green belt plantation will be done upto completion of plan period. This mining project has positive impact on social and economic well-being of the community because this project provides employment opportunities to local people and many social welfare works done by project proponent. There is no displacement of the population within the project area and adjacent nearby area.

11.7 PROJECT BENEFITS

The management will recruit the semi-skilled and unskilled workers from the nearby villages. The project activity and the management will definitely support the local Panchayat and provide other form of assistance for the development of public amenities in this region. The company

management will contribute to the local schools, dispensaries for the welfare of the villagers. A suitable combination of trees that can grow fast and also have good leaf cover will be adopted to develop the green belt. It is proposed to plant **85 Nos.** of native species will be planted during the mining plan period. Other than this social development of village will be considered as per social activities. Socio-economic environment will have positive impact due to the mining project in the area. The mining activity will create employment opportunities to local communities. The project will not only improve the living standard of local people but also create an aesthetic value to the river banks where green belt will be developed.

11.8 ENVIRONMENT MANAGEMENT PLAN

As per Above discussion there is no measure impact on the environment due to mining except fugitive emission in the form of dust generated during handling of mineral. The adequate preventive measures will be adopted to contain the various pollutants within permissible limits. Plantation development will be carried out in the mine premises, along the approach roads, around Govt. buildings, schools approx. **85 trees during plan period.** It will prove an effective pollution mitigate technique, and he provided to the locals only as providing extraction of minerals from the mine site is the only prevailing occupation for them for their livelihood. A budget of **Rs 2.95 Lakh (Capital Cost) & 10.44 Lakhs (Recurring Cost)** per year for EMP is incurred by Project Proponent.

11.8.1 Air Quality Management

The only air pollution sources are the road transport network of the trucks. The dust suppression measures like water spraying will be done on the roads. Utmost care will be taken to prevent spillage from the trucks. Overloading will be prevented. Plantation activities along the roads will also reduce the impact of dust in the nearby villages.

11.8.2 Management for Noise Pollution

As the only impact is due to transportation of sand to the construction through village roads, emphasis will be given on the following points.

- Minimum use of Horns at the village area.
- Timely maintenance of vehicles and their silencers to minimize vibration and sound.
- Phasing out of old and worn out trucks.
- Provision of green belts along the road networks.

- Care will be taken to produce minimum sound during loading.

It was found that the sand mining activity will not have any significant impact on the biological environment of the region. Since mining activity is carried out only during the day time, the movement of animals during the night will not be hindered.

11.8.3 Water Management

The deposits occur in the middle/bottom of the river. During the entire lease period, the deposit will be worked from the top surface to 3 m bgl or above ground water level, whichever comes first.

11.8.4 Soil Management

Topsoil is stored separately and used for plantation work in the mined out area. Green belt development around the area minimizes the impact of mining on soil characteristics like its texture, chemistry & even Soil Erosion in the area.

11.8.5 Green Belt Development

The green belts will be designed to control PM 10, gaseous pollutants, noise, surface run off and soil erosion etc.

11.9 Conclusion

This Project will provide several benefits to the nearby Villages by a proper planning and management. This project will employ most of the worker from nearby villages. Only supervisor Staff will be hired from outside. There will not be any increase in population due to the project. However, few people from other area may migrate in this area for business opportunities. During the operation of this project no adverse impact on the surrounding environment. So project is beneficiary for the surrounding village. From the baseline study and various discussions on probable impacts of all the operational activity, it has been concluded that this project will have more positive impact and will generate the revenue and employment in the area. On the above facts and baseline study, the proposed activity is recommended for the commencement with proper mitigation measure as suggested.

12 DISCLOSURE OF CONSULTANTS ENGAGED

Declaration by Experts contributing to the Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar & Mirzapur Cluster 01 Sand Ghat on Punpun River of District-Arwal State-Bihar.


The one season baseline data used in the report was collected in (1st March 2023 to 31st March 2023.) by our empanelled lab Enviro Tech Services.

12.1 Brief profile of REPL is as given below



Director	Mr. Manish Kumar
Name of the Consultant	Rian Enviro Pvt. Ltd.
Address	Mangal Market Patna -800014

12.2 Personnel involved in the preparation of Draft EIA/EMP report are stated below








Accreditation Certificate of the Consultant Engaged:

EIA coordinator:	Date
Name: - Amir Akthar	07-07-2023
	



Functional Area Experts:

S. No.	Functional Area	Name of the experts	Involvement Period and Task	Signature
1.	WP	Bhuwan Bhaskar (WP)	Preparation of WP input, impact assessment & mitigation measures	
2.	AP	Muzaffar Ahmad	Collected the ambient air data through secondary sources and suggested Air pollution control measures	

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar.

S. No.	Functional Area	Name of the experts	Involvement Period and Task	Signature
3.	LU	Debarati Ghosh	Development of landuse maps of study area using GIS / related tools, site visit for ground reality survey, finalization of landuse maps, and contribution to EIA documentation.	
4.	Geo	Mohan ShriramBhagwat	Collection of secondary data as well as drafting of report with respect to Geological Aspect.	
5.	HG		Collection of secondary data as well as drafting of report with respect to Hydro-geological condition in around the study.	
6.	SW	SumitVerma	Preparation of SW input, impact assessment & mitigation measures	
7.	AQ	Vishal Duggal (AQ)	Collected the meteorological data and AAQ data through secondary sources, predicted impacts on air quality using suitable AQ model and suggested air pollution control measures	
8.	SC	Mrs. NimishaVatsyayan	Proposing the soil management practices during construction and operation phase of project.	
9.	EB	Neha Kumari	Generating the ground truthing ecological assessment with secondary data from different departments, earmarking rare and endangered species.	
10.	SE	Manish Kumar	Collected the primary and Secondary data, livestock inventory/ impacts, identified village-wise	

Draft EIA Report for Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District-Arwal State-Bihar.

S. No.	Functional Area	Name of the experts	Involvement Period and Task	Signature
			amenities/ needs.	
11.	RH	Kailash Nath Sharma	Preparation of RH input, impact assessment & mitigation measures	
12.	HW	KailashNath Sharma	Preparation of HW input, impact assessment & mitigation measures	
13.	NV (Team Member)	Bhuwan Bhaskar	Collected the ambient noise data through secondary sources and suggested Noise pollution control measures during project	

**QUALITY COUNCIL
OF INDIA**
Creating an Ecosystem for Quality

**NABET**

**NABET**

**National Accreditation Board
for Education and Training**

Certificate of Accreditation

Rian Enviro Private Limited
202 & 401, Mangal Market, Sheikhpura,
Raja Bazar, Patna, Bihar-800014

The organization is accredited as **Category-B** under the QCI-NABET Scheme for Accreditation of EIA Consultant Organizations, Version 3: for preparing EIA-EMP reports in the following Sectors –

S. No	Sector Description	Sector (as per)		Cat.
		NABET	MoEFCC	
1	Mining of minerals – opencast mining	1	1 (a) (i)	A
2	Thermal power plants	4	1 (d)	B
3	Metallurgical industries (ferrous & non-ferrous)	8	3 (a)	B
4	Cement plants	9	3 (b)	A
5	Synthetic organic chemicals industry	21	5 (f)	B
6	Distilleries	22	5 (g)	A
7	Highways,	34	7 (f)	A
8	Building and construction projects	38	8 (a)	B
9	Townships and Area development projects	39	8 (b)	B

Note: Names of approved EIA Coordinators and Functional Area Experts are mentioned in IAAC minutes dated June 11, 2021 and supplementary assessment minutes dated December 17, 2021 posted on QCI-NABET website.

The Accreditation shall remain in force subject to continued compliance to the terms and conditions mentioned in QCI-NABET's letter of accreditation bearing no. QCI/NABET/ENV/ACO/21/1792 dated July 6, 2021. The accreditation needs to be renewed before the expiry date by Rian Enviro Private Limited, Patna following due process of assessment.



Sr. Director, NABET
Dated: February 28, 2022

Certificate No.
NABET/EIA/2124/IA 0079(Rev.01)

Valid up to
March 10, 2024

For the updated List of Accredited EIA Consultant Organizations with approved Sectors please refer to QCI-NABET website

Annexure -1
Letter of Intent (LOI)

समाहरणाल, अरवल ।

(खनन शाखा)

पत्रांक...213./खनन, अरवल

दिनांक:-...28/02/2023

प्रेषित,

Maa Vaishnavi Enterprises

निदेशक-शशीभूषण शर्मा,

पिता-श्री उमेश शर्मा,

मेन रोड़ पालीगंज, पटना-801110,

मो0-8210136001

ई-मेल-shashibhushans972@gmail.com

विषय :-

अरवल जिलान्तर्गत पुनपुन नदी के बालूघाट किंजर एवं मिर्जापुर की आगामी पांच वर्षों के लिए बंदोबस्ती हेतु दिनांक 27.01.2023 को सम्पन्न ई-नीलामी में उच्चतम डाकवक्ता घोषित होने के उपरांत सैद्धांतिक स्वीकृत्यादेश निर्गत करने के संबंध में।

उपर्युक्त विषयक अरवल जिलान्तर्गत पुनपुन नदी के बालूघाट/क्लस्टर- किंजर, मिर्जापुर/01 की आगामी पांच वर्षों के लिए बंदोबस्ती हेतु दिनांक 27.01.2023 को सम्पन्न ई-नीलामी में आपके द्वारा मो0-1,14,21,000.00 (एक करोड़ चौदह लाख एकीस हजार) के विरुद्ध उच्चतम डाक की राशि मो0-1,25,63,100.00 (एक करोड़ पचीस लाख तिरसठ हजार एक सौ) रूपया बोली के उपरांत उच्चतम डाकवक्ता घोषित हुए हैं। निविदा दस्तावेज की कंडिका-20(i) के आलोक में आपके द्वारा नीलामी राशि के 25 प्रतिशत (अग्रधन राशि समायोजनोपरांत) शेष प्रतिभूति राशि मो0-2,85,525.00 (दो लाख पचासी हजार पांच सौ पचीस) रूपया के भूगतान के साक्ष्य दिनांक 20.02.2023 को कार्यालय में प्रस्तुत किया गया है।

निविदा दस्तावेज की कंडिका-20(i)(ii)(iii)(iv)(v) के आलोक में जिलान्तर्गत पुनपुन नदी के बालूघाट/क्लस्टर-किंजर, मिर्जापुर/01 बालूघाट का सैद्धांतिक स्वीकृत्यादेश निम्न शर्तों एवं बंधेज के साथ दिया जाता है:-

1. पुनपुन नदी के बालूघाट/क्लस्टर- किंजर/01 बालूघाट का संक्षिप्त विवरणी निम्नवत है:-

क्र०स०	नदी का नाम	रकबा(हे० में)	Geo-Coordinates	
1	पुनपुन नदी (Perennial)	3.48	25.210021	84.830596
			25.210119	84.830801
			25.209735	84.831235
			25.209324	84.831417
			25.208372	84.831324
			25.207727	84.831271
			25.207248	84.831059
			25.206754	84.830827
			25.20632	84.830567
			25.206207	84.830479
			25.205717	84.830005
			25.2054	84.829704
			25.205367	84.829679
			25.205341	84.829843
			25.205334	84.829902
			25.205372	84.830175
			25.205393	84.830334
			25.205729	84.830703
			25.206069	84.831177
			25.206394	84.831542
			25.206394	84.831682
			25.205954	84.83169

		25.205593	84.831448
		25.205503	84.831268
		25.205312	84.830885
		25.205178	84.830584
		25.205009	84.830214
		25.204836	84.829593
		25.204839	84.829087
		25.205217	84.82827
		25.205414	84.828187
		25.205402	84.828358
		25.205414	84.828602
		25.205436	84.82879
		25.205475	84.828964
		25.205553	84.82924
		25.205655	84.829477
		25.205755	84.829673
		25.205897	84.829902
		25.206027	84.830056
		25.206115	84.830158
		25.206227	84.830273
		25.20676	84.830683
		25.207003	84.830821
		25.207135	84.830884
		25.207429	84.830987
		25.207491	84.831004
		25.207773	84.831064
		25.208029	84.831091
		25.20839	84.831075
		25.208982	84.830964
		25.2095	84.830814
		25.210021	84.830596
1	वन क्षेत्र से दूरी	लागू नहीं	
2	सुरक्षित क्षेत्र/वन अभ्यारण्य/पक्षी अभ्यारण्य/जीव अभ्यारण्य क्षेत्र से दूरी	लागू नहीं	
3	बालूघाट से 500 मीटर के अंदर खनन पट्टा क्षेत्र की दूरी	नहीं	
4	पुरातात्विक स्थल की दूरी	लागू नहीं	
5	खनन योग्य मात्रा	62640 घनमीटर	
6	थाना/खाता/खेसरा संख्या	218 / 156 / 1670, 109	

2. पुनपुन नदी के बालूघाट/क्लस्टर-मिर्जापुर/01 बालूघाट का संक्षिप्त विवरणी निम्नवत है:-

क्र०स०	नदी का नाम	रकबा(हे० में)	Geo-Coordinates	
1	पुनपुन नदी (Perennial)	4.98	25.209665	84.821963
			25.210105	84.821567
			25.210198	84.821452
			25.210339	84.821289
			25.210515	84.821075
			25.210658	84.820745
			25.210757	84.820501
			25.210824	84.820244
			25.210835	84.820186
			25.210849	84.820105
			25.210856	84.820041
			25.21086	84.819957
			25.210858	84.819867
			25.21084	84.81976

		25.210794	84.819616
		25.210749	84.819527
		25.210698	84.819445
		25.210622	84.81935
		25.210528	84.81927
		25.210355	84.819155
		25.210158	84.819105
		25.209925	84.819082
		25.209657	84.819104
		25.20919	84.819204
		25.208769	84.819362
		25.208187	84.819653
		25.207691	84.819797
		25.207414	84.819896
		25.207131	84.820017
		25.20673	84.820222
		25.206475	84.820369
		25.206301	84.820478
		25.206298	84.820297
		25.206417	84.820208
		25.206776	84.81994
		25.207167	84.81951
		25.207383	84.819326
		25.207745	84.819003
		25.208152	84.818682
		25.20845	84.8186
		25.20875	84.818516
		25.209022	84.818439
		25.209134	84.818441
		25.209445	84.818441
		25.209771	84.818456
		25.210267	84.818492
		25.210783	84.818677
		25.211056	84.819077
		25.211286	84.81948
		25.211371	84.819977
		25.211037	84.821037
		25.210721	84.821517
		25.210386	84.821805
		25.210039	84.821984
		25.209687	84.822134
1	वन क्षेत्र से दूरी	लागू नहीं	
2	सुरक्षित क्षेत्र/वन अभ्यारण्य/पक्षी अभ्यारण्य/जीव अभ्यारण्य क्षेत्र से दूरी	लागू नहीं	
3	बालूघाट से 500 मीटर के अंदर खनन पट्टा क्षेत्र की दूरी	नहीं	
4	पुरातात्विक स्थल की दूरी	लागू नहीं	
5	खनन योग्य मात्रा	89640 घनमीटर	
6	थाना/खाता/खेसरा संख्या	217/29/317,363,361,365	

3. भुगतान की शर्त:-

- (i) नीलामी-राशि केवल प्रथम वर्ष के लिए बंदोबस्ती की राशि मानी जाएगी। दूसरे वर्ष और उसके बाद की बंदोबस्ती की राशि गत वर्ष की बंदोबस्ती राशि के 120 प्रतिशत के बराबर होगी।

- (ii) प्रतिभूति जमा के अतिरिक्त बंदोबस्तधारी निम्नलिखित समय सारणी/भुगतान अनुसूची के अनुसार बंदोबस्ती की राशि का भुगतान करेगा :-

किस्त	भुगतान की नियत तारीख
प्रथम किस्त (50%)	(क) पट्टा संविदा निष्पादन से पहले (पहले वर्ष के लिए) (ख) प्रथम वर्ष में पट्टा संविदा निष्पादन की तिथि से एक वर्ष पूरा होने के 60 दिन पूर्व और अनुक्रमिक वर्षों में इसी प्रक्रिया का पालन करते हुए जमा किया जायेगा।
द्वितीय किस्त (25%)	03 महीना पूरा होने से पहले।
तृतीय किस्त (25%)	06 महीना पूरा होने से पहले।

- प्रत्येक समानुदान वर्ष में बंदोबस्तधारी द्वारा पहली किस्त के भुगतान के समय दूसरी और तीसरी किस्तों की राशि के लिए पोस्टडेटेड चेक संबंधित समाहर्ता, अरवल के समक्ष जमा की जायेगी। यदि किस्तों के भुगतान करने में बंदोबस्तधारी असफल होता है तो आगे ई-चालान सिस्टम द्वारा बंद कर दिया जाएगा और केवल अग्रिम भुगतान कर दिये जाने के बाद ही खोला जाएगा एवं इसके लिए किसी तरह के क्षतिपूर्ति का कोई दावा मान्य नहीं होगा।
4. **GST का भुगतान :-** बंदोबस्तधारी को जी0एस0टी0 के रूप में प्रचलित दर के अनुसार राशि वाणिज्य कर विभाग को भुगतान करना होगा। जिला खनन कार्यालय अरवल में जी0एस0टी0 भुगतान का प्रमाण प्रत्येक किस्त के साथ देना होगा।
5. **आयकर/अन्य करों का भुगतान:-** बंदोबस्तधारी को आयकर अधिनियम के तहत आयकर एवं उस पर नियमानुसार देय अधिभार का भुगतान आयकर विभाग के प्रचलित दर के अनुसार एक मुश्त करना होगा। यह राशि बंदोबस्ती राशि के प्रत्येक किस्त के साथ देय होगी। जिला खनन कार्यालय, अरवल द्वारा यह राशि आयकर मद में जमा करा दी जायेगी।
6. **जिला खनिज फाउण्डेशन:-** Bihar Mineral District Foundation Rules, 2018 के अनुसार बंदोबस्ती राशि की 2 प्रतिशत राशि जिला खनिज फाउण्डेशन को जिला खनन पदाधिकारी, अरवल के पदनाम से भुगतेय बैंक ड्राफ्ट के माध्यम अनुसार करना होगा।
7. **वैधानिक अनापत्ति:-** बालूघाट संचालन हेतु आवश्यक समस्त वैधानिक अनापत्ति/अनुमति (जैसे:- खनन योजना, पर्यावरणीय स्वीकृति, जल एवं वायु सहमति आदि सफल डाकवक्ता द्वारा प्राप्त की जाएगी। वैधानिक अनापत्ति/अनुमति प्राप्त करने के पश्चात् ही बालू खनन प्रारंभ किया जा सकेगा। वैधानिक अनापत्ति/अनुमति के बिना अथवा वैधानिक अनापत्ति/अनुमति में अनुज्ञात मात्रा से अधिक मात्रा या निर्धारित क्षेत्र से बाहर खनन किए जाने की दशा में सुसंगत नियमों के अनुसार संबंधित सफल डाकवक्ता/बंदोबस्तधारी पर कार्रवाई की जाएगी। वैधानिक अनापत्ति/अनुमति निम्नानुसार है:-
- खनन योजना:-** खनन योजना प्रभावी नियमों में उल्लिखित प्रावधानों के अनुसार सफल डाकवक्ता/बंदोबस्तधारी द्वारा QCI/NABET से मान्यता प्राप्त Professional RQP से तैयार कर निदेशक, खान या विभाग द्वारा प्राधिकृत पदाधिकारी के समक्ष लेटर ऑफ इंटेंट निर्गत होने से 30 दिनों के अन्दर अनुमोदन के लिए प्रस्तुत करेगा। खनन योजना बनाने पर होने वाले व्यय का वहन संबंधित खनिज डाकवक्ता/बंदोबस्तधारी द्वारा किया जायेगा। साथ ही खनन योजना की जाँच हेतु समाहर्ता/विभाग अन्य ऐजेंसी चयनित कर सकेगा, जिसका निर्धारित फीस/खर्च भी बंदोबस्तधारी को ही वहन करना होगा। सफल डाकवक्ता/बंदोबस्तधारी खनन योजना के अनुसार खनन करना सुनिश्चित करेंगे।
 - पर्यावरणीय स्वीकृति:-** सफल डाकवक्ता/बंदोबस्तधारी खनन योजना अनुमोदन के 15 दिनों के अन्दर पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार के सक्षम प्राधिकार के समक्ष पर्यावरणीय स्वीकृति (EC) के लिए प्रस्ताव समर्पित करेगा। समयबद्ध रीति से पर्यावरणीय एवं अन्य वैधानिक स्वीकृति प्राप्त करना सफल डाकवक्ता की जिम्मेवारी होगी। अपेक्षित पर्यावरणीय स्वीकृति एवं अन्य आवश्यक स्वीकृति प्राप्त करने में किसी भी प्रकार की देरी के लिए सफल डाकवक्ता स्वयं जिम्मेवार होंगे एवं इस संबंध में किसी भी प्रकार की क्षतिपूर्ति के लिए कोई भी दावा मान्य नहीं होगा।
 - जल एवं वायु सहमति:-** पर्यावरणीय स्वीकृति प्राप्त करने के पश्चात सफल डाकवक्ता अधिकतम 07 (सात) दिवस के अंदर जल (प्रदूषण निवारण एवं नियंत्रण) अधिनियम, 1974

तथा वायु (प्रदूषण निवारण एवं नियंत्रण) अधिनियम, 1981 के अधीन सक्षम पदाधिकारी के समक्ष सहमति/ Consent to Establish/ Consent to Operate प्राप्त करने हेतु आवेदन प्रस्तुत करेगा।

- iv. खनन के लिए अनुमत मात्रा:- खनन योजना, पर्यावरणीय स्वीकृति तथा जल (प्रदूषण निवारण एवं नियंत्रण) अधिनियम, 1974 तथा वायु (प्रदूषण निवारण एवं नियंत्रण) अधिनियम, 1981 के तहत प्राप्त सहमति में वर्णित बालू की मात्रा (इनमें से जो भी कम हो) तक ही खनन अनुमान्य होगा। यदि अनुमोदित खनन योजना, पर्यावरणीय स्वीकृति तथा जल एवं वायु सहमति में खनन योग्य मात्रा कम किये जाने पर भी वार्षिक देय बंदोबस्ती राशि किसी स्थिति में कम नहीं की जाएगी।

- v. बिना किसी वैध कारण के पर्यावरणीय स्वीकृति, Consent to Establish/ Consent to Operate /जल एवं वायु सहमति प्राप्त नहीं कर पाते हैं या प्राप्त करने में रुचि नहीं लेते हैं तो, समाहर्ता द्वारा अग्रधन राशि जप्त कर पुनः निलामी की कार्यवाई की जाएगी।

8. बंदोबस्ती विलेख/पट्टा संविदा (डीड) निष्पादन करना:-

- i. सफल डाकवक्ता द्वारा सभी वैधानिक अनापत्ति प्राप्त करने के उपरान्त 5 वर्षों की अवधि के लिए बालू खनन करने हेतु समानुदान/बंदोबस्ती स्वीकृत किया जाएगा। सफल डाकवक्ता विहित प्रपत्र में संबंधित नियमानुसार बंदोबस्ती विलेख अथवा उसके समरूप एक प्रपत्र, कार्य आरंभ करने के पहले, निष्पादित करेगा तथा यथा विहित अपेक्षित प्रतिभूति राशि जमा देगा। बंदोबस्तधारी के पट्टे की अवधि विलेख/संविदा निष्पादन की तिथि से पाँच वर्षों के लिए विधिमान्य होगा।
- ii. बंदोबस्तधारी को निष्पादित संविदा का निबंधन संबंधित विभाग के प्रचलित नियमों के अधीन 01 माह के अंदर कराना अनिवार्य होगा।


9. सफल डाकवक्ता/बंदोबस्तधारी द्वारा बंदोबस्ती प्रत्यर्पण/कारोबार छोड़ने का विकल्प विहार खनिज (समानुदान, अवैध खनन, परिवहन एवं भंडारण निवारण) नियमावली 2019 के नियम 50 के अनुरूप किया जा सकेगा।

10. सामान्य शर्तें :-

- (i) बंदोबस्तधारी नदी तट से बालू प्रेषण के बिन्दु पर एक साईनबोर्ड लगाएगा जिसपर बंदोबस्तधारी का नाम एवं पता, बंदोबस्ती की अवधि, स्थानीय मैनेजर का नाम एवं पता तथा बालू का विक्रय मूल्य प्रदर्शित किया जाएगा। यदि साईन बोर्ड निरीक्षण में नहीं पाया गया तो शास्ति अधिरोपित की जाएगी।
- (ii) बंदोबस्तधारी श्रम विधियों के प्रावधानों के अनुसार आश्रय गृह, पीने का पानी, शिशु गृह (क्रेचेज) तथा फर्स्ट एड किट की व्यवस्था संबंधित बालूघाटों में लगे श्रमिकों के लिए करेगा।
- (iii) बंदोबस्तधारी संबंधित क्षेत्रों का निरीक्षण करेगा तथा स्वयं/ अथवा अपने द्वारा अधिकृत प्रतिनिधियों के माध्यम से बालूघाटों का प्रचालन करेगा। किसी रूप में किये गये उपपट्टा (सबलेटिंग) के लिए बंदोबस्ती रद्द कर दी जाएगी। बालूघाटों/नदी तल तक बालू के परिवहन के प्रयोजनार्थ पहुँच पथ (अप्रोच रोड) का निर्माण बंदोबस्तधारी द्वारा स्वयं अपने खर्च से किया जाएगा।
- (iv) बालूघाट की सुरक्षा की जिम्मेदारी सफल डाकवक्ता/बंदोबस्तधारी की होगी।
- (v) सफल डाकवक्ता/बंदोबस्तधारी बंदोबस्त क्षेत्र के भीतर किसी अवैध खनन के लिए जिम्मेवार होंगे और पायी गई किसी भी शिकायत पर गंभीरता से विचार किया जाएगा तथा बंदोबस्तधारी के विरुद्ध आपराधिक मामला दायर किया जाएगा।
- (vi) सफल डाकवक्ता/बंदोबस्तधारी समाहर्ता द्वारा बालूघाटों का संचालन के संबंध में लोकहित में जारी निर्बंधनों और शर्तों तथा निदेशों का पालन करेगा।
- (vii) यथोक्त शर्तों बंधेजों एवं निर्बंधनों का पालन नहीं करने पर कारण पूछा निर्गत कर बंदोबस्ती रद्द करने की कार्यवाई की जा सकेगी।
- (viii) सफल डाकवक्ता/बंदोबस्तधारी को खनन राजस्व/जी0एस0टी0/आयकर/स्टाम्प शुल्क/रजिस्ट्रेशन फीस का भुगतान नहीं करने की दशा में 30 दिनों के अंदर कारण स्पष्ट करने हेतु नोटिस दी जायेगी। निर्धारित अवधि के अंदर बंदोबस्तधारी द्वारा बकाए का भुगतान करने में असफल रहने की दशा में राशि वसूली की कार्यवाई के साथ-साथ बंदोबस्ती रद्द करने की भी कार्यवाई की जाएगी।
- (ix) नीलामी हेतु प्रस्तावित बालूघाटों से संबंधित तकनीकी तथा अन्य बिन्दुओं यथा भूमि के अंचल, थाना, मौजा, खाता, खेसरा, रकबा तथा GPS Co-ordinate के संबंध में विवाद/त्रुटि

पाए जाने पर संशोधन का अधिकार संबंधित जिला खनन कार्यालय का होगा। बालूघाटों का सीमांकन एवं नियमानुसार निर्धारित आयाम/विशिष्टियों का सीमा स्तंभ का अधिष्ठापन GPS Co-ordinate के अनुसार बालू बंदोबस्तधारी को कराना होगा तथा खनन के क्रम में संधारित कराना बंदोबस्तधारी की जवाबदेही होगी, जिसे RQP/ अंचलाधिकारी की उपस्थिति में प्रमाणित कराकर खनन कार्य कराना होगा। बालूघाटों के निर्धारित क्षेत्र का Reduced Level (RL)/Pre-Level (PL) एवं Satellite images मानसून के पूर्व एवं बाद का समर्पित करना होगा।

- (x) बालूघाट से लिंक रोड और बालूघाट के बीच कोई प्राकृतिक जल मार्ग सिंचाई नहर पड़ती हो तो खनिज समानुदान धारक जल संसाधन विभाग की पूर्व अनुमति से बालू के परिवहन के लिए अस्थायी संरचनाएँ खड़ा कर सकेगा। पूर्व अनुमति के लिए ऐसे आवेदन जल संसाधन विभाग के संबंधित मुख्य अभियंता के समक्ष दिए जाएंगे।
- (xi) बालूघाट में रैयती/बंदोबस्त जमीन होने पर संबंधित रैयत से सहमति प्राप्त कर बालू का खनन करना होगा। यह जिम्मेदारी पूर्णतः बंदोबस्तधारी की होगी एवं विभाग से कोई क्षतिपूर्ति का दावा मान्य नहीं होगा।
- (xii) बंदोबस्तधारी द्वारा बंदोबस्ती अवधि के दौरान किसी भी कारण से खनन कार्य नहीं करने की स्थिति में किसी भी प्रकार का मुआवजा/नुकसान एवं क्षतिपूर्ति का दावा मान्य नहीं होगा।
- (xiii) ई-नीलामी एवं बालूघाट की बंदोबस्ती अवधि के दौरान उत्पन्न किसी भी प्रकार का विवाद बिहार खनिज (समानुदान, अवैध खनन, परिवहन एवं भंडारण निवारण) नियमावली 2019, (यथा संशोधित) के अधीन होगा।
- (xiv) सफल डाकवक्ता/बंदोबस्तीधारी को इलेक्ट्रॉनिक माध्यम से भेजी गयी कोई भी सूचना/निदेश/आदेश इत्यादि IT-Act के तहत स्वीकार्य साक्ष्य के रूप में माना जाएगा।


समाहर्ता,
अरवल।



Annexure-2
Mine Plan Approval Letter

बिहार सरकार
खान एवं भूतत्व विभाग।

पत्रांक— 1874 — / एम0, पटना, दिनांक— 6/4/2023
प्रेषक,

सुरेश प्रसाद,
विशेष कार्य पदाधिकारी।

सेवा में,

ई0 मेल

Maa Vaishnavi Enterprises

निदेशक—शशीभूषण शर्मा,

पिता—श्री उमेश शर्मा,

मेन रोड़ पालीगंज, पटना—801110,

मो0—8210136001

ई—मेल—shashibhushans972@gmail.com

विषय:— अरवल जिलान्तर्गत पुनपुन नदी के बालूघाट/कलस्टर सं0— 01 किंजर एवं मिर्जापुर के खनन योजना के अनुमोदन के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि बिहार बालू खनन नीति—2019 यथा संशोधित एवं बिहार खनिज (समानुदान अवैध खनन, परिवहन एवं भंडारण निवारण) नियमावली, 2019 (यथा संशोधित 2021) के नियम—17 में वर्णित प्रावधानों के तहत अरवल जिलान्तर्गत पुनपुन नदी के बालूघाट/कलस्टर सं0— 01 किंजर एवं मिर्जापुर से संबंधित समर्पित खनन योजना के अनुमोदन पर प्राधिकृत समिति द्वारा समीक्षा की गई। समीक्षोपरांत निम्न शर्तों एवं बंधेजों के तहत खनन योजना अनुमोदित की जाती है —

1. उक्त खनन योजना केन्द्र सरकार/राज्य सरकार द्वारा विनियमित अन्य सभी अधिनियम/नियमावली में वर्णित प्रावधानों को तथा किसी न्यायालय/अन्य न्यायिक संस्था द्वारा पारित किये गये न्यायादेश को बिना प्रभावित किये अनुमोदित किया जा सकता है।
2. उक्त खनन योजना का अनुमोदन खान एवं खनिज (विकास एवं विनियमन) अधिनियम, 1957 (यथा संशोधित), बिहार खनिज (समानुदान अवैध खनन, परिवहन एवं भंडारण निवारण) नियमावली, 2019 के नियम—17, वन संरक्षण अधिनियम, 1980, पर्यावरण सुरक्षा अधिनियम, 1986, श्रम संबंधी नियम, EMGSM 2020 तथा अन्य सभी सुसंगत अधिनियम/नियमावली तथा उनमें वर्णित प्रावधानों के प्रतिकूल नहीं होगा। लीज के रकवा के अनुसार प्रति हेक्टेयर कम से कम 10 पौधा लगाना होगा तथा 50 प्रतिशत Survival सुनिश्चित करना होगा।
3. खनन योजना में निहित शर्तों का पालन करते हुए ही बालू खनिज का खनन तथा प्रेषण किया जायेगा।
4. संबंधित सक्षम प्राधिकार से यथा वांछित प्रमाण—पत्र प्राप्त कर विभाग को अवगत कराना अनिवार्य होगा।
5. यदि किसी भी समय खनन योजना में वर्णित शर्तों के अनुपालन में अनियमितता पायी जाती है, तो खनन पदाधिकारी को नियमानुसार आवश्यक कार्रवाई करने का अधिकार होगा।
6. संबंधित बालूघाट में खनिज की उपलब्धता, पहुँच पथ का निर्माण तथा अन्य खनन कार्यों से संबंधित सम्पूर्ण जबाबदेही बालूघाट संचालनकर्ता की होगी तथा इसमें किसी भी तरह का कोई दावा अथवा क्षतिपूर्ति मान्य नहीं होगा।
7. खनन योजना में वर्णित सभी तकनीकी तथा अन्य बिन्दुओं से संबंधित आँकड़ों की सत्यता / वैधता की जिम्मेवारी RQP/बंदोबस्तधारी की होगी तथा भविष्य में उपर्युक्त के संबंध में किसी प्रकार की भिन्नता/अनियमितता की पूरी जबाबदेही RQP/बंदोबस्तधारी की होगी।

8. खनन् कार्य के दौरान घाट संचालनकर्ता द्वारा पर्यावरण संबंधी मानकों का नियमित रूप से अनुश्रवण करने की व्यवस्था करनी होगी। खनन् कार्य के दौरान नदियों के प्राकृतिक बहाव आदि में किसी भी तरह का व्यवधान/रूकावट/बदलाव करना पूर्ण रूप से प्रतिबंधित होगा।
9. बालूघाट में Secondary Loading की व्यवस्था इस प्रकार सुनिश्चित की जाएगी ताकि गीला बालू का परिवहन नहीं हों।
10. यद्यपि खनन योजना में Semi-mechanised mining को प्राथमिकता दी गयी है तथापि Manual Mining पर कोई प्रतिबंध नहीं रखा जाएगा एवं स्थानीय व्यक्तियों को नियोजन देने के दृष्टिकोण से Manual Mining को उचित अवसर प्रदान करना होगा।
11. सफल डाकवक्ता/बंदोबस्तधारी द्वारा खान एवं खनिज (विकास एवं विनियमन) अधिनियम, 1957, बिहार खनिज (समानुदान अवैध खनन, परिवहन एवं भंडारण निवारण) नियमावली, 2019 (यथा संशोधित 2021) तथा बिहार बालू खनन नीति, 2019 के प्रावधानों का अनिवार्य रूप से पालन किया जायेगा।
12. सफल डाकवक्ता/बंदोबस्तधारी को पर्यावरण सुरक्षा हेतु सभी उपाय करने होंगे तथा नियमित रूप से जल/वायु की गुणवत्ता की जाँच/अनुश्रवण की व्यवस्था सुनिश्चित करनी होगी।
13. सफल डाकवक्ता/बंदोबस्तधारी को उत्पादन/प्रेषण का आँकड़ा एवं पंजी संधारित करना अनिवार्य होगा जिसे नियमित रूप से अद्यतन किया जाएगा।
14. संचालन करने वाले घाटों की सीमांकन कराना, RL/PL प्राप्त करना एवं उसे खनन के क्रम में संधारित कराना सफल डाकवक्ता/बंदोबस्तधारी की जवाबदेही होगी, जिसे RQP/अंचलाधिकारी की उपस्थिति में प्रमाणित करवाकर खनन कार्य करना होगा।
15. बिहार खनिज (समानुदान अवैध खनन, परिवहन एवं भंडारण निवारण) नियमावली, 2019 (यथा संशोधित 2021) में वर्णित प्रतिबंधित क्षेत्रों में किसी प्रकार का खनन् कार्य वर्जित होगा।
16. बालूघाटों से बालू का निष्कासन एवं प्रेषण आबादी से सटे ग्रामीण सड़क को छोड़कर अलग मार्ग से करना होगा।
17. खनन योजना की एक-एक प्रति, जो संबंधित RQP द्वारा प्रत्येक पृष्ठ पर हस्ताक्षरित होगी, निदेशक, खान एवं भूतत्व विभाग के कार्यालय के अतिरिक्त समाहर्ता, अरवल के गोपनीय कोषांग, उपनिदेशक, मगध अंचल, गया के कार्यालय में उपलब्ध कराना सुनिश्चित किया जायेगा, ताकि किसी भी समय इसकी जाँच की जा सके।

प्राधिकृत समिति की अनुशंसा के आलोक में उपरोक्त शर्तों के साथ अरवल जिलान्तर्गत पुनपुन नदी के बालूघाट/कलस्टर सं०- 01 किंजर एवं मिर्जापुर से संबंधित समर्पित खनन योजना के अन्तर्गत ही बालू उत्खनन् कार्य सुनिश्चित कराया जाय।

विश्वासभाजन



(सुरेश प्रसाद)

विशेष कार्य पदाधिकारी

AL

Annexure -3
Terms of Reference (ToR)

File No.SIA/1(a)/2365/2023
Government of India
State Level Environment Impact Assessment Authority
Bihar

To,

M/s SHASHIBHUSHAN SHARMA
Shop No 05, Suryadev Singh Market, Beside Indian Petrol Pump, Main Road Paliganj,
Patna-801110,
Patna-801110
Bihar

Tel.No.-; Email:shashibhushans972@gmail.com

**Sub. Terms of Reference to the Proposed Sand Mining Project of Area 8.46 Ha at Arwal
Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District - Arwal, State-Bihar.,
Shop No 05, Suryadev Singh Market, Beside Indian Petrol Pump, Main Road Paliganj,
Patna-801110**

Dear Sir/Madam,

This has reference to the proposal submitted in the Ministry of Environment, Forest and Climate Change to prescribe the Terms of Reference (TOR) for undertaking detailed EIA study for the purpose of obtaining Environmental Clearance in accordance with the provisions of the EIA Notification, 2006. For this purpose, the proponent had submitted online information in the prescribed format (Form-1) along with a Pre-feasibility Report. The details of the proposal are given below:

- 1. Proposal No.:** SIA/BR/MIN/426146/2023
- 2. Name of the Proposal:** Proposed Sand Mining Project of Area 8.46 Ha at Arwal Punpun Kinjar and Mirzapur Cluster 01 on Punpun River of District - Arwal, State-Bihar.
- 3. Category of the Proposal:** Non-Coal Mining
- 4. Project/Activity applied for:** 1(a) Mining of minerals
- 5. Date of submission for TOR:** 14 Apr 2023

Date : 25-04-2023

Mr. Sudhir Kumar
(Member Secretary)

Office : **2nd Floor, Beltron B**
Phone No : Mobile : **9973266305**
Email id : **seiaa.ms.br@gmail.com**

Note : This is auto tor granted letter.

In this regard, under the provisions of the EIA Notification 2006 as amended, the Standard TOR for the purpose of preparing environment impact assessment report and environment management plan for obtaining prior environment clearance is prescribed with public consultation as follows:

STANDARD TERMS OF REFERENCE (TOR) FOR EIA/EMP REPORT FOR PROJECTS/ACTIVITIES REQUIRING ENVIRONMENT CLEARANCE

Terms of Reference (TOR) for preparation of Environmental Impact Assessment (EIA) and Environmental Management Plan (EMP) for "Mining of Minerals" as per the EIA Notification, 2006 has been devised to improve the quality of the reports and facilitate decision-making transparent and easy. TOR will help the project proponents to prepare report with relevant project specific data and easily interpretable information. TOR for mining of minerals is expected to cover all environmental related features.

Mining of minerals plays a positive role in the process of country's economic development. In addition to the contribution towards economic growth, mining can also be a major source of degradation of physical as well as social environment, unless it is properly managed. Environmental impacts can arise during all activities of the mining process. Minimizing the damage due to mining operations depends on sound environmental practices in a framework of balanced environmental legislation. The potential adverse effects of mining activities include air pollution, surface and groundwater pollution, noise and vibration, damage to local ecology, natural topography and drainage, depletion of water resources etc. All these environmental components are required to be considered while selecting a proper methodology of mining, mitigation measures to reduce pollution load, conservation of natural resources etc.

The projects of mining of minerals as stated in the schedule require prior environment clearance under the EIA notification, 2006. Category 'A' Projects are handled in the MoEF&CC and Category 'B' projects are being handled by the respective State Environment Impact Assessment Authorities (SEIAAs) notified by MoEF&CC and following the procedure prescribed under the EIA Notification, 2006. As per this Notification, as amended, the projects of mining of minor minerals with mining lease area equal to or greater than 50 hectare are to be handled at the level of the MoEF&CC for grant of EC. Such projects with mining lease area less than 50 hectare are to be handled by the respective State Environment Impact Assessment Authority (SEIAA).

1(a):STANDARD TERMS OF REFERENCE FOR CONDUCTING ENVIRONMENT IMPACT ASSESSMENT STUDY FOR NON-COAL MINING PROJECTS AND INFORMATION TO BE INCLUDED IN EIA/EMP REPORT

- 1) Year-wise production details since 1994 should be given, clearly stating the highest production achieved in any one year prior to 1994. It may also be categorically informed whether there had been any increase in production after the EIA Notification 1994 came into force, w.r.t. the highest production achieved prior to 1994.
- 2) A copy of the document in support of the fact that the Proponent is the rightful lessee of the mine should be given.
- 3) All documents including approved mine plan, EIA and Public Hearing should be compatible with one another in terms of the mine lease area, production levels, waste generation and its management, mining technology etc. and should be in the name of the lessee.
- 4) All corner coordinates of the mine lease area, superimposed on a High Resolution Imagery/ toposheet, topographic sheet, geomorphology and geology of the area should be provided. Such an Imagery of

STANDARD TERMS OF REFERENCE (TOR) FOR EIA/EMP REPORT FOR PROJECTS/ ACTIVITIES REQUIRING ENVIRONMENT CLEARANCE

the proposed area should clearly show the land use and other ecological features of the study area (core and buffer zone).

- 5) Information should be provided in Survey of India Toposheet in 1:50,000 scale indicating geological map of the area, geomorphology of land forms of the area, existing minerals and mining history of the area, important water bodies, streams and rivers and soil characteristics.
- 6) Details about the land proposed for mining activities should be given with information as to whether mining conforms to the land use policy of the State; land diversion for mining should have approval from State land use board or the concerned authority.
- 7) It should be clearly stated whether the proponent Company has a well laid down Environment Policy approved by its Board of Directors? If so, it may be spelt out in the EIA Report with description of the prescribed operating process/procedures to bring into focus any infringement/deviation/violation of the environmental or forest norms/ conditions? The hierarchical system or administrative order of the Company to deal with the environmental issues and for ensuring compliance with the EC conditions may also be given. The system of reporting of non-compliances / violations of environmental norms to the Board of Directors of the Company and/or shareholders or stakeholders at large, may also be detailed in the EIA Report.
- 8) Issues relating to Mine Safety, including subsidence study in case of underground mining and slope study in case of open cast mining, blasting study etc. should be detailed. The proposed safeguard measures in each case should also be provided.
- 9) The study area will comprise of 10 km zone around the mine lease from lease periphery and the data contained in the EIA such as waste generation etc. should be for the life of the mine / lease period.
- 10) Land use of the study area delineating forest area, agricultural land, grazing land, wildlife sanctuary, national park, migratory routes of fauna, water bodies, human settlements and other ecological features should be indicated. Land use plan of the mine lease area should be prepared to encompass preoperational, operational and post operational phases and submitted. Impact, if any, of change of land use should be given.
- 11) Details of the land for any Over Burden Dumps outside the mine lease, such as extent of land area, distance from mine lease, its land use, R&R issues, if any, should be given.
- 12) A Certificate from the Competent Authority in the State Forest Department should be provided, confirming the involvement of forest land, if any, in the project area. In the event of any contrary claim by the Project Proponent regarding the status of forests, the site may be inspected by the State Forest Department along with the Regional Office of the Ministry to ascertain the status of forests, based on which, the Certificate in this regard as mentioned above be issued. In all such cases, it would be desirable for representative of the State Forest Department to assist the Expert Appraisal Committees.
- 13) Status of forestry clearance for the broken up area and virgin forestland involved in the Project including deposition of net present value (NPV) and compensatory afforestation (CA) should be indicated. A copy of the forestry clearance should also be furnished.

STANDARD TERMS OF REFERENCE (TOR) FOR EIA/EMP REPORT FOR PROJECTS/ACTIVITIES REQUIRING ENVIRONMENT CLEARANCE

- 14) Implementation status of recognition of forest rights under the Scheduled Tribes and other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 should be indicated.
- 15) The vegetation in the RF / PF areas in the study area, with necessary details, should be given.
- 16) A study shall be got done to ascertain the impact of the Mining Project on wildlife of the study area and details furnished. Impact of the project on the wildlife in the surrounding and any other protected area and accordingly, detailed mitigative measures required, should be worked out with cost implications and submitted.
- 17) Location of National Parks, Sanctuaries, Biosphere Reserves, Wildlife Corridors, Ramsar site Tiger/ Elephant Reserves/(existing as well as proposed), if any, within 10 km of the mine lease should be clearly indicated, supported by a location map duly authenticated by Chief Wildlife Warden. Necessary clearance, as may be applicable to such projects due to proximity of the ecologically sensitive areas as mentioned above, should be obtained from the Standing Committee of National Board of Wildlife and copy furnished.
- 18) A detailed biological study of the study area [core zone and buffer zone (10 km radius of the periphery of the mine lease)] shall be carried out. Details of flora and fauna, endangered, endemic and RET Species duly authenticated, separately for core and buffer zone should be furnished based on such primary field survey, clearly indicating the Schedule of the fauna present. In case of any scheduled-I fauna found in the study area, the necessary plan alongwith budgetary provisions for their conservation should be prepared in consultation with State Forest and Wildlife Department and details furnished. Necessary allocation of funds for implementing the same should be made as part of the project cost.
- 19) Proximity to Areas declared as 'Critically Polluted' or the Project areas likely to come under the 'Aravali Range', (attracting court restrictions for mining operations), should also be indicated and where so required, clearance certifications from the prescribed Authorities, such as the SPCB or State Mining Dept. Should be secured and furnished to the effect that the proposed mining activities could be considered.
- 20) Similarly, for coastal Projects, A CRZ map duly authenticated by one of the authorized agencies demarcating LTL, HTL, CRZ area, location of the mine lease w.r.t CRZ, coastal features such as mangroves, if any, should be furnished. (Note: The Mining Projects falling under CRZ would also need to obtain approval of the concerned Coastal Zone Management Authority).
- 21) R&R Plan/compensation details for the Project Affected People (PAP) should be furnished. While preparing the R&R Plan, the relevant State/National Rehabilitation & Resettlement Policy should be kept in view. In respect of SCs /STs and other weaker sections of the society in the study area, a need based sample survey, family-wise, should be undertaken to assess their requirements, and action programmes prepared and submitted accordingly, integrating the sectoral programmes of line departments of the State Government. It may be clearly brought out whether the village(s) located in the mine lease area will be shifted or not. The issues relating to shifting of village(s) including their R&R and socio-economic aspects should be discussed in the Report.

STANDARD TERMS OF REFERENCE (TOR) FOR EIA/EMP REPORT FOR PROJECTS/ ACTIVITIES REQUIRING ENVIRONMENT CLEARANCE

- 22) One season (non-monsoon) [i.e. March-May (Summer Season); October-December (post monsoon season) ; December-February (winter season)]primary baseline data on ambient air quality as per CPCB Notification of 2009, water quality, noise level, soil and flora and fauna shall be collected and the AAQ and other data so compiled presented date-wise in the EIA and EMP Report. Site-specific meteorological data should also be collected. The location of the monitoring stations should be such as to represent whole of the study area and justified keeping in view the pre-dominant downwind direction and location of sensitive receptors. There should be at least one monitoring station within 500 m of the mine lease in the pre-dominant downwind direction. The mineralogical composition of PM10, particularly for free silica, should be given.
- 23) Air quality modeling should be carried out for prediction of impact of the project on the air quality of the area. It should also take into account the impact of movement of vehicles for transportation of mineral. The details of the model used and input parameters used for modeling should be provided. The air quality contours may be shown on a location map clearly indicating the location of the site, location of sensitive receptors, if any, and the habitation. The wind roses showing pre-dominant wind direction may also be indicated on the map.
- 24) The water requirement for the Project, its availability and source should be furnished. A detailed water balance should also be provided. Fresh water requirement for the Project should be indicated.
- 25) Necessary clearance from the Competent Authority for drawl of requisite quantity of water for the Project should be provided.
- 26) Description of water conservation measures proposed to be adopted in the Project should be given. Details of rainwater harvesting proposed in the Project, if any, should be provided.
- 27) Impact of the Project on the water quality, both surface and groundwater, should be assessed and necessary safeguard measures, if any required, should be provided.
- 28) Based on actual monitored data, it may clearly be shown whether working will intersect groundwater. Necessary data and documentation in this regard may be provided. In case the working will intersect groundwater table, a detailed Hydro Geological Study should be undertaken and Report furnished. The Report inter-alia, shall include details of the aquifers present and impact of mining activities on these aquifers. Necessary permission from Central Ground Water Authority for working below ground water and for pumping of ground water should also be obtained and copy furnished.
- 29) Details of any stream, seasonal or otherwise, passing through the lease area and modification / diversion proposed, if any, and the impact of the same on the hydrology should be brought out.
- 30) Information on site elevation, working depth, groundwater table etc. Should be provided both in AMSL and bgl. A schematic diagram may also be provided for the same.
- 31) A time bound Progressive Greenbelt Development Plan shall be prepared in a tabular form (indicating the linear and quantitative coverage, plant species and time frame) and submitted, keeping in mind, the same will have to be executed up front on commencement of the Project. Phase-wise plan of plantation and compensatory afforestation should be charted clearly indicating the area to be covered

STANDARD TERMS OF REFERENCE (TOR) FOR EIA/EMP REPORT FOR PROJECTS/ACTIVITIES REQUIRING ENVIRONMENT CLEARANCE

under plantation and the species to be planted. The details of plantation already done should be given. The plant species selected for green belt should have greater ecological value and should be of good utility value to the local population with emphasis on local and native species and the species which are tolerant to pollution.

- 32) Impact on local transport infrastructure due to the Project should be indicated. Projected increase in truck traffic as a result of the Project in the present road network (including those outside the Project area) should be worked out, indicating whether it is capable of handling the incremental load. Arrangement for improving the infrastructure, if contemplated (including action to be taken by other agencies such as State Government) should be covered. Project Proponent shall conduct Impact of Transportation study as per Indian Road Congress Guidelines.
- 33) Details of the onsite shelter and facilities to be provided to the mine workers should be included in the EIA Report.
- 34) Conceptual post mining land use and Reclamation and Restoration of mined out areas (with plans and with adequate number of sections) should be given in the EIA report.
- 35) Occupational Health impacts of the Project should be anticipated and the proposed preventive measures spelt out in detail. Details of pre-placement medical examination and periodical medical examination schedules should be incorporated in the EMP. The project specific occupational health mitigation measures with required facilities proposed in the mining area may be detailed.
- 36) Public health implications of the Project and related activities for the population in the impact zone should be systematically evaluated and the proposed remedial measures should be detailed along with budgetary allocations.
- 37) Measures of socio economic significance and influence to the local community proposed to be provided by the Project Proponent should be indicated. As far as possible, quantitative dimensions may be given with time frames for implementation.
- 38) Detailed environmental management plan (EMP) to mitigate the environmental impacts which, should inter-alia include the impacts of change of land use, loss of agricultural and grazing land, if any, occupational health impacts besides other impacts specific to the proposed Project.
- 39) Public Hearing points raised and commitment of the Project Proponent on the same along with time bound Action Plan with budgetary provisions to implement the same should be provided and also incorporated in the final EIA/EMP Report of the Project.
- 40) Details of litigation pending against the project, if any, with direction /order passed by any Court of Law against the Project should be given.
- 41) The cost of the Project (capital cost and recurring cost) as well as the cost towards implementation of EMP should be clearly spelt out.
- 42) A Disaster management Plan shall be prepared and included in the EIA/EMP Report.

STANDARD TERMS OF REFERENCE (TOR) FOR EIA/EMP REPORT FOR PROJECTS/ ACTIVITIES REQUIRING ENVIRONMENT CLEARANCE

- 43) Benefits of the Project if the Project is implemented should be spelt out. The benefits of the Project shall clearly indicate environmental, social, economic, employment potential, etc.
- 44) Besides the above, the below mentioned general points are also to be followed:-
- a) All documents to be properly referenced with index and continuous page numbering.
 - b) Where data are presented in the Report especially in Tables, the period in which the data were collected and the sources should be indicated.
 - c) Project Proponent shall enclose all the analysis/testing reports of water, air, soil, noise etc. using the MoEF&CC/NABL accredited laboratories. All the original analysis/testing reports should be available during appraisal of the Project.
 - d) Where the documents provided are in a language other than English, an English translation should be provided.
 - e) The Questionnaire for environmental appraisal of mining projects as devised earlier by the Ministry shall also be filled and submitted.
 - f) While preparing the EIA report, the instructions for the Proponents and instructions for the Consultants issued by MoEF vide O.M. No. J-11013/41/2006-IA.II(I) dated 4th August, 2009, which are available on the website of this Ministry, should be followed.
 - g) Changes, if any made in the basic scope and project parameters (as submitted in Form-I and the PFR for securing the TOR) should be brought to the attention of MoEF&CC with reasons for such changes and permission should be sought, as the TOR may also have to be altered. Post Public Hearing changes in structure and content of the draft EIA/EMP (other than modifications arising out of the P.H. process) will entail conducting the PH again with the revised documentation.
 - h) As per the circular no. J-11011/618/2010-IA.II(I) dated 30.5.2012, certified report of the status of compliance of the conditions stipulated in the environment clearance for the existing operations of the project, should be obtained from the Regional Office of Ministry of Environment, Forest and Climate Change, as may be applicable.
 - i) The EIA report should also include (i) surface plan of the area indicating contours of main topographic features, drainage and mining area, (ii) geological maps and sections and (iii) sections of the mine pit and external dumps, if any, clearly showing the land features of the adjoining area.

Annexure –IV
Satellite Imaginary Last 3 Years

Location Map Arwal Punpun Kinjar & Mirzapur Cluster-01 Sand Ghat on Punpun River 5/2021

Write a description for your map.

Legend



anchayat परि यारी

मीया

Google Earth

Image ©2023 Maxar Technologies
Image ©2023 CNES / Airbus

Mahasi Chak महासी चाक

Mahadpura महादपुरा

Location Map Arwal Punpun Kinjar & Mirzapur Cluster-01 Sand Ghat on Punpun River 5/2022

Write a description for your map.

Legend



Google Earth

Image © 2023 Maxar Technologies



Mahadpura महादपुरा

Location Map Arwal Punpun Kinjar & Mirzapur Cluster-01 Sand Ghat on Punpun River 5/2023

Write a description for your map.

Legend




Google Earth


Image © 2023 Airbus

Mahasi Chak महासी चाक

Mahadpura महादपुरा

Annexure –V
2.5 Km Utility Map





Project Site



Buffer Area 2.5 Km

Legend

-  School
-  Settlement
-  NH-33
-  SH-69
-  Metalled Road

Arwal Punpun Kinjar and Mirzapur
Cluster 01
Mauza- Kinjar & Mirzapur,
Block- Karpi,
District- Arwal, Bihar

Location Map

Annexure –VI
English Executive Summary

EXECUTIVE SUMMARY

1.1 INTRODUCTION

As per MoEF&CC, New Delhi Gazette dated 14th September 2006 and amended thereof, the proposed mining project is categorized as category B-1 due to project area is more than 5.0 Ha. The District Mining Office, Arwal. The LOI was granted in favor of Maa Vaishnavi Enterprises Director. – Shashibhushan Sharma S/o- Shri Umesh Sharma Main Road Paliganj, Patna- 801110 for the period of 5 years from the date of execution. A copy of LOI is attached as **Annexure-I**.

Mine Plan: The mining plan for the Arwal Punpun Kinjar & Mirzapur Cluster 01 Sand Ghat on Punpun River has been approved from the Department of Mines & Geology, Govt. of Bihar through vide letter No. 1874/M. Patna dated 06/04/2023 Copy of approval Letter of Mining Plan and Progressive Mine Closure Plan has attached as **Annexure II**.

ToR Letter: It is in this context, hard copy of Form-I and Pre-Feasibility Report has been submitted to SEIAA/SEAC, Bihar on 14.04.2023 requesting for issue of “Terms of Reference” (ToR). The ToR Letter has been issued on date 25.04.2023 by SEIAA, (File no-SIA/1(a)/2365/2023).

Baseline data collection: The baseline data was collected in Summer season from 1st of March 2023 to 31st of May 2023.

The Proposed Sand Mining Project at Khata No. 156, 29, Khasra No. 1670,109, 317,363, 361, 365 in Mauza- Kinjar, and Mirzapur, Block-Karpi , District- Arwal , State-Bihar of Arwal Punpun Kinjar & Mirzapur Cluster sand ghat on Punpun River. Mine Lease Area – 8.46 Ha for production of 152280 Cum per year 254307.6 TPA.

Table No. 1- 1: Details of the Project

S. No.	Particulars	Details
--------	-------------	---------

1.	Nature and Size of the Project	Mining of Sand Minor Minerals with Production Capacity of 152280 cum per annum or 254307.6Tonnes /Year (M.L. Area- 8.46 ha).																																																																																			
2.	Location																																																																																				
	Plot/Survey/Khasra No.	River Name	Mauza	Khat a no	Khasra no	Name of the Ghat	Area (Ha.)																																																																														
		Punpun	Kinjar	156	1670,109	Arwal Punpun Kinjar & Mirzapur Cluster 01	8.46																																																																														
			Mirzapur	29	317,363, 361, 365																																																																																
	Village/ Mauza	Mauza- Kinjar & Mirzapur																																																																																			
	Block	Block- Karpi																																																																																			
	District	Arwal																																																																																			
	State	Bihar																																																																																			
Geographical Coordinates	Latitude and Longitude of	Arwal Punpun Kinjar & Mirzapur Cluster 01:-																																																																																			
		<table><tr><th colspan="3">Coordinates of the Lease Boundary Kinjar</th></tr><tr><th>Sl no.</th><th>Latitudes</th><th>Longitudes</th></tr><tr><td>1</td><td>25.210021</td><td>84.830596</td></tr><tr><td>2</td><td>25.210119</td><td>84.830801</td></tr><tr><td>3</td><td>25.209735</td><td>84.831235</td></tr><tr><td>4</td><td>25.209324</td><td>84.831417</td></tr><tr><td>5</td><td>25.208372</td><td>84.831324</td></tr><tr><td>6</td><td>25.207727</td><td>84.831271</td></tr><tr><td>7</td><td>25.207248</td><td>84.831059</td></tr><tr><td>8</td><td>25.206754</td><td>84.830827</td></tr><tr><td>9</td><td>25.20632</td><td>84.830567</td></tr><tr><td>10</td><td>25.206207</td><td>84.830479</td></tr><tr><td>11</td><td>25.205717</td><td>84.830005</td></tr><tr><td>12</td><td>25.2054</td><td>84.829704</td></tr><tr><td>13</td><td>25.205367</td><td>84.829679</td></tr><tr><td>14</td><td>25.205341</td><td>84.829843</td></tr><tr><td>15</td><td>25.205334</td><td>84.829902</td></tr><tr><td>16</td><td>25.205372</td><td>84.830175</td></tr><tr><td>17</td><td>25.205393</td><td>84.830334</td></tr><tr><td>18</td><td>25.205729</td><td>84.830703</td></tr><tr><td>19</td><td>25.206069</td><td>84.831177</td></tr><tr><td>20</td><td>25.206394</td><td>84.831542</td></tr><tr><td>21</td><td>25.206394</td><td>84.831682</td></tr><tr><td>22</td><td>25.205954</td><td>84.83169</td></tr><tr><td>23</td><td>25.205593</td><td>84.831448</td></tr><tr><td>24</td><td>25.205503</td><td>84.831268</td></tr></table>						Coordinates of the Lease Boundary Kinjar			Sl no.	Latitudes	Longitudes	1	25.210021	84.830596	2	25.210119	84.830801	3	25.209735	84.831235	4	25.209324	84.831417	5	25.208372	84.831324	6	25.207727	84.831271	7	25.207248	84.831059	8	25.206754	84.830827	9	25.20632	84.830567	10	25.206207	84.830479	11	25.205717	84.830005	12	25.2054	84.829704	13	25.205367	84.829679	14	25.205341	84.829843	15	25.205334	84.829902	16	25.205372	84.830175	17	25.205393	84.830334	18	25.205729	84.830703	19	25.206069	84.831177	20	25.206394	84.831542	21	25.206394	84.831682	22	25.205954	84.83169	23	25.205593	84.831448	24	25.205503	84.831268
		Coordinates of the Lease Boundary Kinjar																																																																																			
		Sl no.	Latitudes	Longitudes																																																																																	
		1	25.210021	84.830596																																																																																	
		2	25.210119	84.830801																																																																																	
		3	25.209735	84.831235																																																																																	
		4	25.209324	84.831417																																																																																	
		5	25.208372	84.831324																																																																																	
		6	25.207727	84.831271																																																																																	
		7	25.207248	84.831059																																																																																	
		8	25.206754	84.830827																																																																																	
		9	25.20632	84.830567																																																																																	
		10	25.206207	84.830479																																																																																	
		11	25.205717	84.830005																																																																																	
		12	25.2054	84.829704																																																																																	
		13	25.205367	84.829679																																																																																	
		14	25.205341	84.829843																																																																																	
		15	25.205334	84.829902																																																																																	
		16	25.205372	84.830175																																																																																	
		17	25.205393	84.830334																																																																																	
		18	25.205729	84.830703																																																																																	
		19	25.206069	84.831177																																																																																	
		20	25.206394	84.831542																																																																																	
		21	25.206394	84.831682																																																																																	
		22	25.205954	84.83169																																																																																	
23	25.205593	84.831448																																																																																			
24	25.205503	84.831268																																																																																			

25	25.205312	84.830885
26	25.205178	84.830584
27	25.205009	84.830214
28	25.204836	84.829593
29	25.204839	84.829087
30	20.205217	84.82827
31	25.205414	84.828187
32	25.205402	84.828358
33	25.205414	84.828602
34	25.205436	84.82879
35	25.205475	84.828964
36	25.205553	84.82924
37	25.205655	84.829477
38	25.205755	84.829673
39	25.205897	84.829902
40	25.206027	84.830056
41	25.206115	84.830158
42	25.206227	84.830273
43	25.20676	84.830683
44	25.207003	84.830821
45	25.207135	84.830884
46	25.207429	84.830987
47	25.207491	84.831004
48	25.207773	84.831064
49	25.208029	84.831091
50	25.20839	84.831075
51	25.208982	84.830964
52	25.2095	84.830814
53	25.210021	84.830596

Mirzapur

Sl. no.	Latitudes	Longitudes
1	25.209665	84.821963
2	25.210105	84.821567
3	25.210198	84.821452
4	25.210339	84.821289
5	25.210515	84.821075
6	25.210658	84.820745
7	25.210757	84.820501
8	25.210824	84.820244
9	25.210835	84.820186
10	25.210849	84.820105
11	25.210856	84.820041
12	25.21086	84.819957
13	25.210858	84.819867

		<table> <tr><td>14</td><td>25.21084</td><td>84.81976</td></tr> <tr><td>15</td><td>25.210794</td><td>84.819616</td></tr> <tr><td>16</td><td>25.210749</td><td>84.819527</td></tr> <tr><td>17</td><td>25.210698</td><td>84.819445</td></tr> <tr><td>18</td><td>25.210622</td><td>84.81935</td></tr> <tr><td>19</td><td>25.210528</td><td>84.81927</td></tr> <tr><td>20</td><td>25.210355</td><td>84.819155</td></tr> <tr><td>21</td><td>25.210158</td><td>84.819105</td></tr> <tr><td>22</td><td>25.209925</td><td>84.819082</td></tr> <tr><td>23</td><td>25.209657</td><td>84.819104</td></tr> <tr><td>24</td><td>25.20919</td><td>84.819204</td></tr> <tr><td>25</td><td>25.208769</td><td>84.819362</td></tr> <tr><td>26</td><td>25.208187</td><td>84.819653</td></tr> <tr><td>27</td><td>25.207691</td><td>84.819797</td></tr> <tr><td>28</td><td>25.207414</td><td>84.819896</td></tr> <tr><td>29</td><td>25.207131</td><td>84.820017</td></tr> <tr><td>30</td><td>25.20673</td><td>84.820222</td></tr> <tr><td>31</td><td>25.206475</td><td>84.820369</td></tr> <tr><td>32</td><td>25.206301</td><td>84.820478</td></tr> <tr><td>33</td><td>25.206298</td><td>84.820297</td></tr> <tr><td>34</td><td>25.206417</td><td>84.820208</td></tr> <tr><td>35</td><td>25.206776</td><td>84.81994</td></tr> <tr><td>36</td><td>25.207167</td><td>84.81951</td></tr> <tr><td>37</td><td>25.207383</td><td>84.819326</td></tr> <tr><td>38</td><td>25.207745</td><td>84.819003</td></tr> <tr><td>39</td><td>25.208152</td><td>84.818682</td></tr> <tr><td>40</td><td>25.20845</td><td>84.8186</td></tr> <tr><td>41</td><td>25.20875</td><td>84.818516</td></tr> <tr><td>42</td><td>25.209022</td><td>84.818439</td></tr> <tr><td>43</td><td>25.209134</td><td>84.818441</td></tr> <tr><td>44</td><td>25.209445</td><td>84.818441</td></tr> <tr><td>45</td><td>25.209771</td><td>84.818456</td></tr> <tr><td>46</td><td>25.210267</td><td>84.818492</td></tr> <tr><td>47</td><td>25.210783</td><td>84.818677</td></tr> <tr><td>48</td><td>25.211056</td><td>84.819077</td></tr> <tr><td>49</td><td>25.211286</td><td>84.81948</td></tr> <tr><td>50</td><td>25.211371</td><td>84.819977</td></tr> <tr><td>51</td><td>25.211037</td><td>84.821037</td></tr> <tr><td>52</td><td>25.210721</td><td>84.821517</td></tr> <tr><td>53</td><td>25.210386</td><td>84.821805</td></tr> <tr><td>54</td><td>25.210039</td><td>84.821984</td></tr> <tr><td>55</td><td>25.209687</td><td>84.822134</td></tr> </table>	14	25.21084	84.81976	15	25.210794	84.819616	16	25.210749	84.819527	17	25.210698	84.819445	18	25.210622	84.81935	19	25.210528	84.81927	20	25.210355	84.819155	21	25.210158	84.819105	22	25.209925	84.819082	23	25.209657	84.819104	24	25.20919	84.819204	25	25.208769	84.819362	26	25.208187	84.819653	27	25.207691	84.819797	28	25.207414	84.819896	29	25.207131	84.820017	30	25.20673	84.820222	31	25.206475	84.820369	32	25.206301	84.820478	33	25.206298	84.820297	34	25.206417	84.820208	35	25.206776	84.81994	36	25.207167	84.81951	37	25.207383	84.819326	38	25.207745	84.819003	39	25.208152	84.818682	40	25.20845	84.8186	41	25.20875	84.818516	42	25.209022	84.818439	43	25.209134	84.818441	44	25.209445	84.818441	45	25.209771	84.818456	46	25.210267	84.818492	47	25.210783	84.818677	48	25.211056	84.819077	49	25.211286	84.81948	50	25.211371	84.819977	51	25.211037	84.821037	52	25.210721	84.821517	53	25.210386	84.821805	54	25.210039	84.821984	55	25.209687	84.822134
14	25.21084	84.81976																																																																																																																														
15	25.210794	84.819616																																																																																																																														
16	25.210749	84.819527																																																																																																																														
17	25.210698	84.819445																																																																																																																														
18	25.210622	84.81935																																																																																																																														
19	25.210528	84.81927																																																																																																																														
20	25.210355	84.819155																																																																																																																														
21	25.210158	84.819105																																																																																																																														
22	25.209925	84.819082																																																																																																																														
23	25.209657	84.819104																																																																																																																														
24	25.20919	84.819204																																																																																																																														
25	25.208769	84.819362																																																																																																																														
26	25.208187	84.819653																																																																																																																														
27	25.207691	84.819797																																																																																																																														
28	25.207414	84.819896																																																																																																																														
29	25.207131	84.820017																																																																																																																														
30	25.20673	84.820222																																																																																																																														
31	25.206475	84.820369																																																																																																																														
32	25.206301	84.820478																																																																																																																														
33	25.206298	84.820297																																																																																																																														
34	25.206417	84.820208																																																																																																																														
35	25.206776	84.81994																																																																																																																														
36	25.207167	84.81951																																																																																																																														
37	25.207383	84.819326																																																																																																																														
38	25.207745	84.819003																																																																																																																														
39	25.208152	84.818682																																																																																																																														
40	25.20845	84.8186																																																																																																																														
41	25.20875	84.818516																																																																																																																														
42	25.209022	84.818439																																																																																																																														
43	25.209134	84.818441																																																																																																																														
44	25.209445	84.818441																																																																																																																														
45	25.209771	84.818456																																																																																																																														
46	25.210267	84.818492																																																																																																																														
47	25.210783	84.818677																																																																																																																														
48	25.211056	84.819077																																																																																																																														
49	25.211286	84.81948																																																																																																																														
50	25.211371	84.819977																																																																																																																														
51	25.211037	84.821037																																																																																																																														
52	25.210721	84.821517																																																																																																																														
53	25.210386	84.821805																																																																																																																														
54	25.210039	84.821984																																																																																																																														
55	25.209687	84.822134																																																																																																																														
	Toposheet (OSM) No.	G45M11, G45M12, G45M15, G45M16																																																																																																																														
3.	Lease Area Details																																																																																																																															
	Lease Area	8.46 Ha.																																																																																																																														

	Type of Land	River bed of Punpun
	Topography	Undulated (Riverbed)
	Site Elevation Range	88.25 m to 88.15 m at Kinjar , 87.3m to 87.1 m at Mirzapur
4.	Cost Details	
	Cost of the project	Rs. 134.63 Lakhs (Including Auction Cost)
	Cost for EMP	2.95 Lakh (Capital Cost) & 10.44 Lakhs (Recurring Cost)
5.	Environmental Settings of the area	
	Ecological Sensitive Areas (National Park, Wild Life Sanctuary, Biosphere Reserve, Reserve/ Protected Forest etc.) within 10 Km radius	There is no any Ecological Sensitive Areas (National Park, Wild Life Sanctuary, Biosphere Reserve, Reserve/ Protected Forest etc.) within 10 Km radius.
	Nearest Town/ Major City with population	Nearest Town & District Headquarter: Arwal, Approx. 16.16 km towards WNW
	Nearest Railway Station	Jehanabad Railway Station, approx. 16.14 Km towards ENE Jay Prakash International Airport, Patna approx. 50.02 Km towards NE.
	Nearest National/State Highway	SH-69, - Approx. 1.34 Km towards ESE
	Nearest Airport	Jay Prakash International Airport, Patna approx. 50.02 Km towards NE.
	Nearest Post Office	Post office, Village -Abgila, Approx. 3.21 Km towards ESE direction.
	Medical Facilities	Kinjar Hospital, Approx. 0.98 Km towards NNE
	Education Facilities	Primary School, Mahariya Approx. 0.74 Km towards WNW
	Seismic Zone	Zone III (IS 1893: 2002)
	Water Body	Punpun River (Riverbed)

1.2 PROJECT DESCRIPTION

The proposed project is for mining of Sand (Minor Mineral) by open cast semi-mechanized method in over an area of **8.46 Ha**. By Maa Vaishnavi Enterprises Director. – Shashibhushan Sharma S/o- Shri Umesh Sharma throughout Arwal Punpun Kinjar & Mirzapur Cluster 01 sand ghat of district Arwal. The district experiences severe cold during winter whereas on the other hand in summer it is very hot. The project site falls under seismic zone III which is a high damage risk zone (MSK VIII-IX). About 73.63 percent of the geographical area of North Bihar is considered to be prone to floods. Bihar often faces drought situation of different scales/levels that intrinsically lead to famine situations. The total geological reserve is 423846 **Tonnes/ annum** and total mineable reserve is 254307.6 **Tonnes/ annum** Mine lease area will be worked in benches and the digging depth will be restricted to 3.0 m only or before water table, whichever come fast. This will be further replenished during rainy season. Mineral Sand will be transported by trucks. The deposit is moderate to good quality sand. It is widely used in construction, buildings, bridges and other infrastructure. It is free from clay and non-sticky in nature. Total water requirement for the project is **5.33 KLD**. Total man power requirement for the project is **8 Persons**. The site facilities like temporary, rest-shelter, first aid facility, drinking water facility etc. will be provided as per requirement. There is no litigation pending against this project.

1.3 DESCRIPTION OF ENVIRONMENT

The generation of primary data as well as collection of secondary data and information from the site and surroundings was carried out during 1st March 2023 to 31st May 2023. The EIA study is being done for the Mine Lease (core zone) and area within 10 Km distance from mine lease boundary (buffer zone), both of which together comprise the study area. Baseline environment was determined within the study area, which represents 10 km radius of the surrounding area to the project site. This collected data was further used to identify potential impacts of the mining activity on the surrounding environment and formulate mitigation measures. Table 1.2.

Table No. 1- 2: Baseline Environmental Status

Attribute	Baseline status
Ambient Air Quality	The ambient air quality study for the 8 AAQ monitoring stations shows that the maximum and minimum ground level concentration for PM ₁₀ is

Ambient air quality was monitored at 5 locations within a 5 km radius of	respectively 80.0 $\mu\text{g}/\text{m}^3$ at AQ4 and 50.1 $\mu\text{g}/\text{m}^3$ at AQ6. Whereas the maximum and minimum ground level concentration for $\text{PM}_{2.5}$ ranges between 45.5 $\mu\text{g}/\text{m}^3$ at AQ- 4 and 26.7 $\mu\text{g}/\text{m}^3$ at AQ6 respectively. Similarly, for SO_2 , the maximum and minimum ground level concentration varies between 19.6 $\mu\text{g}/\text{m}^3$ and 6.7 $\mu\text{g}/\text{m}^3$ for respectively AQ4 and AQ5 stations. For NO_2 the maximum and minimum ground level concentration varies between 35.4 $\mu\text{g}/\text{m}^3$ & 13.3 $\mu\text{g}/\text{m}^3$ for respectively AQ-4 and AQ-3 stations. CO the minimum and maximum ground level concentration varies between 0.17 mg / m^3 & 0.83 mg/ m^3 for respectively AQ2 and AQ5 stations
Noise Levels	Noise monitoring study reveals that the minimum & maximum noise levels at day time were recorded as 42.3dB (A) at NQ-2 & 52.6dB (A) at NQ7. The minimum & maximum noise levels at night time were found to be 30.9dB (A) at NQ-6 & 42.1dB (A) at NQ3.
Water Quality	<p>5 Groundwater samples and 04 surface water samples were analyzed and concluded that:</p> <p>The examination of the physicochemical analysis of the ground water shows that the quality of ground water is generally good with respect to the limits laid down in Bureau of India Standards (IS: 10500:2012) for drinking water. Based on the above result it is concluded that the ground water samples are fit for drinking purpose.</p> <p>The river water quality parameters are compared with BDU Criteria of CPCB. No metal contamination has been found in surface water samples. Overall, the surface water quality of river is meeting the Class D of DBU Criteria of CPCB for its suitability for wild life and fisheries.</p>
Soil Quality	Samples collected from identified locations indicate pH value ranging from 7.00 to 7.80 which shows that the soil is slightly alkaline in nature. Organic Matter ranges from 1.94 % to 2.10 % in the soil samples and, whereas the Potassium is found to be ranging from 185.8 mg/kg to 263.8 mg/kg.
Ecology and Bio-diversity	There are no Ecologically Sensitive Areas present in the study area.

1.4 ANTICIPATED IMPACTS AND MITIGATION MEASURES

Based on the Baseline Environment, as determined in Chapter 3, environmental impacts of the mining activity on the surrounding environment are described in following sub-sections.

1.4.1 Impact on Land Use Pattern

Presently there is no activity on the land. The project site is located on bank of river. There is no human settlement in the near vicinity of the project. Restoration of mine lease area is a natural process. There would not be cutting & felling of trees.

1.4.2 Impact on Air Quality

Information on air quality was studied and predicted that the mining activity will not affect the air quality in a significant manner. In mining operations, loading, and transportation operations may cause the deterioration in air quality. In the present case, only wet materials will be handled. The collection and lifting of minerals will be done Semi mechanized mining method shall be adopted for the mining of sand. Therefore, the dust generated is insignificant. Water sprinkling will be done in regular manner for dust suppression.

1.4.3 Impact of Noise Levels

Noise level will increase due to transportation. The project site away from the villages no major impact of the noise level will be there. Vehicle with low noise level will be preferred for the project.

1.4.4 Impact on Water Quality

More over due to small scale of mining operation using minimum machineries, dust suppression is by water spraying through water sprinkler limited to haulage road. Rainwater flowing through the exposed mine cuts would carry some sediment of soil and rock. These are found to be nontoxic in nature and the runoff from mining area are the deposits of the river which were carried in past. Surface runoff water from mines has only high turbidity during monsoon. As discussed, the mining activity will require very less quantity of water in comparison to the recharging. Hence, it will not affect the water regime of the area.

1.4.5 Impact on Soil Quality

The soil textures a yellowish, light-colored variety of red soil. The basin land of the rivers is mostly sandy soil, and the land adjacent to the rivers is sandy loam. It is due to settling of air borne dust or due to wash off of solid particulates by surface or ground water. This may lead to change in porosity, permeability & other such physical characteristics of soil of the area.

1.4.6 Flora & Fauna

Flora

Floral environment is affected by mining activities due to:

- Air Pollution i.e. both dust & gaseous pollution
- Water pollution
- Land Pollution

Pollutant like dust, gaseous emanations, solid & liquid effluents will be minimized at the generation point itself and adequate measures will be taken to prevent their impact on environment.

ii) There is no forest in the core zone of mining lease area and its surrounding. So, there will be no deforestation due to mining.

iii) The mining lease area is devoid of vegetation. So, the greenery to be developed under green belt development programme will improve the floral environment of the area.

Fauna

There is no likelihood of any adverse impact on the faunal environment too due to mining activities.

1.4.7 Socio-Economic Profile

The social demographic profile of the area is not likely to be much affected, as there is not much displacement of people due to the project. The mining in the area will create rural employment.

The mining activity in the region has positive impact on the social economic condition of the area by providing employment to the local inhabitants; wages paid increase the per capita income.

1.5 ANALYSIS OF ALTERNATIVES (TECHNOLOGY AND SITE)

We have analyzed all the options for alternatives of the proposed mine site. This project is a sand specific project and existing land use of mine lease classified as River Body which will continue to be so even after the current mining project is over, hence no alternate site is suggested for this project.

1.6 ENVIRONMENTAL MONITORING PROGRAM

This chapter includes the technical aspects of monitoring the effectiveness of mitigation measures (including measurement methodologies, data analysis, reporting schedules, emergency procedures, detailed budget & procurement schedules). In order to maintain the environmental

quality within the stipulated standards, regular monitoring of various environmental components is necessary which will have complied as per conditions. For this lessee Maa Vaishnavi Enterprises Director. – Shashibhushan Sharma S/o- Shri Umesh Sharma taken decision to formulate an Environment Policy of the mine and constitute an Environmental Management Cell and committed to operate the proposed mine with the objectives mentioned in approved Environment Policy. EMP may also require measurement of ambient environmental quality in the vicinity of a sit using ecological/biological, physical and chemical indicators. Monitoring may include socio-economic interaction, through local liaison activities or even assessment of complaints. Regular Monitoring of all the environmental parameters viz., air, water, noise and soil as per the formulated program based on CPCB and MoEF & CC guidelines will be carried out every year. The location of the monitoring stations was selected on the basis of prevailing micro meteorological conditions of the area like; wind direction and wind speed, relative humidity, temperature. A budget for monitoring of Air, water, Noise and Soil will be **Rs. 2.0 Lakhs** to be incurred by the project proponent for undertaking pollution prevention measures during the mining activity.

1.7 ADDITIONAL STUDIES

Risk assessments will help to priorities the risks and provide information on the need to safely control the risks. In this way, mine owners and operators will be able to implement safety improvements. Mining and allied activities are associated with several potential hazards to both the employees and the public at large. A worker in a mine will be able to work under conditions, which are adequately safe and healthy. At the same time the environmental conditions also will not impair his working efficiency. This is possible only when there is adequate safety in mines. Hence mine safety is one of the most essential aspects of any working mine. It is very important to conserve the scheduled fauna in the area by the local authority as well as by the forest officials. People are not aware about the wildlife and protection of wild animals. There is an urgent need of education and awareness to local people about the wild life and their importance. A green belt will be developed around the core zone. Green belt plantation will be done up to completion of plan period. This mining project has positive impact on social and economic well-being of the community because this project provides employment opportunities to local people and many social welfare works done by project proponent. There is no displacement of the population within the project area and adjacent nearby area.

1.8 PROJECT BENEFITS

The management will recruit the semi-skilled and unskilled workers from the nearby villages. The project activity and the management will definitely support the local Panchayat and provide other form of assistance for the development of public amenities in this region. The company management will contribute to the local schools, dispensaries for the welfare of the villagers. A suitable combination of trees that can grow fast and also have good leaf cover will be adopted to develop the green belt. It is proposed to plant **85 Nos.** of native species will be planted during the mining plan period. Other than this social development of village will be considered as per social activities. Socio-economic environment will have positive impact due to the mining project in the area. The mining activity will create employment opportunities to local communities. The project will not only improve the living standard of local people but also create an aesthetic value to the river banks where green belt will be developed.

1.9 ENVIRONMENT MANAGEMENT PLAN

As per Above discussion there is no measure impact on the environment due to mining except fugitive emission in the form of dust generated during handling of mineral. The adequate preventive measures will be adopted to contain the various pollutants within permissible limits. Plantation development will be carried out in the mine premises, along the approach roads, around Govt. buildings, schools approx. **85 trees during plan period.** It will prove an effective pollution mitigate technique, and he provided to the locals only as providing extraction of minerals from the mine site is the only prevailing occupation for them for their livelihood. A budget of **Rs 2.95 Lakh (Capital Cost) & 10.44 Lakhs (Recurring Cost)** per year for **EMP** is incurred by Project Proponent.

1.10 Air Quality Management

The only air pollution sources are the road transport network of the trucks. The dust suppression measures like water spraying will be done on the roads. Utmost care will be taken to prevent spillage from the trucks. Overloading will be prevented. Plantation activities along the roads will also reduce the impact of dust in the nearby villages.

1.11 Management for Noise Pollution

As the only impact is due to transportation of sand to the construction though village roads, emphasis will be given on the following points.

- Minimum use of Horns at the village area.
- Timely maintenance of vehicles and their silencers to minimize vibration and sound.
- Phasing out of old and worn out trucks.
- Provision of green belts along the road networks.
- Care will be taken to produce minimum sound during loading.

It was found that the sand mining activity will not have any significant impact on the biological environment of the region. Since mining activity is carried out only during the day time, the movement of animals during the night will not be hindered.

1.12 Water Management

The deposits occur in the middle/bottom of the river. During the entire lease period, the deposit will be worked from the top surface to 3 m bgl or above ground water level, whichever comes first.

1.13 Soil Management

Topsoil is stored separately and used for plantation work in the mined out area. Green belt development around the area minimizes the impact of mining on soil characteristics like its texture, chemistry & even Soil Erosion in the area.

1.14 Green Belt Development

The green belts will be designed to control PM₁₀, gaseous pollutants, noise, surface run off and soil erosion etc.

1.15 Conclusion

This Project will provide several benefits to the nearby Villages by a proper planning and management. This project will employ most of the worker from nearby villages. Only supervisor Staff will be hired from outside. There will not be any increase in population due to the project. However, few people from other area may migrate in this area for business opportunities. During the operation of this project no adverse impact on the surrounding environment. So project is beneficiary for the surrounding village. From the baseline study and various discussions on probable impacts of all the operational activity, it has been concluded that this project will have more positive impact and will generate the revenue and employment in the area. On the above facts and baseline study, the proposed activity is recommended for the commencement with proper mitigation measure as suggested.

Annexure –VII
Hindi Executive Summary

कार्यकारी सारांश

पर्यावरण प्रभाव आंकलन

अरवल पुनपुन किंजर&मिर्जापुर क्लस्टर- 01 बालूघाट

मौजा- किंजर&मिर्जापुर, ब्लॉक- करपी, जिला- अरवल, राज्य- बिहार ।

द्वारा

परियोजना प्रस्तावक

आवेदक- मां वैष्णवी इंटरप्राइजेज, निदेशक- शशिभूषण शर्मा, पिता- श्री उमेश
शर्मा, पता- मेंन रोड पालीगंज, पटना- 801110

पर्यावरणीय सलाहकार

रियान एनवायरो प्राइवेट लिमिटेड

1 कार्यकारी सारांश

1.1 परिचय

पर्यावरण एवं वन मंत्रालय, नई दिल्ली राजपत्र दिनांक 14 सितंबर 2006 और उसमें संशोधन के अनुसार, प्रस्तावित खनन परियोजना को श्रेणी बी- 1 के रूप में वर्गीकृत किया गया है क्योंकि परियोजना क्षेत्र 5.0 हेक्टेयर से अधिक है। अरवल DMO के द्वारा LOI आवेदक- मां वैष्णवी इंटरप्राइजेज, निदेशक- शशिभूषण शर्मा, पिता- श्री उमेश शर्मा, पता- मेंन रोड पालीगंज, पटना- 801110

खनन योजना – अरवल पुनपुन किंजर & मिर्जापुर क्लस्टर- 01 के लिए खनन योजना को 152280 घन मीटर प्रति वर्ष या 254307.6 TPA की उत्पादन क्षमता के साथ खान एवं भूतत्व विभाग, बिहार सरकार के पत्रांक 1874/एम पटना, दिनांक 06.04.2023 के माध्यम से अनुमोदित किया गया है।

TOR पत्र: Terms of Reference (TOR), दिनांक- 14.04.2023 को SEIAA, बिहार को फॉर्म- I और पूर्व-व्यवहार्यता रिपोर्ट की हार्ड कॉपी प्रस्तुत की गई है। TOR पत्र दिनांक- 25.04.2023 को SEIAA द्वारा जारी किया गया है, (फाइल संख्या. SIA/1(a)/2365/2023) TOR वैधता तीन साल की अवधि के लिए है।

बेसलाइन डेटा संग्रह बेसलाइन डेटा ग्रीष्म ऋतु के रूप में : 1 मार्च 2023 से 31 मई 2023 तक एकत्र किया गया था।

परियोजना स्थल का विवरण: प्रस्तावित बालू खनन परियोजना अरवल पुनपुन किंजर & मिर्जापुर क्लस्टर- 01, खाता संख्या- 156, 29, खसरा संख्या- 1670, 109, 317, 363, 361, 365, मौजा - किंजर & मिर्जापुर, ब्लॉक- करपी, जिला- अरवल, राज्य- बिहार। खान पट्टा क्षेत्र – 8.46 Ha है जो 152280 घन मीटर या 254307.6 TPA के उत्पादन के लिए हैं। प्रस्तावित खनन पट्टा क्षेत्र भारतीय सर्वेक्षण Toposheet G45M11, G45M12, G45M15, G45M16 के अंतर्गत आता है।

1.2 परियोजनाका विवरण

बालू घाट का नाम	अरवल पुनपुन किंजर & मिर्जापुर क्लस्टर- 01
-----------------	---

क्षेत्रफल (हेक्टेयर)	8.46 Ha		
टन/वर्ष में उत्पादन	152280 घन मीटर या 254307.6 TPA		
जल की आवश्यकता	धूल दमन	घरेलू	ग्रीन बेल्ट डेवलपमेंट
	5.0	0.08	0.25
	कुल: 5.33 KLD		
कामगारों की संख्या	8		
परियोजना की अनुमानित लागत (लाख में)	134.63 लाख		
EMP लागत (लाख में)	पूँजी लागत: 2.95 लाख और आवर्ती लागत: 10.44 लाख		

1.3 माइनिंग लीज कोऑर्डिनेट्स

पट्टा सीमा के निर्देशांक किंजर

क्र. संख्या	अक्षांश	देशांतर
1	25.210021	84.830596
2	25.210119	84.830801
3	25.209735	84.831235
4	25.209324	84.831417
5	25.208372	84.831324
6	25.207727	84.831271
7	25.207248	84.831059
8	25.206754	84.830827
9	25.20632	84.830567
10	25.206207	84.830479
11	25.205717	84.830005
12	25.2054	84.829704
13	25.205367	84.829679
14	25.205341	84.829843

15	25.205334	84.829902
16	25.205372	84.830175
17	25.205393	84.830334
18	25.205729	84.830703
19	25.206069	84.831177
20	25.206394	84.831542
21	25.206394	84.831682
22	25.205954	84.83169
23	25.205593	84.831448
24	25.205503	84.831268
25	25.205312	84.830885
26	25.205178	84.830584
27	25.205009	84.830214
28	25.204836	84.829593
29	25.204839	84.829087
30	20.205217	84.82827
31	25.205414	84.828187
32	25.205402	84.828358
33	25.205414	84.828602
34	25.205436	84.82879
35	25.205475	84.828964
36	25.205553	84.82924
37	25.205655	84.829477

38	25.205755	84.829673
39	25.205897	84.829902
40	25.206027	84.830056
41	25.206115	84.830158
42	25.206227	84.830273
43	25.20676	84.830683
44	25.207003	84.830821
45	25.207135	84.830884
46	25.207429	84.830987
47	25.207491	84.831004
48	25.207773	84.831064
49	25.208029	84.831091
50	25.20839	84.831075
51	25.208982	84.830964
52	25.2095	84.830814
53	25.210021	84.830596

पट्टा सीमा के निर्देशांक मिर्जापुर

क्र. संख्या	अक्षांश	देशांतर
1	25.209665	84.821963
2	25.210105	84.821567
3	25.210198	84.821452
4	25.210339	84.821289
5	25.210515	84.821075
6	25.210658	84.820745
7	25.210757	84.820501

8	25.210824	84.820244
9	25.210835	84.820186
10	25.210849	84.820105
11	25.210856	84.820041
12	25.21086	84.819957
13	25.210858	84.819867
14	25.21084	84.81976
15	25.210794	84.819616
16	25.210749	84.819527
17	25.210698	84.819445
18	25.210622	84.81935
19	25.210528	84.81927
20	25.210355	84.819155
21	25.210158	84.819105
22	25.209925	84.819082
23	25.209657	84.819104
24	25.20919	84.819204
25	25.208769	84.819362
26	25.208187	84.819653
27	25.207691	84.819797
28	25.207414	84.819896
29	25.207131	84.820017
30	25.20673	84.820222
31	25.206475	84.820369
32	25.206301	84.820478
33	25.206298	84.820297
34	25.206417	84.820208
35	25.206776	84.81994
36	25.207167	84.81951
37	25.207383	84.819326
38	25.207745	84.819003
39	25.208152	84.818682
40	25.20845	84.8186
41	25.20875	84.818516
42	25.209022	84.818439
43	25.209134	84.818441
44	25.209445	84.818441
45	25.209771	84.818456
46	25.210267	84.818492
47	25.210783	84.818677
48	25.211056	84.819077
49	25.211286	84.81948
50	25.211371	84.819977
51	25.211037	84.821037
52	25.210721	84.821517
53	25.210386	84.821805

54	25.210039	84.821984
55	25.209687	84.822134

1.4 खनन पद्धति का विवरण

- खनन प्रक्रिया ड्रिलिंग और ब्लास्टिंग के बिना ओपनकास्ट अर्ध-मशीनीकृत विधि के द्वारा की जाएगी।
- बाढ़ के दौरान खनन की कोई गतिविधि नहीं की जाएगी।
- खनन की प्रक्रिया केवल 3 मीटर की गहराई तक ही की जाएगी।
- बालू का खनन मानसून के दौरान पूरी तरह से बंद रहेगा।
- बालू खनन नदी के बहाव क्षेत्र तक ही रहेगा।
- नदी के सूखे क्षेत्र में खनन किया जायेगा।
- नदी के प्राकृतिक प्रवाह को बाधित नहीं किया जायेगा।

1.5 खनिज का उपयोग

बालू का उपयोग जैसे: सड़को, इमारतों, पुलों आदि के निर्माणकार्य में किया जायेगा।

1.6 पर्यावरण संवेदनशीलता

1.	पारिस्थितिक संवेदनशील क्षेत्र राष्ट्रीय उद्यान, वन्य जीवन अभयारण्य, बायोस्फीयर रिजर्व / रिजर्व संरक्षित वन आदि 10 किलोमीटर के दायरे में।	10 Km के दायरे में कोई भी पारिस्थितिक संवेदनशील क्षेत्र (राष्ट्रीय उद्यान, वन्य जीवन अभयारण्य, बायोस्फीयर रिजर्व, रिजर्व/संरक्षित वन) आदि नहीं है।
	जनसंख्या के साथ निकटतम शहर / प्रमुख शहर	निकटतम शहर जिला मुख्यालय अरवल , लगभग 16.16 Km WNW की ओर।
2.	निकटतम रेलवे स्टेशन	जहानाबाद, रेलवे स्टेशन, लगभग 16.14 Km ENE की ओर।
	निकटतम राष्ट्रीय / राज्यमार्ग	SH-69, लगभग 1.34 Km. ESE की ओर।
	निकटतम हवाई अड्डा	जयप्रकाश अंतराष्ट्रीय हवाई अड्डा, लगभग 50.02 Km. उत्तर पूर्व की ओर।
	निकटतम डाकघर	अबगिला , डाकघर लगभग 3.21 Km. ESE की ओर।

3.	चिकित्सकीय सुविधाएं	किंजर अस्पताल, और साउथ फोर्ट केयर हॉस्पिटल बांका, लगभग 0.98 Km. NNE की ओर।
4.	शिक्षा सुविधाएं	प्राथमिक विद्यालय महरिया, लगभग 0.74 Km WNW की ओर।
5.	भूकंपीय क्षेत्र	जोन III (IS 1893-2002)
6.	जल निकाय	पुनपुन नदी

1.7 स्थल सुविधाएं और उनकी उपयोगिता

जलआपूर्ति: खनन के दौरान पानी की आवश्यकता मुख्य रूप से धूल के दमन, हरित पट्टी के विकाश, पेय जल प्रयोजन और अन्य घरेलू कार्यों के लिए होगी। पानी की आवश्यकता नजदीकी स्रोतों जैसे हैंड पंप एवं प्राइवेट टैंकों से पूरी की जाएगी।

अस्थायी आवास: श्रमिकों को विश्राम के लिए खनन स्थल के नजदीक एक अस्थायी आवास उपलब्ध कराया जायेगा। इसके अतिरिक्त श्रमिकों के लिए प्राथमिक चिकित्सा बॉक्स, कल्याण सुविधाएं इत्यादि उपलब्ध कराये जायेंगे। खनन कार्य में लगे लोगों की सुरक्षा को देखते हुए उन्हें दस्तानों और जूते भी उपलब्ध कराये जायेंगे।

1.8 पर्यावरण का विवरण

बेसलाईन पर्यावरण खनन पट्टा के सीमा से **10** किलो मीटर का क्षेत्र है जिसका अध्ययन **1 मार्च 2023** से **31 मई 2023** के बीच की गई थी।

एकत्र किए गए बेसलाइन डेटा का सारांश नीचे की तालिका में दी गई है:

गुण	आधारभूत स्थिति
परिवेशी वायु गुणवत्ता	8 AAQ निगरानी स्टेशनों के लिए परिवेशी वायु गुणवत्ता अध्ययन से पता चलता है कि PM10 के लिए अधिकतम और न्यूनतम जमीनी स्तर सांद्रता क्रमशः AQ4 पर

	<p>80.0 µg/m³ और AQ6 पर 50.1 µg/m³ है। जबकि PM_{2.5} के लिए अधिकतम और न्यूनतम जमीनी स्तर सांद्रता क्रमशः AQ4 पर 45.5µg/m³ और AQ6 पर 26.7 µg/m³ के बीच होती है। इसी प्रकार, SO₂ के लिए, अधिकतम और न्यूनतम जमीनी स्तर की सांद्रता क्रमशः AQ4 और AQ5 स्टेशनों के लिए 19.6 µg/m³ और 6.7 µg/m³ के बीच भिन्न होती है। NO₂ के लिए अधिकतम और न्यूनतम जमीनी स्तर की सांद्रता क्रमशः AQ4 और AQ3 स्टेशनों के लिए 35.4 µg/m³ और 13.3 µg/m³ के बीच होती है। CO की न्यूनतम और अधिकतम जमीनी स्तर की सांद्रता क्रमशः 0.17 mg/m³ और 0.83 mg/m³ के बीच होती है। AQ2 और AQ5 स्टेशन।</p>
ध्वनि का स्तर	<p>ध्वनि निगरानी अध्ययन से पता चलता है कि दिन के समय न्यूनतम और अधिकतम ध्वनि स्तर परियोजना स्थल NQ2 में 42.3 dB (A) और NQ7 में 52.6 dB (A) दर्ज किया गया था। रात के समय न्यूनतम और अधिकतम ध्वनि स्तर NQ6 में 32.7 dB (A) और बांका NQ3 में 42.1 dB (A) पाया गया।</p> <p>अध्ययन क्षेत्र में कुछ घरेलू गतिविधियों को छोड़कर कोई अन्य प्रमुख ध्वनि पैदा करने वाला स्रोत नहीं है, जो क्षेत्र के स्थानीय ध्वनि स्तर में योगदान देता है। आस-पास के गाँवों में यातायात की गतिविधियाँ भी क्षेत्र के परिवेशीय ध्वनि स्तर को बढ़ाती हैं।</p>
पानी की गुणवत्ता	<p>भूजल के 5 और सतही पानी के 2 नमूनों का किए गए विश्लेषण से निष्कर्ष निकाला गया कि सभी स्रोतों से भूजल पीने के उद्देश्यों के लिए उपयुक्त है। सभी नमूने पीने के पानी द्वारा निर्धारित सीमा के भीतर हैं।</p> <p>भारतीय मानक IS: 10500:2012 द्वारा मानक सतही जल विश्लेषण से यह स्पष्ट होता है कि अधिकांश नमूने जो की CPCB के DBU मानदंड की 'श्रेणी 'D' का</p>

	अनुपालन करते हैं एवं वन्य जीवन और मत्स्य पालन के लिए उपर्युक्त हैं।
मिट्टी की गुणवत्ता	पहचान किए गए स्थानों से एकत्र किए गए नमूने pH मान को इंगित करते हैं 7.00 से 7.80 जो दर्शाता है कि मिट्टी प्रकृति में थोड़ी क्षारीय है। कार्बनिकमिट्टी के नमूनों में पदार्थ 1.94% से 2.10% तक होता है, जब कि पोटेशियम 185.8 mg/kg से 263.8 mg/kg तक पाया जाता है।
पारिस्थिति की और जैव विधता	अध्ययन क्षेत्र में कोई पारिस्थितिक रूप से संवेदनशील क्षेत्र मौजूद नहीं है।

1.9 पर्यावरण पर प्रभाव एवं उसकी रोकथाम

वायु पर्यावरण

वायु की गुणवत्ता का अध्ययन किया गया तथा देखा गया कि खनन की गतिविधि से वायु की गुणवत्ता पर कोई खास प्रभाव नहीं पड़ेगा। वायु प्रदूषण का जो मुख्य स्रोत ट्रकों एवं ट्रैक्टरों का स्थान्तरण और खनन की गतिविधियों में लोडिंग स्थान्तरण और अनलोडिंग के कारण शुष्क सामग्री की वजह से वायु की गुणवत्ता में कुछ गिरावट आ सकती है।

शमन के उपाय

- धूल को उड़ने से बचाने के उपाय किये जायेंगे जैसे सड़को पर पानी का छिड़काव किया जायेगा।
- तिरपाल से ढक कर बालू का परिवहन होगा ताकि बालू को उड़ने या गिरने से रोका जा सके।
- वाहनों की ओवर लोडिंग नहीं की जायेगी।
- पुराने और खराब हो चुके ट्रकों एवं ट्रैक्टरों का इस्तेमाल नहीं किया जायेगा।
- नदी के किनारों और सड़क के दोनों तरफ वृक्षारोपण का कार्य किया जायेगा।

जल पर्यावरण

भूमिगत जल पर प्रभाव की जानने के लिए एक व्यापक जल भूवैज्ञानिक अध्ययन किया गया है अध्ययन से निष्कर्ष निकाला गया कि खनन के कारण आस पास के भूमिगत जल स्तर पर कोई प्रत्यक्ष प्रभाव नहीं पड़ेगा।

खनन की गतिविधि के लिए जल की कोई आवश्यकता नहीं होती है। खनन कार्य नदी के सूखे भाग पर ही किया जायेगा। नदी के मुख्य चैनल से कोई छेड़-छाड़ नहीं की जाएगी।

ध्वनि पर्यावरण

खान में उत्पन्न ध्वनि अर्द्ध-यांत्रिक खनन गतिविधियों और ट्रकों की स्थानांतरण गतियों के कारण होगा। खनन गतिविधि के कारण उत्पन्न ध्वनि खान के भीतर तक ही सीमित रहेगा। आस पास के गांव पर खनन का गतिविधि का कोई खास प्रभाव नहीं पड़ेगा, हालांकि ध्वनि के उपरोक्त स्तर का प्रभाव केवल सक्रिय कार्यशील क्षेत्र के आस पास ही महसूस किया जायेगा।

निम्न स्तर का ध्वनि सहनीय है और इसका मानव पर कोई बुरा प्रभाव नहीं पड़ता, लेकिन जब यह बहुत ज्यादा होता है तब इसके हानिकारक प्रभाव हो सकते हैं।

इस मामले में आस पास की आबादी पर ध्वनि का प्रभाव नगण्य है क्योंकि आबादी खनन क्षेत्र से दूर है।

शमन के उपाय

- गांव के क्षेत्रों में ध्वनि यंत्र (Horn) का न्यूनतम उपयोग किया जायेगा।
- नदी के किनारों और सड़क के दोनों तरफ वृक्षारोपण का कार्य किया जायेगा।
- खनिकों के कानों की सुरक्षा के लिए ईयर-मफ उपलब्ध कराये जायेंगे।
- वाहनों का उचित रख रखाव किया जायेगा।

1.10 पर्यावरणीय प्रबंधन योजना

- रेलवे लाईन, जलाशय, नदी के दोनों किनारों एवं जल के प्रवाह से अथवा सड़क से सुरक्षित दूरी को छोड़कर ही खनन कार्य किया जायेगा।
- वन क्षेत्र में खनन की अनुमति नहीं होगी।
- पट्टा की अवधि के दौरान, खनन कार्य सतह से 3 मीटर की गहराई तक या भूजल स्तर से उपर, जो भी काम हो, किया जायेगा।
- बाढ़ के दौरान खनन की कोई गतिविधि नहीं की जाएगी।
- पर्यावरण प्रबंधन योजना के तहत इस परियोजना के लिए कुल 10.44 लाख रुपये की व्यवस्था की गई है जो हॉल रोड को बनाने, कच्चे सड़क पर धूल शमन के लिए पानी की छिड़काव, वृक्षारोपण एवं उनके रख रखाव के लिए होंगे।

- खनन कार्य में लगे मजदूरों के नियमित स्वास्थ्य की जाँच की जाएगी।
- स्वास्थ्य पर पड़ने वाले प्रभाव को काम करने के लिए प्रभाव क्षेत्र में श्रमिकों और आस पास के लोगो को स्वस्थ सुविधाएं मुहैया कराई जाएगी।
- नदी के खनन क्षेत्र तक पहुंचने के लिए सड़को की संख्या न्यूनतम होगी, जिसके लिए नदी के किनारों को नहीं काटी जायेगी।
- यह सुनिश्चित किया जायेगा की नदी के खनन क्षेत्र में तालाब की स्थिति न बने।
- आस पास के तालाबों, कुओं और बोर वेल्स में पानी के स्तर में उतार चढ़ाव का मापन किया जायेगा।
- सड़क के दोनों किनारों पर वृक्षारोपण किया जायेगा।
- खनन क्षेत्र तथा इसके आस पास कचरे के डिब्बों की व्यवस्था की जायेगी तथा इनके भर जाने पर इनका नियमानुसार निस्तारण किया जायेगा।

1.11 खनन के लाभ

भौतिक लाभ

प्रस्तावित परियोजना के खुलने से आसपास के निम्नलिखित क्षेत्रों में भौतिक बुनियादी ढांचे को बढ़ावा मिलेगा

1. सड़क परिवहन या सड़क संपर्क में वृद्धि।
2. खनिज से अच्छे बाजारी अवसर मिलेंगे।
3. हरियाली / वृक्षारोपण को बढ़ावा।

सामाजिक लाभ

1. प्रत्यक्ष एवं अप्रत्यक्ष रूप से रोजगार में वृद्धि।
2. खनिज के बिक्री से राजस्व प्राप्त होगा।
3. स्वस्थ सम्बन्धी गतिविधियों को बढ़ावा।

पर्यावरणीय लाभ

1. वैज्ञानिक खनन से पर्यावरण दुष्प्रभाव में कमी।
2. वैज्ञानिक खनन से नदी के किनारों के आस पास पर उगी फसलों की सुरक्षा।
3. अवैध खनन की गतिविधि में कमी।

.....