DRAFT ENVIRONMENTAL IMPACT ASSESSMENT AND

ENVIRONMENTAL MANAGEMENT PLAN OF

SAND MINING PROJECT, PATNA CLUSTER-18 (PATNA SON- 21), SAND GHAT, DISTRICT-PATNA

SAND BLOCK	PATNA SON 21
PROPOSAL NO	SIA/BR/MIN/428106/2023
TOR NO	SIA/1(a)/2402/2023
AREA	32.05 HA
PRODUCTION	576900 cum per annum or 992268 TPA
LOCATION	MAUJA- CHILKA TOLA, ANCHAL- BIHATA DISTRICT - PATNA, (BIHAR)
KHASRA NO	1423, 1426, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32, 33, 34, 35, 36, 37, 38, 39.

APPLICANT

Unistar Biotech Limited Prop.- Shri Prakash Chandra S/o- Shri Gopal Prasad Sharma

Address- 2/67, 2nd floor, Sector-6, Vaishali, Ghaziabad, Uttar Pradesh 201010



CONSULTANT

P&M Solution

C-88, Sector 65, Noida -201301 - U.P

A QCI -NABET Accredited Organization

Regional Office: 201, Mangal Market, Raja Bazaar, Patna, Bihar



TABLE OF CONTENTS

CHAPTERS	TITLE	PAGE NO		
	CHAPTER 1 INTRODUCTION			
1.0	Purpose of the Report	I-1		
1.1	Identification of project & project proponent	I-2		
1.2	Brief description of project	I-3		
1.3	Environmental Setting	I-6		
1.4	Scope of the Study	I-8		
	CHAPTER 2			
	PROJECT DESCRIPTION			
2.0	General	II-27		
2.1	Need for the project	II-27		
2.2	Location Details	II-27		
2.3	Topography & Geology	II-30		
2.4	Geological Reserve	II-34		
2.5	Conceptual Mining Plan	II-36		
2.6	Anticipated Life of Mine	II-37		
2.7	General Features	II-37		
	CHAPTER 3			
	BASELINE ENVIRONMENTAL STATUS			
3.0	General	III-41		
3.1	Land Environment of the Study Area	III-42		
3.2	Water Environment	III-44		
3.3	Air Environment	III-50		
3.4	Soil Environment	III-58		
3.5	Noise Characteristics	III-60		
3.6	Biological Environment	III-62		
3.7	Socio-Economic Environment	III-87		
	CHAPTER 4			
ANTIC	ANTICIPATED ENVIRONMENTAL IMPACTS & MITIGATION MEASURES			
4.0	General	IV-137		
4.1	Land Environment	IV-138		
4.2	Water Environment	IV-139		
4.3	Impact on Air Quality	IV-140		

4.4	Noise Environnent	IV-144
4.5	Biological Environment	IV-146
4.6	Traffic Analysis	IV-147
	CHAPTER 5	
	ANALYSIS OF ALTERNATIVE TECHNOLOGY & SITE	
5.0	Analysis of alternative Technology & Site	V-152
5.1	Site Alternatives under Consideration	V-152
5.2	Analysis of alternative Technology	V-152
	CHAPTER 6	•
	ENVIRONMENT MONITORING PROGRAMME	T
6.0	Introduction	VI-153
6.1	Environmental Monitoring and Reporting Procedure	VI-153
6.2	Monitoring Methodologies And Parameters	VI-154
6.3	Monitoring Schedule	VI-155
6.4	Monitoring Schedule-Implementation	VI-156
6.5	Budget allocation for Monitoring	VI-156
6.6	Reporting Schedule of the monitoring data	VI-157
	CHAPTER 7	
	ADDITIONAL STUDIES	
7.0	Public Consultation	VII-158
7.1	Hazard Identification and Risk assessment methodology	VII-158
7.2	Risk Assessment	VII-161
7.3	Disaster Management Plan	VII-164
7.4	Socio-Economic Impact of the project	VII-165
	CHAPTER 8	
	PROJECT BENEFITS	T
8.0	General	VIII-170
8.1	Physical Benefits	VIII-170
8.2	Social Benefits	VIII-170
8.3	Environmental Benefits	VIII-171
8.4	Corporate Environmental Responsibility	VIII-172
0.0	CHAPTER 9	TV 450
9.0	Introduction	IX-173
9.1	Environment Management Cell	IX-173
9.2	Air Pollution Control	IX-174
9.3	Water Pollution Control	IX-175
9.4	Noise Pollution Control Measures	IX-175

TOC

9.5	Biological Environment	IX-176
9.6	Land use Planning	IX-178
9.7	Occupational Hazards & Safety	IX-178
9.8	Socio-economic Environment	IX-179
9.9	Environment Policy	IX-179
9.10	Budget Allocation for EMP Implementation	IX-180
	CHAPTER 10	
101	SUMMARY AND CONCLUSION	
10.1	Purpose of the Report	X-182
10.2	Identification of Project & Project Proponent	X-182
10.3	Brief Description of Project	X-183
10.4	Project Description	X-185
10.5	Afforestation Programme	X-187
10.6	Land Use Pattern	X-187
10.7	Baseline Environmental Status	X-187
10.8	Anticipated Environmental Impacts	X-188
10.9	Environmental Management Plan	X-190
10.10	Environmental Monitoring Program	X-191
10.11	Environmental Monitoring Cost	X-191
10.12	Additional Studies	X-192
10.13	Project Benefits	X-192
10.14	Conclusions	X-193
	CHAPTER 11	
11.0	Disclosure of Consultants	XI-195
		<u> </u>

SL NO.	ANNEXURE
1.	TOR
2.	LOI
3.	Mine Plan

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

1.0 PURPOSE OF THE REPORT

Environment Impact Assessment (EIA) is a process used to identify the environmental, social & economic impacts of a project prior to decision making. It aims to predict environmental impacts at an early stage of project planning & design, find ways & means to reduce adverse impacts. By using EIA, we can decide the suitable mitigation measures for implementation to maintain healthy working environment and contain pollution within permissible limits.

River plays an important role in the lives of the people. The river systems provide irrigation, potable water, transportation, electricity, and the livelihoods for a large number of people all over the country and to rural areas. Apart from this, river is also a good source of construction grade material as sand & gravel.

As transportation and construction infrastructure expanded since last few decades, the demand for construction grade sand also increased exponentially. The market demand of river sand is high throughout the nation. Sand is extracted directly from the river channel and it doesn't require processing other than size grading. But it is now well understood that continued and indiscriminate sand mining can cause serious environmental impacts, particularly if the river being mined is eroded.

Environmental Impact Assessment is one of the proven management tools for integrating environmental concerns in development process and for improved decision making as there is a need to harmonize the developmental activities with the environmental concerns into the larger interest of the society. The growing awareness, over the years, on environmental protection and sustainable development, has given further emphasis to the implementation of sound environmental management practices for mitigating adverse impacts from developmental activities. EIA study plays a vital role in sustainable development of a country. Recognizing its importance, the Ministry of Environment and Forest, Government of India had formulated policies and procedures governing the industrial and other developmental activities to prevent indiscriminate exploitation of natural resources and to promote integration of environmental concern in project development.

Environmental Impact Assessment report is prepared to comply with the Terms of Reference (TOR) received from SEIAA, Bihar under EIA notification of the MoEF & CC dated 14th September, 2006



Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

and its subsequent amendment there-off and also the EIA Guidance Manual for Mining of Minerals of MoEF & CC, Govt. of India, for seeking environmental clearance for mining of Sand in the applied mining lease area.

1.1 IDENTIFICATION OF PROJECT, PROJECT PROPONENT & CLUSTER APPROACH

The Proposed Sand Mining Project is located on Son River at Patna Son 21, Sand Ghat at Mauza–Chilka Tola, Anchal –Bihata, District - Patna (Bihar).

The proposed mining is a cluster of 03 mining lease area of Patna Son 20, Patna Son 21 & Patna Son 22 over an combined area of 122.03 Ha is for river bed sand mining on Son River at Mauza- Chilka Tola, Anchal –Bihata, Dist- Patna, Bihar.

Cluster Situation: As per District Survey Report Patna the Proposed Sand Ghats of Patna Son 20, Patna Son 21 & Patna Son 22 are comes in cluster situation whose combined cluster area is 122.03 ha. All the lease area of homogeneous minerals is coming within 500 m radius from each other confirming a cluster situation.

As per the Director of Geology, Bihar, the modification of mining plan has been approved .As per EIA notification 2016 and subsequent amendments, the project is coming under category 'B' (B1) and the lease area is more than 5.0 Ha, approved Mining Plan, Pre-feasibility Report and EMP are required for Environment Clearance in respect of the said quarry lease. Copy of letter is enclosed as **Annexure No. II.**

The Details of Cluster of lease area given below:

Sand Block name	Area (Ha)	Production
Patna Son 20	44.95	2184570 TPA
Patna Son 21	32.05	1557630 TPA
Patna Son 22	45.03	2188458 TPA
Total	122.03	5930658 TPA



Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

The proposed project is of River bed sand mining and falls under Category- "B1" as per EIA Notification 2006 and its subsequent amendments by Ministry of Environment Forests & Climate Change, GOI. Patna Son 21 Sand Ghat fall in Mauza– Chilka Tola, Anchal – Bihata, District - Patna (Bihar). The details of the project are given below:

Name & Address		Sand Mining Project, Patna Cluster-18 (Patna Son-21)		
of the Mine	Patna Son 21 Sand Ghat on Son River at Mauza – Chilka Tola ,			
		Anchal – Bihata, District - Patna (Bihar).		
River	Son			
Mineral	Sand			
Area (Ha.)	Patna Son 21	32.05 Ha.		
Production	Patna Son 21	992268 TPA		
Postal Address	Patna Son 21	Unistar Biotech Limited		
		Prop Shri Prakash Chandra		
		S/o- Shri Gopal Prasad Sharma		
		Address- 2/67, 2nd floor, Sector-6, Vaishali,		
		Ghaziabad, Uttar Pradesh 201010.		
Status of Mine	Fresh application for Environmental Clearance.			
Project Cost	RS- 10,00,96,000/-			
CER Cost	CSR cost will be 2% of the total project cost. This amount will be used for			
	social welfare.			
	CSR COST is 10,00,96,000/- x 2% = Rs. 20,01,920/-			

1.2 BRIEF DESCRIPTION OF PROJECT

The proposed project is open cast semi-mechanized mining of sand with a proposed production of 5930658 TPA for all these three applied lease. Detail has been given below:

The proposed project is over an area of 32.05 ha for Patna Son 21. Details are summarized in Table no 1.1



Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

As per MoEF, New Delhi Gazette dated 14th September 2006 and amended thereof, the proposed mining project is categorized as **Category 'B-1'**. The estimated project cost for the proposed project is **given below:** (including auction cost).

Table: 1.1 Project cost break-up & Production

Block	Area	Khasra No	Production	Auction Cost
		1423, 1426, 15, 16, 17, 18, 19, 20, 21,		
Patna Son 21	32.05	22, 23, 24, 25, 26, 27, 28, 30, 32, 33,	992268 TPA	9,51,88,500/-
		34, 35, 36, 37, 38, 39		
Total			992268 TPA	9,51,88,500/-

The proposed mining lease area falls in Survey of India Toposheet 72 C/10, 72C/11, 72C/14 & 72C/15. The mine lease co-ordinates and connectivity details are listed below:

Table: 1.2 Mine lease Pillar Co-ordinates (Patna Son 21)

Pillar No	Latitude (N)	Longitude (E)
1	25.54618883	84.78132553
2	25.54620054	84.78133608
3	25.54793305	84.78283105
4	25.54959905	84.78490571
5	25.54726957	84.78853707
6	25.54684924	84.78919231
7	25.54453987	84.78822853
8	25.54451991	84.78685337
9	25.54314195	84.78480078
10	25.54301731	84.78614100



Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

10 KM BUFFER MAP OF THE STUDY AREA Project Site Buffer Boundary Akhiyarpu Akhiyarpu Akhiyarpu Akhiyarpu Akhiyarpu Bana Son Cluster 18 (Bloke 21) Sand Ghat Bloke 11 Bloke 12 Bana Son Cluster 18 Bloke 12 Bloke 13 Bloke 15 Bl

Figure 1.1, 10 km buffer map

Table: 1.3, Connectivity Details given below

Nearest Habitation/ town	Blocks	Village	Distance (Km)
			Direction
	Patna Sone	Dhandiha	Approx. 0.95 Km in
	21		NNW direction.
		Farhangpur	Approx. 1.60 Km in
			WSW direction.
		Parev	Approx. 1.70 Km in East
			direction.



Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

		Bindaul	Approx. 1.70 Km in
			South direction.
Nearest Railway Station	Blocks	Railway Station	Distance (Km)
			Direction
	Patna Son 21	Bihta Railway	Bihta Railway station is
		station	at a distance of 8.0 km
			in NE direction.
Nearest Airport	Blocks	Airport	Distance (Km)
Nearest Airport	Blocks	Airport	Distance (Km) Direction
Nearest Airport	Blocks Patna Son 21	Airport JPN International	` ′ ′
Nearest Airport		-	Direction
Nearest Airport		JPN International	Direction JPN International Airport
Nearest Airport		JPN International	Direction JPN International Airport Patna is at a distance of
Nearest Airport Nearest Highway	Patna Son 21	JPN International	Direction JPN International Airport Patna is at a distance of approx. 30.5 km in NE direction

1.3, Details of environmental settings

Sl.	Particulars	Details
No.		
2	Ecological Sensitive Areas (National Park, Wildlife Sanctuaries)	No Ecological Sensitive areas found within 10 km study area.
3	Nearest water body	The mine site lies on the dry bed of Son river.
4	Seismic Zone	Zone- IV Source BMTC 2 nd edition https://www.bmtpc.org/disaster%20resistnace%20technolgies/ZONE%20I II.htm

The EIA-EMP report is prepared as per the TOR granted under the EIA Notification. In order to assess the impact on environment due to proposed mine, it is necessary to ascertain present status of environment prevailing at the project site and identification and assessment of impacts on the environment of the proposed operation.



Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

Project's importance to the country and the region

Sands are ubiquitous material; available everywhere and is being used from the time immemorial for wide applications in our daily life; infrastructures, building construction, highways, roads, townships, multiplexes, foundations of buildings and industrial units etc. and is an integral part of development. Life without sand is unthinkable. Over the millennia, the weathering effect, the flow of water at high velocities in rivers and the pressure of water from the high mountainous reservoirs converted and pushed the hard ground underneath into sands, etc. which travelled as sediments with the flow. This sand got deposited along the river course wherever conditions were favorable. In the deep past this settled sand was not extracted in a quantity in which it deposited; since due to less population the requirements was not enough. As a result of continuous deposit of sand, the rivers went on changing their course, widening by itself, eroding the fields and expanding, resulting in flooding, inundation and breaking their banks, causing devastation of property and loss of life. There has been a severe impact on every aspect of the environment. The rivers thus, needed channelization and therefore, extraction of these minor minerals through mining was expedient. The haphazard mining of sands being practiced now for long, through unregulated, uncontrolled and illegal way added almost an irreversible damage to the environment, which became a cause of serious concern to everyone. Though sands are very important mineral source for development, its mining through scientific methods has also become equally imperative.

It is for this purpose that 'mining plan' is being drawn so that all its aspects are taken care of justifiably, according to law, protecting the environment, removing all adverse impacts and creating a direct and indirect employment opportunities, improving socio-economic conditions of the local inhabitants and all-around status of life, achieving thereby a sustainable development.

Besides the above, the process of mining of minor minerals (Sand) is a constant source of revenue generation to the State Government through Royalty.



Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

1.4 SCOPE OF THE STUDY

The project proposal was submitted to State Level Environment Impact Assessment Authority-Bihar for its appraisal. Based on which, presentation was held for Terms of Reference (TOR). Based on the data provided and presentation made, the SEIAA-Bihar has issued the Terms of Reference is attached at **Annexure-1**.

Followings are the point wise compliance of the ToR provided by the SEIAA Bihar.

Table: 1.5 Point wise compliance for TOR of Patna Son 21 (ToR File No - SIA/1(a)/2402/2023)

S. No	TOR	Compliance	Reference in the
		_	Report
1	Year-wise production details since	This is fresh LOI, Mine is yet to	
	1994 should be given, clearly stating	be opened. It will open only	
	the highest production achieved in any	after getting environmental	
	one year prior to 1994. It may also be	clearance.	
	categorically informed whether there		
	had been any increase in production		
	after the EIA Notification 1994 came		
	into force, w.r.t. the highest production		
	achieved prior to 1994.		
2	A copy of the document in support of	State Govt. has given consent	Annexure II, LOI
	the fact that the Proponent is the	for mining vide letter no.	
	rightful lessee of the mine should be	665/khanan, Patna dated	
	given.	11/02/2023 for Patna Son 21.	
_			
3	All documents including approved	The documents including mine	Annexure- III
	mine plan, EIA and public hearing	plan and EIA report submitted	Mine plan
	should be compatible with one another	are compatible with one another	Titale plan
	in terms of the mine lease area,	w.r.t. to following information:	All details has been
	production levels, waste generation and	Mining Lease Area- 32.05	complied in
	its management and mining technology	Willing Lease Alea- 32.03	



	and should be in the name of the	Hectare.	chapter-2
	lessee.	Lessee: Unistar Biotech Limited Prop Shri Prakash Chandra Waste generation- No waste will be generated. Mining Method-Opencast semi-	
		mechanized method	
4	All corner coordinates of the mine lease area, superimposed on a High Resolution Imagery /toposheet, topographic sheet, geomorphology and geology of the area should be provided. Such an Imagery of the proposed area should clearly show the land use and other ecological features of the study area (core and buffer zone).	All Corner Coordinates of mining lease area superimposed on Toposheet Map has been incorporated in EIA/EMP Report	Refer Chapter 2 Fig: 2.1, Corner Coordinates map
5	Information should be provided in Survey of India Toposheet in 1:50,000 scale indicating geological map of the area, geomorphology of land forms of the area, existing minerals and mining history of the area, important water bodies, streams and rivers and soil characteristics.	The land use map showing salient features of the area is given in the report. The geological map of the mine lease area is also given in the report showing geomorphology	Land-use of the study area Figure 3.1.
6	Details about the land proposed for mining activities should be given with information as to whether mining conforms to the land use policy of the State; land diversion for mining should have approval from State land use	The Lease area is dry part of River bed. This is a barren land. The mining process will be done by land use policy of the State & no land diversion has	Chapter II & III



	board or the concerned authority.	been proposed.	
7	It should be clearly stated whether the	Yes, the proponent Company	Chapter VIII
	proponent Company has a well laid down Environment Policy approved by	has a well laid down Environment Policy. The	Section 8.1
	its Board of Directors? If so, it may be	hierarchical system or	Corporate
	spelt out in the EIA Report with	administrative order of the	Environment
	description of the prescribed operating	company has been given in the	Policy
	processes /procedures to bring into	EIA report.	J
	focus any infringement / deviation /	T	
	violation of the environmental or forest		
	norms / conditions?. The hierarchical		
	system or administrative order of the		
	company to deal with the		
	environmental issues and for insuring		
	compliances with the EC conditions		
	may also be given. The system of		
	reporting of non-compliances /		
	violations of environmental norms to		
	the Board of Directors of the Company		
	and/or shareholders or stakeholders at		
	large, may also be detailed in the EIA		
	Report.		
8	Issues relating to Mine safety	Issue related to mine safety has	
	,including subsidence study in case of	been given in of chapter 7.	
	underground mining and slope study in		
	case of open cast mining, blasting		
	study etc. should be detailed. The		
	proposed safeguard measures in each		
	case should also be provided.		



9	The study area will comprise of 10 km	The 10 km zone from periphery	Chapter I
	zone around the mine lease from lease	of the lease has been considered	Figure 1.1
	periphery and the data contained in the	as the study area. The Buffer	rigule 1.1
	EIA such as waste generation etc.	map of the study area is	
	should be for the life of the	attached with report.	
	mine/lease period.	All the details in the EIA report are for the life of the mine period. The details of mining & production have been given in	
		the report.	
10	Land use of the study area delineating	Land use pattern of 10 km from	Land-use of the
10	forest area, agricultural land, grazing	the periphery of the lease area	study area Figure
	land, wildlife sanctuary, national park,	has been prepared and	3.1 , Table 3.1
	migratory routes of fauna, water	incorporated with the report.	3.1 , Table 3.1
	bodies, human settlements and other	The study area lies in Son	10 km buffer map
	ecological features should be indicated.	River.	enclosed in Chapter
	Land use plan of the mine lease area	No Ecological Sensitive areas	I of EIA Report.
	should be prepared to encompass	found within 10 km study area.	T of Emiliation
	preoperational, operational and post		
	operational phases and submitted.		
	Impact, if any, of change of land use		
	should be given.		
11	Details of the land for any Over	There is no overburden outside	
	Burden Dumps outside the mine lease,	the mine lease area.	
	such as extent of land area, distance		
	from mine lease, its land use ,R&R		
	Issues, if any, should be given.		
12	A Certificate from the Competent	There is no forest land within	



	Authority in the State Forest	the lease area.	
	Department should be provided,		
	confirming the involvement of forest		
	land, if any, in the project area. In the		
	event of any contrary claim by the		
	Project Proponent regarding the status		
	of forests, the site may be inspected by		
	the State Forest Department along with		
	the Regional Office of the Ministry to		
	ascertain the status of forests, based on		
	which, the Certificate in this regard as		
	mentioned above be issued. In all such		
	cases, it would be desirable for		
	representative of the State Forest		
	Department to assist the Expert		
	Appraisal Committees.		
13	Status of forestry clearance for the	No forest land is involved in the	
	broken up area and virgin forestland	lease area, therefore, deposition	
	involved in the Project including	of net present value (NPV) and	
	deposition of net present value (NPV)	compensated Afforestation is	
	and Compensatory afforestation (CA)	not indicated.	
	should be indicated. A copy of the		
	forestry clearance should also be		
	furnished.		
14	Implementation status of recognition of	There is no forest land involved	
	forest rights under the schedule tribes	in the leased out area. Hence,	
	and other traditional forest Dwellers	this act is not applicable for this	
	(Recognition of Forest Rights) Act,	project.	
	2006 should be indicated"		



15	The vegetation in the RF / PF areas in	However, the vegetation details	Chapter III
	the study area, with necessary details, should be given	of the study area are incorporated with the report.	Section 3.1.6 Biological Environment
16	A study shall be got done to ascertain the impact of the Mining Project on wildlife of the study area and details furnished. Impact of the project on the wildlife in the surrounding and any other protected area and accordingly, detailed mitigative measures required, should be worked out with cost implications and submitted.	The details Impacts & there mitigation measures are given in chapter IV of EIA/EMP Report.	Chapter IV
17	Location of National Parks, Sanctuaries, Biosphere Reserves, Wildlife Corridors, Ramsar site Tiger / Elephant Reserves / (existing as well as proposed), if any, within 10 km of the mine lease should be clearly indicated, supported by a location map duly authenticated by Chief Wildlife Warden. Necessary clearance, as may be applicable to such projects due to proximity of the ecologically sensitive areas as mentioned above, should be obtained from the Standing Committee of National Board of Wildlife and copy furnished.	No National Parks, Sanctuaries, Biosphere Reserves, Wildlife Corridors, Ramsar site Tiger / Elephant Reserves / (existing as well as proposed) are found within 10 km of the study area. MAP showing eco sensitive zone is attached in Chapter III (Fig 1.1).	Chapter III Section 3.1.6 Biological Environment



18	A detailed biological study of the study	Detailed biological study of	Chapter III
	area [core zone and buffer zone (10 km	core zone and buffer zone	
	radius of the periphery of the mine	within 10 km radius of the	Section 3.1.6
	lease)] shall be carried out. Details of	periphery of the mine lease has	Biological
	flora and fauna, endangered, endemic	been carried out for the project.	Environment
	and RET Species duly authenticated,	The same has been incorporated	
	separately for core and buffer zone	in the report.	
	should be furnished based on such		
	primary field survey, clearly indicating		
	the Schedule of the fauna present. In		
	case of any scheduled-I fauna found in		
	the study area, the necessary plan along		
	with budgetary provisions for their		
	conservation should be prepared in		
	consultation with State Forest and		
	Wildlife Department and details		
	furnished. Necessary allocation of		
	funds for implementing the same		
	should be made as part of the project		
	cost.		
19	Proximity to Areas declared as	Proposed project does not come	
	'Critically Polluted' or the Project	under critically polluted area.	
	areas attracting court restrictions for		
	mining operations, should also be		
	indicated and where so required,		
	clearance certifications from the		
	prescribed Authorities, such as the		
	SPCB or State Mining Dept. Should be		
	secured and furnished to the effect that		
	the proposed mining activities could be		



	considered.	
20	Similarly, for coastal projects ,A CRZ	There is no R & R involved in
	map duly authenticated by one of the	this project.
	authorized agencies demarcating	1 3
	LTL.HTL, CRZ area ,location of the	
	mine lease w.r.t CRZ, Coastal	
	features such as mangroves ,if any	
	should be furnished.(Note: The Mining	
	Projects falling under CRZ would also	
	need to obtain approval of the	
	concerned Coastal Zone Management	
	Authority)	
21	R&R Plan/compensation details for the	There is no R & R involved in
	Project Affected People (PAP) should	this project.
	be furnished. While preparing the R&R	
	Plan, the relevant State/National	
	Rehabilitation & Resettlement Policy	
	should be kept in view. In respect of	
	SCs /STs and other weaker sections of	
	the society in the study area, a need	
	based sample survey, family-wise,	
	should be undertaken to assess their	
	requirements, and action programmes	
	prepared and submitted accordingly,	
	integrating the sectoral programmes of	
	line departments of the State	
	Government. It may be clearly brought	
	out whether the village(s) located in	
	the mine lease area will be shifted or	





	project on the air quality of the area. It	EIA.	
	should also take into account the		
	impact of movement of vehicles for		
	transportation of mineral. The details		
	of the model used and input parameters		
	used for modeling should be provided.		
	The air quality contours may be shown		
	on a location map clearly indicating the		
	location of the site, location of		
	sensitive receptors, if any, and the		
	habitation. The wind roses showing		
	pre-dominant wind direction may also		
	be indicated on the map.		
24	The water requirement for the Project,	The water requirement 5.67~5.7	Chapter –II
	its availability and source should be	KLD for Patna Sone 21.	Section 2.7 Water
	furnished. A detailed water balance	A detailed water balance is	Requirement
	should also be provided. Fresh water	being provided in the report.	requirement
	requirement for the Project should be	being provided in the report.	
	indicated.		
25	Necessary clearance from the	Water requirement will be	Chapter II
	Competent Authority for drawl of	fulfilled by private water tanker.	
	requisite quantity of water for the	So, no clearance is required.	
	Project should be provided.		
26	Description of water conservation	The project do not consume any	
	measures proposed to be adopted in the	process water except for	
	Project should be given. Details of	drinking, dust suppression &	
	rainwater harvesting proposed in the	plantation. Plantation is	
	project, if any required should be	proposed, which will increase	
	provided.	the water holding capacity &	
		help in recharging of ground	



		water.	
		No artificial rainwater	
		harvesting is proposed for the	
		present project in lease area,	
		however if any such project	
		proposed by State Government	
		PP will help out for the above.	
27	Impact of the Project on the water	Mining activity will be done on	Chapter II
	quality, both surface and groundwater,	Dry Bed of River so there is no	
	should be assessed and necessary	impact on surface water.	
	safeguard measures, if any required,	Mining will be up to 3 m below	
	should be provided".	ground level or above the	
		ground water table whichever	
		comes first. This will not	
		intersect the ground water table.	
28	Based on actual monitored data , it	The detailed impact and control	
	may clearly be shown whether working	measure w.r.t the quality of	
	will intersect groundwater. Necessary	water in the surrounding area is	
	data and documentation in this regard	discussed under Chapter 4.	
	may be provided. In case the working		
	will intersect groundwater table, a		
	detailed Hydro Geological Study		
	should be undertaken and Report		
	furnished. The Report inter – alia, shall		
	include details of the aquifers present		
	and impact of mining activities on		
	these aquifers. Necessary permission		
	from Central Ground Water Authority		
	for working below ground water and		
	for pumping of ground water should		



	also be obtained and copy furnished.		
29	Details of any stream, seasonal or	The project site lies on Son	
	otherwise, passing through the lease	river. No diversion is proposed.	
	area and modification / diversion		
	proposed, if any, and the impact of the		
	same on the hydrology should be		
	brought out.		
30	Information on site elevation, working	The mining will be done as per	
	depth, groundwater table etc. Should	the approved mining plan and 3	
	be provided both in AMSL and bgl. A	meter bgl whichever is comes	
	schematic diagram may also be	first.	
	provided for the same.		
31	A time bound Progressive Greenbelt	Plantation/afforestation will be	Chapter VIII
	Development Plan shall be prepared in	done as per program i.e along	Section 8.2
	a tabular form (indicating the linear	the road sides and near civic	
	and Quantities coverage, plant species	amenities, as per mine plan.	
	and time frame) and Submitted keeping	Post plantation, the area will be	
	in mind the same will have to be	regularly monitored in every	
	executed up front on commencement	season for evaluation of success	
	of the Project. Phase-wise plan of	rate.	
	plantation and compensatory	List of Plant species selected for	
	afforestation should be charted clearly	green belt is detailed in the EIA	
	indicating the area to be covered under	report.	
	plantation and the species to be	The plant species selected for	
	planted. The details of plantation	green belt have a greater	
	already done should be given. The	ecological value and are of good	
	plant species selected for green belt	utility value to the local	
	should have greater ecological value	population. The plant species	
	and should be of good utility value to	are selected by giving emphasis	



	the local population with emphasis on	on local and native species and	
	local and native species and the species	the species which are tolerant to	
	which are tolerant to pollution.	pollution	
32	Impact on local transport infrastructure	The projection has been done	Chapter IV
	due to the Project should be indicated.	based on the mineral	
	Projected increase in truck traffic as a	transportation.	
	result of the Project in the present road	The details of traffic analysis	
	network (including those outside the	are discussed in the report.	
	Project area) should be worked out,	are discussed in the report.	
	indicating whether it is capable of		
	handling the incremental load.		
	Arrangement for improving the		
	infrastructure, if contemplated		
	(including action to be taken by other		
	agencies such as State Government)		
	should be covered. Project Proponent		
	shall conduct Impact of Transportation		
	study as per Indian Road Congress		
	Guidelines.		
33	Details of the onsite shelter and	A temporary rest shelter will be	Chapter II
	facilities to be provided to the mine	provided for the workers near to	
	workers should be included in the EIA	the site with provisions of	
	Report	water, first aid facility,	
		protective equipments, etc.	
		Details are given in the	
		EIA/EMP Report.	



34	Conceptual post mining land use and	Conceptual plans and Sections	
	Reclamation and Restoration of mined	are given in Chapter 2.	
	out areas (with plans and with adequate		
	number of sections)should be given in		
	the EIA report.		
35	Occupational Health impacts of the	Occupational health impact	Chapter VII
	Project should be anticipated and the	mainly is expected due air	
	proposed preventive measures spelt out	pollution due to fugitive dust	
	in detail. Details of pre-placement	emission because of movement	
	medical examination and periodical	of vehicles. However	
	medical examination schedules should	appropriate mitigation measures	
	be incorporated in the EMP. The	for air pollution control have	
	project specific occupational health	been given in the report,	
	mitigation measures with required	discussed in Chapter-4.	
	facilities proposed in the mining area	Each labour will undergo pre-	
	may be detailed.	placement medical examination.	
		Thereafter periodical heath	
		check up will be arranged as	
		stated in the report. About 4.0	
		lakh has been earmarked for	
		occupational health.	



36	Public health implications of the	The proposed project being a	Chapter VII
	Project and related activities for the	small scale semi-mechanized	
	population in the impact zone should	mining project, there will be	
	be systematically evaluated and the	hardly any process related	
	proposed remedial measures should be	health implication on the	
	detailed along with budgetary	population of the nearby	
	allocations.	villages except fugitive dust	
		emissions due to transportation.	
		Budgetary allocation is given in	
		Chapter-VIII.	
37	Measures of socio economic	Socio-economic significance	Chapter VI
	significance and influence to the local	provided to the local	
	community proposed to be provided by	community i.e. to the nearby	
	the Project Proponent should be	villagers is given in the	
	indicated. As far as possible,	EIA/EMP Report.	
	quantitative dimensions may be given		
	with time to time for implementation.		
38	Detailed environmental management	The detailed environmental	Chapter VIII
	plan (EMP) to mitigate the	management plan to mitigate	
	environmental impacts which, should	the environmental impacts has	
	inter-alia include the impacts of change	been mentioned in of the	
	of land use, loss of agricultural and	EIA/EMP Report.	
	grazing land, if any, occupational		
	health impacts besides other impacts		
	specific to the proposed Project		
39	Public Hearing points raised and	This is a draft EIA report.	
	commitment of the Project Proponent	Public hearing is yet to be	
	on the same along with time bound	conducted.	
	Action Plan with budgetary provisions		
	to implement the same should be		



	provided and also incorporated in the		
	final EIA/EMP Report of the Project.		
40	Details of litigation pending against the	No litigation is pending against	
	project, if any, with direction /order	the project.	
	passed by any Court of Law against the		
	Project should be given.		
41	The cost of the Project (capital cost and	The capital cost & recurring	Chapter IX
	recurring cost) as well as the cost	cost has been earmarked for	
	towards implementation of EMP	EMP in Chapter IX	
	should be clearly spelt out.	Block Capital Recurring	
		Cost Cost	
		Patna 4.7 5.5 Sone 21	
42	A Disaster management Plan shall be	A Disaster management Plan	Chapter VI
	prepared and included in the EIA/EMP	has been given in EIA report.	
	Report".		
43	Benefits of the Project if the Project is	2% of the total cost of the	
	implemented should be spelt out. The	project has been earmarked	
	benefits of the Project shall clearly	towards the Enterprise Social	
	indicate environmental, social,	Commitment which will be	
	economic, employment potential, etc.	used for the development of	
		village.	
44	Besides the above, the below mentione	d general points are also to be fol	lowed:-
a	All documents to be properly	All the documents to be	
	referenced with index and continuous	properly referenced with index	
	page numberings.	and continuous page	
		numbering.	



b	Where data are presented in the Report	Compiled With EIA report.
	especially in Tables, the period in	
	which the data were collected and the	
	sources should be indicated.	
c	Project Proponent shall enclose all the	Compiled With EIA report.
	analysis/testing reports of water, air,	
	soil, noise etc. using the	
	MoEF&CC/NABL accredited	
	laboratories. All the original	
	analysis/testing reports should be	
	available during appraisal of the	
	Project.	
d	Where the documents provided are in a	Compiled With EIA report.
	language other than English, an English	
	translation should be provided.	
e	The Questionnaire for environmental	Compiled With EIA report.
	appraisal of mining projects as devised	
	earlier by the Ministry shall also be	
	filled and submitted.	
f	While preparing the EIA report, the	Compiled With EIA report.
	instructions for the Proponents and	
	instructions for the Consultants issued	
	by MoEF vide O.M. No. J-	
	11013/41/2006-IA.II (I) dated 4th	
	August, 2009, which are available on	
	the website of this Ministry, should be	
	followed.	



g	Changes, if any made in the basic	Agreed	
	scope and project parameters (as		
	submitted in Form-I and the PFR for		
	securing the TOR) should be brought		
	to the attention of MoEF&CC with		
	reasons for such changes and		
	permission should be sought, as the		
	TOR may also have to be altered. Post		
	Public Hearing changes in structure		
	and content of the draft EIA/EMP		
	(other than modifications arising out of		
	the P.H. process) will entail conducting		
	the PH again with the revised		
	documentation.		
h	As per the circular no. J-	This is new case for Mining. No	
	11011/618/2010-IA. II (I) dated	certified compliance is required.	
	30.5.2012, certified report of the status		
	of compliance of the conditions		
	stipulated in the environment clearance		
	for the existing operations of the		
	project, should be obtained from the		
	Regional Office of Ministry of		
	Environment, Forest and Climate		
	Change, as may be applicable.		
i	The EIA report should also include (i)	Compiled With EIA report.	
	surface plan of the area indicating		
	contours of main topographic features,		
	drainage and mining area, (ii)		
	geological maps and sections and (iii)		
	sections of the mine pit and external		
<u> </u>		<u> </u>	



CHAPTER-I	INTRODUCTION
-----------	--------------

dumps, if any, clearly showing the land	
features of the adjoining area.	



2.0 TYPE OF PROJECT

The project is proposed for sand block Patna Son 21 for the excavation of sand from the bed of river Son. The proposed project is opencast semi-mechanized/OTFM mining project.

2.1 NEED FOR THE PROJECT

The project site lies on Son River. The river get recharged by the rain water and carries sediment consisting of sand etc during monsoon season, generally.

Sand is used widely in the construction industry. It is usually mixed with cement and other ingredients to create mortar for building. It is also used in agriculture, as sandy soils are ideal for crops such as watermelons, peaches and peanuts. Sand is also used in Aquaria as it makes a low cost aquarium base material. This project will also provide employment to local people helping them earn livelihood.

2.2 LOCATION DETAILS

The Proposed Sand Mining Project is located on Son River at Patna Son 21, Sand Ghat at Mauza– Chilka Tola, Anchal –Bihata, District - Patna (Bihar).

The proposed mining is a cluster of 03 mining lease area of Patna Son 20, Patna Son 21 & Patna Son 22 over an combined area of 122.03 Ha is for river bed sand mining on Son River at Mauza- Chilka Tola, Anchal –Bihata, Dist- Patna, Bihar.

Cluster Situation: As per District Survey Report Patna the Proposed Sand Ghats of Patna Son 20, Patna Son 21 & Patna Son 22 are comes in cluster situation whose combined cluster area is 122.03 ha. All the lease area of homogeneous minerals is coming within 500 m radius from each other confirming a cluster situation.

The address of the proponents is given below:

Sand Block name	Area (Ha)	Production
Patna Son 20	44.95	2184570 TPA
Patna Son 21	32.05	1557630 TPA



Patna Son 22	45.03	2188458 TPA
Total	122.03	5930658 TPA

Table: 2.1 Mine lease Pillar Co-ordinates (Patna Son 21)

Pillar No	Latitude (N)	Longitude (E)
1	25.54618883	84.78132553
2	25.54620054	84.78133608
3	25.54793305	84.78283105
4	25.54959905	84.78490571
5	25.54726957	84.78853707
6	25.54684924	84.78919231
7	25.54453987	84.78822853
8	25.54451991	84.78685337
9	25.54314195	84.78480078
10	25.54301731	84.78614100

Patna Son 21 Sand Ghat is well connected by NH 922. NH 922, is Approx. 3.10 km in North direction.






Figure 2.1:- Pillar Coordinate map of Patna Sone 21

2.2.1 Lease / Block Area

The proposed project is Open Cast Semi-Mechanized Mining of Sand with a proposed production is given below in tabular form.

Block	Area	Khasra No	Production	Auction Cost
Patna Son 21	32.05	1423, 1426, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32, 33, 34, 35, 36, 37, 38, 39	992268 TPA	9,51,88,500/-
Total			992268 TPA	9,51,88,500/-

As per MoEF, New Delhi Gazette dated 14th September 2006 and amended thereof, the proposed mining project is categorized as Category 'B-1'. The estimated project cost for the proposed project is given in above table.






Figure 2.2:- Location map of the project site Patna Son 21.

2.3 TOPOGRAPHY & GEOLOGY

2.3.1 Topography

The sand deposits of Patna district of Bihar broadly form part and parcel of the flood plains of Ganga River as whole formed since geological ages.

The various sand mining lease areas (also referred to as sand ghats) lie in the river bed of river Sone which is a major tributary of river Ganga. They are formed in the Quaternary period of central Bihar Plains- the OAG (Older Alluvium Group) forming the highest terrace, in the Sone-Ganga alluvial tract, and NAG (Newer Alluvium Group) forming younger terraces, as Older Flood Plains, are exposed all along the Alluvial Upland.

Ganga & Sone Valley Plains:



The river Sone originates at an elevation of 600 m above msl near Amarkantak plateau in Madhya Pradesh (MP), and debouches in the river Ganga near Patna, Bihar. The total length of the river is 784 km, out of which about 500 km lies in MP, 82 km in Uttar Pradesh and the remaining 202 km in Bihar. The important tributaries of river Ganga are Sone, Mahatwain, Dharda, Dhowa, Mohani, Punpun, Morhar The total catchment area of the river is spread over 71,259 sq km. The river has a steep gradient with quick run-off and ephemeral regimes, becoming a roaring river with the rainwater in the catchment area, but turning quickly into a formidable stream. The river being wide and shallow leaves disconnected pools of water during summer (lean period).

Source: Mining plan

2.3.2 GEOMORPHOLOGY

The district forms a part of the Ganga basin and is characterized by a monotonously flat relief with elevation In general, the western part of the district is sloping due north and north-east, with elevation of the land surface varying from 68 m in the south to 48 m in the north, and from 67 m in the west to 45 m in the east. A notable geomorphic feature is the strong natural levee formation or upland all along the southern bank of the Ganga which acts as a natural barrier thereby causing many of the streams flowing from south to run parallel to the course of Ganga before finally joining it further east of the district boundary.

Source: http://cgwb.gov.in/district_profile/Bihar/Patna.pdf

2.3.3 REGIONAL GEOLOGY

Regionally the area constitutes a part of the Ganga River Basin. The Sone originates near Amarkantak in Anuppur district of Madhya Pradesh, just east of the headwater of the Narmada River, and flows north-northwest through Shahdol district in Madhya Pradesh state before turning sharply eastward where it encounters the southwest-northeast-Kaimur Range. The Sone parallels the Kaimur hills, flowing east-northeast through Uttar Pradesh, Jharkhand and Bihar states to join the Ganges just west of Patna. Geologically, the lower valley of the Sone is an extension of the Narmada Valley, and the Kaimur Range an



extension of the Vindhya range. Anuppur, Chopan, Deori, Rohtasgarh, Dehri, Sonebhadra and Bihta are the major cities situated on Son River.

Table 2.2 Showing the Geological Succession and their Occurrences distribution

Age	Geology	Occurrences
Quaternary	Alluvial Deposits (Sand, Clay, Silt, Fragments)	North Bihar Plain & Central Bihar Plain
Tertiary	Sand Stones & Clay Stones	North Champaran Hills
Gondwana	Coal Measures, Forming a series of Small outlier basins	Banka District
Vindhyans	Sandstones, Shales, Limestones, etc.	Parts of Bahbhua and Rohtas dist
Satpura	Schist, Phyllite, Quartzite	Part of Aurangabad, Gaya, Nawada, Nalanda, Sheikhpura and Munger District
Proterozoic	Mica Schist, amphibolites, quartzite, granite, dolerite and pegmatite	Nawada, Jamui and Banka
Archaean	Gneisses, Granites, Schists, Phyllites, quartzite, amphibolites & intrusive all metamorphosed sedimentary and igneous rocks	Part of Aurangabad, Gaya, Nawada, Jamui, Banka and Bhagalpur

Source: Mining Plan

2.3.4 LOCAL GEOLOGY OF THE AREA

The Son parallels the Kaimur hills, flowing east-northeast through Uttar Pradesh, Jharkhand and Bihar states to join the Ganges just west of Patna. Geologically, the lower valley of the Sone is an extension of the Narmada Valley, and the Kaimur Range an extension of the Vindhya Range.



The sand exposed in the River bed of Sone and surrounding areas is the product of the deposition of the sediments brought and deposited in the flood plains of River Ganga. These sediments are of recent geological formation. The litho-units exposed within the river and surrounding areas have formed as water borne sediments brought by flood water during rainy season every year and deposited in riverbed.

The litho units encountered in the riverbed and surrounding areas belongs to the Shivalik super groups. The size of the sediments towards the source i.e. host rock is course and at the tale end of the river the grain size is reduced to smaller sizes resulted in the formation of clay beds. The following sequences have been observed in the area, i.e. Top soil/ Alluvium followed by sand deposition.

Sand and silt are deposited in the middle of the river whereas fine sand and soil are deposited at the fringe of the riverbanks.

Soil/ alluvium varying in thickness from 0.20m to 0.60m m constitute the top horizons in the area suitable for agriculture. River Ganga meanders through the area exposing the alluvium and soil at the banks. Sand is found in the river bed upto a depth of more than 3.0 m. The major part of bed remains dry as water flows in a single stream during the non-monsoon season. Only during rainy season the entire flood plain has water, when there will be no mining done.

Source: Mining Plan

2.3.5 CLIMATE

The climate of the district is somewhat extreme in nature, i.e., quite hot during the summer and fairly cold during the winter. January is the coldest month. The temperature starts rising from March and reaches its peak in May. Rain starts sometime in mid June and lasts till mid September. Maximum rains occur during the monsoon months of July and August. Sometimes winter rains occur in Jan-February. The normal annual rainfall in the district is around 1076 mm.

Source http://cgwb.gov.in/district_profile/Bihar/Patna.pdf



2.4 GEOLOGICAL RESERVE

The geological reserves have been each stretches & for individual blocks. Geological reserves have been completed through cross sectional area method. The area of each section line is multiplied by strike influence to get the volume.

Proved Mineral Reserves (111): All quantities of sand occurring up to depth of 1m from surface has been considered as proved reserves.

Table-2.3:- Proved Mineral Reserves of Patna Son 21

Classification	Code	Quantity of Sand
A) Mineral Reserves		Cum
1) Proved Mineral Reserves	111	961500
Total	961500	

Total Geological Reserve = 961500 cum. or 1653780 tonnes.

Source Mining Plan

2.4.1 Mineable Reserves:

Mineable reserves have been computed up to 3m depth from surface. Benches having height 1.5m & width 6.0m drawn from the ultimate pit limit. Area of each benches have been calculated multiplied by strike influence to get the volume. The volume multiplied by bulk density (1.72 g/cm³) to get the tonnage.

The minerals excavated from the river bed will be replenished gradually during the monsoon season every year. And the area pertaining to palaeo channels of the river will be leveled & restored back.

Table-2.4:- Summary of minable reserves of Patna Sone 21 Sand Ghat as below (the bulk density multiply by 1.72)

Bench Level (mRL)	Length (m)	Width (m)	Depth (m)	Volume (cum)	
(micz)	(111)	(111)	(111)	(cuii)	Tonnes
54-52.5	557	545	1.5	455348	783198
52.5-51	547	535	1.5	438968	755024
Total				894315	1538222

Total Mineable Reserve = 894315 CUM or 1538222 Tonnes






Figure 2.3:- Surface cum Geological Section of Patna Son 21

2.4.2 Type of Mining

- •Mining will be done as per the guidelines of Bihar Mineral (Concession Prevention of illegal Mining Transportation & Storage) Rules, 2019, SSMG -2016, and EMGSM 2020.
- •This is an open-cast mining project. The operation will be semi-mechanized/OTFM with use of excavators/JCBs truck /tractors combination or Manually etc. The sand will be collected in its existing form.
- •Sand Mining will be carried out only up to a depth of 3 m bgl or above ground water level (whichever is less), for river bed block.
- •No drilling /blasting are required as the material is loose in nature.
- •Proper benching of 1.5 m height and 6 m width will be maintained for mining blocks as per guideline M.M.R-12019, under rule 115(1).



•Mining will be done only during the day time and completely stopped during the monsoon season.

2.4.3 Year Wise Production Schedule:

The bench wise annual exploitation of sand from Patna Son 21 are given below:-

Table 2.5 Year wise Production Details of Patna Son 21

YEAR	ROM sand	ROM sand
	(cum)	(Tones)
1 st Year	576900	992268
2 nd Year	576900	992268
3 rd Year	576900	992268
4 th Year	576900	992268
5 th Year	576900	992268
Total	2884500	4961340

Source: Mining Plan

2.5 Conceptual Mining Plan

Mine Applied Area will be worked for Patna Culster-18 (Patna Sone- 21) Sand Ghat. However, as the digging depth will be restricted to 3.0 m only. This will be further replenished during rainy season. Sand Ghat will be worked systematically as the width is limited while length is much more. As the lease period is only 5 (Five) years, some of the area will be left un-worked at the end of lease period.

(i) Final Slope Angle to Be Adopted: Height of the bench is limited to 1.5 m while width of individual bench shall be kept 6.0m. River bank side will be protected by working in dry part of the river and by leaving safety distance of the width of the river of 5 meter. Bank side natural slope will not be disturbed. This will prevent collapse of bank and erosion. However, the height of the bank with respect to river bed is varying from 3-4 meters.



- (ii) During plan period workings will be carried out in the Sand ghat at a time of the Applied Area simultaneously. Scattered workings will ensure safety, remove congestion of vehicles and will have better control and management.
- (iii)Ultimate Capacity of Dumps: There will be no OB removal / during the plan period. Therefore no proposal has been envisaged for its separate dumping. No outside material will be filled up in the extracted zone.

2.6 Anticipated life of mine

There is as such no specific life of the mine as the area under reference is inactive part of river bed of the river and its pale channels and whatever quantity of minor minerals are extracted from the Applied Area during five year; almost equal to extracted quantity of the same are replenished every year and the river bed area will be leveled & restored back.. However, as lease has been granted for 5 years, mining will be done for the allotted time.

2.6.1 Waste -disposal arrangement

No top soil is present in the mining area as it is riverbed. Small amount of domestic waste will be generated by the workers at the site, which will be disposed off through proper municipal way. No other waste generation is expected. No waste will be thrown into the streams or left on the banks. Separate bins will be kept within the lease area for domestic wastes.

2.7 GENERAL FEATURES

2.7.1 Land-use pattern

The mine lease area is flat river bed and river banks. There is no forest land or agriculture land in the mine lease area. The entire mining lease lies within River.

2.7.2 Surface drainage pattern

The mine site lie on the dry bed of Son River so there will be no impact on surface water.






Fig-2.4, Drainage map

2.7.3 Man power requirement

The manpower requirement for the proposed project will be around 47 who will be utilized for excavation & loading of minerals into trucks or tractor-trolleys. Break-up of Man-power requirement is given in below **Table 2.8.**

Table 2.6 Manpower Requirement in Patna Son 21

S. No.	Category	Numbers
1.	Administration	1
2.	Supervisor	4
3.	Skilled	7
4. Un-skilled		35
	TOTAL	47



2.7.4 Water supply

Water requirement for the proposed project will be provided for the workers for drinking & domestic purpose. Water will also be provided for dust suppression. Fresh water will be only used for drinking purpose. The break up for water requirement is given below:

Table 2.7 Water requirement

Activity	Calculation	Round off Figure in KLD		
Drinking	@ 10 lpcd per labor 10*47/1000= 0.47 KLD	0.47		
Dust Suppression	Total approach road to be water sprinkled = 600 m 600 m*6m*0.5 *2 times/1000= 3.6 KLD	3.6		
Plantation	320 plant (during plan period) @ 5 L/per plant= 320*5lts= 1600/1000= 1.6 KLD	1.6		
	Total			

The water will be supplied from available sources from nearby village.

2.7.5 Site services

The following facilities/amenities will be extended by the mine management under site services:

- A temporary rest shelter will be provided for the workers near to the site for rest.
- Provisions will also be made for following in the rest shelter:
- ❖ First aid box will be made available at the site. In emergency worker.
- Sanitation facility i.e. septic tank or community toilet facility will be provided for the workers.
- Mask and gloves distribution to the workers.

2.7.6 Extent of mechanization



The operation will be open cast semi- mechanized/OTFM with use of excavators/JCBs truck /tractors combination or Manually etc. The sand will be collected in its existing form.

2.7.7 Statutory requirements

It is accepted that effective resource management cannot be done in isolation. The proponent therefore vigorously pursues approaches towards coordination and integration where possible, so as to lead to coordinated regulatory systems.

Various acts dealing with matters relating to the conservation and protection of the environment and which a holder of a mining authorization must also take cognizance of include inter alia, the following:

- Bihar Minor Mineral Concession Rule, 2014 amended till date.
- The Mines Act, 1952.
- The Mines and Mineral (Development and Regulation) Act, 1957.
- Mines Rules, 1955.
- Mineral Concession Rules, 1960.
- Mineral Conservation and Development Rules, 1988.
- The Water (Prevention and Control of Pollution) Act, 1974.
- The Air (Prevention and Control of Pollution) Act, 1981.
- The Environment (Protection) Act, 1986.
- The Forest (Conservation) Act, 1980.
- The Wildlife (Protection) Act, 1972.



3.0 General

The main objective of describing the environment which may be potentially affected, are i) to assess present environmental quality and the environmental impacts and ii) to identify environmentally significant factors that could preclude mine development. Mining activities affect the existing status of environment at site. In order to maintain the existing environmental status at mining site it is essential study existing environmental status and assess the impact of upcoming project on various environmental components. This chapter gives idea of description of environment status of the study area and this will be helpful for assessment of impact on the environment due to proposed mining activities. Baseline environmental status in and around proposed mining lease area describe the existing conditions of air, noise, water, soil, biological and socio-economic environment. The proposed project as a center, a radial distance of 10 km is considered as study area for baseline data collection and environmental monitoring. The data was collected for various environmental attributes so as to compute the impacts that are likely to arise due to proposed development activity.

3.0.1 Study area & study period

The proposed project as a center, a radial distance of 10 km is considered as study area for baseline data collection and environmental monitoring. The baseline environment quality was carried out over a radial distance of 10 km around the mining lease area during the months of March 2023 - May 2023.

The baseline environment quality was carried out over a radial distance of 10 km around the mining lease area during the months of March 2023 - May 2023.

3.0.2 Methodology

Base line attributes like ambient air, water, meteorology, noise, Soil, Ecology and Biodiversity & Socio Economy condition were collected as per approved term of reference. Secondary data was also collected from various government department as well as local people. Methodology adopted in this study is as follows.

✓ By setting up meteorological station near project site



- ✓ Collection of site specific meteorological data at the mine site.
- ✓ Installation of respiratory dust samplers (for PM_{10} , $PM_{2.5}$) at different location in the study area for the collection of primary air pollutant and analyze the existing air conditions.
- ✓ Carrying out a detailed biological study for the Core and Buffer Zone
- ✓ Soil sample were collected from various location in the study area to analyze physical and chemical characteristics for assessment of impact on soil.
- ✓ Surface and Ground water samples were also collected from the various locations in the study area for analysing the existing water quality in the study area.
- ✓ Noise measurement has been done in core zone as well as buffer zone to analyze the existing situation in the study area.
- ✓ Literature review that includes identification of relevant data and articles from various publications, various government agencies and other sources for socio-economy, demography has been done with primary data collection in 10 km of the study area.
- ✓ Existing pollution load has been also identified in the buffer zone due to similar activities.
- ✓ Accordingly, field studies were carried out during the study period (March 2023 May 2023) to establish the existing baseline conditions.

3.1 Land Environment of the Study area

Land use

Land use involves he management and modification of natural environment or wilderness in to built environment such as settlements and semi-natural habitats such as arable fields, pastures, and managed woods. It also has been defined as "the total of arrangements, activities and inputs that people undertake in a certain land cover type.

Land cover

Land cover is the physical material at the surface of the earth. Land covers include grass, asphalt, trees, bare ground, water, etc. Earth cover is the expression used by ecologist Frederick Edward Clements that has its closest modern equivalent being vegetation. The expression continues to be used by the Bureau of Land Management.



To assess the land use pattern surrounding the 10 km radius of the site, a detailed study was carried out. The land use pattern study reveals that the 10 km environs is predominantly agricultural land. The land use details are given in **Table- 3.1** and shown in **Figure-3.1**.

Table 3.1: Land Use Cover of the Project Study Area

Landuse Type	Area (Ha)		
Scrub Land	1131.49		
Forest	334.27		
River/Water Bodies	1236.08		
Settlement	6125.46		
Vegetation	51.67		
Sand	500.67		
Agriculture	24113.33		
AREA	33492.97		




FIGURE 3.1: LAND USE COVER OF THE PROJECT STUDY AREA



3.2 Water Environment

Water quality assessment is one of the essential components of EIA study. Such assessment helps in evaluating the existing health of water body and suggesting appropriate mitigation measures to minimize the potential impact from development projects. Water quality of ground water has been studied in order to assess proposed water-uses in construction, drinking, cooling and horticulture purpose.

The water quality at the site and other locations within the 10 km impact zone was monitored during March 2023 - May 2023.. The water sampling locations marked within the study are presented in **Table 3.2** and **Figure 3.2** and the result of the monitoring and analysis are presented in the **Table 3.3** showing Water Quality Monitoring Locations marked within the Study Area.

Table 3.2: Water Sampling Locations

Ground Water monitoring locations							
Location ID Location name Distance (Km) Direction							
GW 1	Project Site near village bindaul	1.7 km	South				
GW 2	Narbirpur	3.14 km	WSW				
GW 3	Koilwar	2.51 km	North				






Figure 3.2 Water Sampling Location Map

Table 3.3 Ground Water Quality Monitoring Result

S. No	Parameter	Unit	Limit (as per IS:10500)		GW1	GW2	GW3
			Desirable	Permissibl e			
1	Colour	Hazen	5	25	<2	<2	<2
2	Odour	-	Un	-	Un	Un	Un
3	Taste	-	Agreeable	-	Agreeable	Agreeable	Agreeable
4	Turbidity	NTU	5	10	<1	<1	<1
5	рН	-	6.5-8.5	No Relaxation	7.34	7.39	7.59
6	Total Hardness (as CaCO3)	mg/l	300	600	286	257	334
7	Iron (as Fe)	mg/l	0.3	1	0.09	0.06	0.07
8	Chlorides (as Cl)	mg/l	250	1000	82	113	94
9	Fluoride (as F)	mg/l	1	1.5	0.5	0.6	0.8
10	TDS	mg/l	500	2000	412	461	495
11	Calcium(as	mg/l	75	200	67	64	76



	Ca2+)						
12	Magnesium (as Mg2+)	mg/l	30	100	28	23	34
13	Copper (as Cu)	mg/l	0.05	1.5	< 0.01	< 0.01	< 0.01
14	Manganese(as Mn)	mg/l	0.1	0.3	0.02	0.05	0.03
15	Sulphate (as SO4)	mg/l	200	400	17	27	24
16	Nitrate(as NO3)	mg/l	45	No Relaxation	5	5	8
17	Phenolic Compounds (as C6H5OH)	mg/l	0.001	0.002	<0.001	<0.001	<0.001
18	Mercury (as Hg)	mg/l	0.001	No Relaxation	< 0.001	< 0.001	< 0.001
19	Cadmium (as Cd)	mg/l	0.01	No Relaxation	<0.01	<0.01	<0.01
20	Selenium (as Se)	mg/l	0.01	No Relaxation	<0.01	< 0.01	<0.01
21	Arsenic (as As)	mg/l	0.01	No Relaxation	<0.01	< 0.01	<0.01
22	Cyanide (as CN)	mg/l	0.05	No Relaxation	<0.01	<0.01	<0.01
23	Lead (as Pb)	mg/l	0.05	No Relaxation	0.02	0.02	0.04
24	Zinc (as Zn)	mg/l	5	15	0.05	0.03	0.06
25	Anionic Detergent (as MBAS)	mg/l	0.2	1	<0.01	<0.01	<0.01
26	Chromium (as Cr6+)	mg/l	0.05	No Relaxation	< 0.01	<0.01	<0.01
27	Mineral oil	mg/l	0.01	0.03	< 0.01	< 0.01	< 0.01
28	Alkalinity as CaCO3	mg/l	200	600	192	180	257
29	Aluminium (as Al)	mg/l	0.03	0.2	0.04	0.05	0.04
30	Boron (as B)	mg/l	1	5	0.2	0.3	0.3
	Microbiological 1		r				
31	Total Coliform	MPN /100m 1	10 , Max	-	6	<2	8
32	E. coli	E.coli /100m 1	Absent	-	Absent	Absent	Absent



Observation:

Analysis of results of ground water reveals the following: -

- pH varies from **7.34 at to 7.59**.
- Total hardness varies from 257 mg/l to 334 mg/l.
- Total dissolved solids vary from 412 mg/l to 495 mg/l.

The ground water from all sources remains suitable for drinking purposes as all the constituents are within the limits prescribed by drinking water standards promulgated by Indian Standards IS: 10500.

3.2 (b) SURFACE WATER

Three surface water samples were collected from the study area. The location of surface water samples is given in Table 3.4. The physio-chemical analysis of the these samples are given in the Table 3.5.

Table 3.4: Surface water sampling locations

Surface Water monitoring locations							
Location ID Location name Distance (Km) Direction							
SW 1	Upstream (Son River)	0.5 km	NNE				
SW 2	Project Site	-	-				
SW 3	Downstream (Son river)	0.5 km	SSW				

Table 3.5: Physio-chemical properties of surface water

S. No.	Parameter	Unit	S.W. 1	S.W. 2	S.W. 3
5.110.		Cint	Upstream	Site	Downstream
1	pН	-	8.24	8.29	8.41
2	Dissolved oxygen	mg/l	6.8	6.9	7.3
3	BOD (3 Days at 27°C)	mg/l	3	3	2
4	Free Ammonia (as N)	mg/l	<0.1	<0.1	<0.1
5	Sodium Adsorption Ratio	-	1.21	1.03	1.27
6	Boron	mg/l	0.2	0.4	0.5
7	Conductivity	μmhos/cm	682	647	696
8	Turbidity	NTU	3	5	6
9	Magnesium Hardness (as CaCO ₃)	mg/l	104	108	111



10	Total Alkalinity (as CaCO ₃)	mg/l	176	183	196
11	Chloride (as Cl)	mg/l	98	79	88
12	Sulphate (as SO ₄)	mg/l	16	19	18
13	Nitrate (as NO ₃)	mg/l	2.6	3.1	3.4
14	Fluoride (as F)	mg/l	0.5	0.7	0.6
15	Sodium (as Na)	mg/l	42	35	45
16	Potassium (as K)	mg/l	7.3	6.4	6.7
17	TKN (as N)	mg/l	3.6	4.7	5.2
18	Total Phosphorous (as PO ₄)	mg/l	0.41	0.35	0.28
19	COD	mg/l	15	12	8
20	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	< 0.001	<0.001	<0.001
21	Iron (as Fe)	mg/l	0.11	0.09	0.16
22	Zinc (as Zn)	mg/l	0.05	0.07	0.09
23	Arsenic (as As)	mg/l	< 0.01	<0.01	< 0.01
24	Mercury (as Hg)	mg/l	< 0.001	<0.001	< 0.001
25	TDS	mg/l	396	368	372
26	Total Coliform	MPN/100m 1	1270	1320	1 330
27	Faecal Coliform	MPN/100m 1	1130	1140	1150

3.2.1 Sampling frequency

Parameters for analysis of water quality were selected based on the utility of the particular source of water as per CPCB guidance. Surface water quality was monitored for parameters as per Methods of Monitoring & Analysis published by CPCB and it was rated according to the CPCB Water Quality Criteria against A, B, C, D & E class of water. Water samples were collected as Grab water sample from sampling location for complete physico-chemical and bacteriological tests respectively. The samples were analyzed as per standard procedure / method given in IS: 10500.

The surface water quality is compared with CPCB water quality criteria mentioned in **Table 3.6** below:



Table 3.6, Water quality criteria as per Central Pollution Control Board

Designated-Best-	Class of	Criteria
Use	water	
Drinking Water Source	A	Total Coliforms Organism MPN/100ml shall be 50
without conventional		or less
treatment but after		pH between 6.5 and 8.5
disinfection		Dissolved Oxygen 6mg/l or more Biochemical
		Oxygen Demand 5 days 20°C 2mg/l or less
Outdoor bathing	В	Total Coliforms Organism MPN/100ml shall be 500
(Organized)		or less;
		pH between 6.5 and 8.5;
		Dissolved Oxygen 5mg/l or more Biochemical
		Oxygen Demand 5 days 20°C 3mg/l or less
Drinking water source	С	Total Coliforms Organism MPN/100ml shall be
after conventional		5000 or less;
treatment and		pH between 6 to 9;
disinfection		Dissolved Oxygen 4mg/l or more Biochemical
		Oxygen Demand 5 days 20°C 3mg/l or less
Propagation of Wild	D	pH between 6.5 to 8.5
life and Fisheries		Dissolved Oxygen 4mg/l or more Free Ammonia
		(as N) 1.2 mg/l or less
Irrigation, Industrial	Е	pH between 6.0 to 8.5
Cooling, Controlled		Electrical Conductivity at 25°C micro mhos/cm
Waste disposal		Max.2250
		Sodium absorption Ratio Max. 26
		Boron Max. 2mg/l
	Below-E	Not Meeting A, B, C, D & E Criteria

As per the standard practice, one sample from each station was taken in January. Sampling was done by standard sampling technique as per the Standard Methods. Necessary precautions were taken for preservation of samples.



3.2.2 Result & Conclusion:

Surface water Observation:

- The analysis results indicate that the pH ranges between **8.24 and 8.41**.
- Dissolved Oxygen (DO) was observed in the range of **6.8 to 7.3 mg/l** against the minimum requirement of 4 mg/l.
- BOD values were observed to be in the range of **2.0to 3.0mg/l.**
- Total Coliform examination of surface water samples revealed the presence of total coliform in range of 1100 MPN/100 ml to 1900 MPN/100 ml.

Based on the results it is evident that most of the parameters of the samples comply with 'Category 'C' standards of CPCB (Table 3.5) are indicating their suitability for only Drinking water source after conventional treatment and disinfections.

3.3 Air Environment

Meteorology is the key to understand the air quality. The essential relationship between meteorology and atmospheric dispersion involves the wind in the broadest sense. Wind fluctuations over a very wide range of time, accomplish dispersion and strongly influence other processes associated with them.

A meteorological station was set up at the proposed mine premises. Meteorological data was generated during the pre-monsoon season and shown in **Table-3.7**

The following parameters were recorded at hourly intervals continuously during monitoring period, except rainfall which was recorded on daily basis.

- Wind speed
- Wind Direction
- Air Temperature

Table-3.7, Summarized project site meteorological data for Pre-monsson Season

Month	Temperature °C	Wind Speed (Km/Hr)



	Min	Max	Avg.	Max
MARCH 2023	21	38	10.3	18.5
APRIL 2023	27	44	14.8	24.9
MAY 2023	28	44	14.0	25.0




Figure 3.3: Wind Rose Diagram (at site)

3.3.1 Secondary Data Collected from IMD

Secondary data from IMD- Patna been collected for temperature, relative humidity, rainfall, wind speed and direction. The data at IMD is usually measured twice a day viz., at 0830 and 1730 hr.

The meteorological data is collected from the IMD- Patnais about 38 km from project site, which is the nearest operating IMD station to the project site. The data collected from IMD includes wind speed, wind direction, temperature, relative humidity and rainfall for the year



1981-2010. The monthly maximum, minimum and average values are collected for all the parameters except wind speed and direction.

When the data generated at project site is compared with the data recorded at IMD, it is observed that the data generated at the site is broadly in comparison with regional meteorology, except for minor variations as described above.

3.3.2 Comparison of primary and secondary data

The India Meteorological Department (IMD) records the data twice a day viz. 0830 hr and 1730 hr while the site-specific data has been recorded at an hourly interval. On comparison of site specific data generated for study period vis-à-vis the IMD data, slight variations were observed. The following observations are brought out:

When the data generated at project site is compared with the data recorded at IMD, it is observed that the data generated at the site is broadly in comparison with regional meteorology, except for minor variations as described above such as predominant wind direction is NW at IMD while at project site predominant wind direction is West.

3.3.3 Ambient Air Quality

The ambient air quality was monitored in the impact area as per MoEF& CC guidelines. The study area represents entirely rural environment. The prime objective of the baseline air quality study was to assess the ambient air quality of the mining lease area.

METHOD OF MONITORING

The Central Pollution Control Board (CPCB) has published comprehensive document on emission testing regulations ("Emission Regulations Part-3, 1985"). Those procedures relevant to the particulate monitoring are summarized in Table below:

Methods adopted for PM2.5, PM10, SO2 and NOX (as NO2)

Parameters	Technique	Technical Protocol	Minimum Detectable Limit
PM2.5	Gravimetric method	US EPA Method	5 (µg/m3)
PM10	Gravimetric method	IS 5182 (Part-XXIII)	5 (µg/m3)
Sulphur Dioxide	West and Gaeke	IS-5182 (Part-II)	3 (µg/m3)



Nitrogen	Jacob & Hochheiser	IS-5182 (Part-VI)	7 (µg/m3)
Oxide	sucoo & Hoeimeisei	15 5102 (Tuit VI)	/ (μg/1113)

i. Particulate Matter (PM):-

The CPCB method and IS 5182 (Part-XXIII) adopt a very similar approach to particulate sampling. There are some differences in the expressions used, but they are generally of no practical significance. It is recommended that CPCB method is adapted.

ii. Equipment calibration:

For accurate testing of emission sources, the components of the sampling train is calibrated by outsource and supplier (Master Calibrator) standards and solutions are used, calibrated under certified reference material.

3.3.4 Selection criteria for monitoring location

The baseline status of the ambient air quality has been assessed through a scientifically designed ambient air quality network. The design of monitoring network in the air quality surveillance programme has been based on the following consideration.

- Meteorological parameters including wind direction
- Topography of the study area
- Representative of regional background air quality for obtaining baseline status
- Representative of likely impact areas.

Ambient Air Quality Monitoring (AAQM) stations were set up at 05 locations with due consideration to the above mentioned points. AAQM locations were selected in downwind, upwind as well as crosswind direction of the proposed mining lease area covering core and buffer zones. The details of the monitoring stations are given in **Figure 3.4** and shown in **Table-3.8.**

Ambient air quality monitoring was carried out twice a week with a frequency of 24 hours for three months during the study period. The common air pollutant namely Particulate Matter-10 (PM_{10}) & $PM_{2.5}$, Sulphur-dioxide (SO_2) and Oxides of Nitrogen (NO_2) has been measured through a planned field monitoring.

The baseline values of the air pollutants of concern are presented in Tables below statistical



parameters like minimum, maximum, average and 98th percentiles have been computed from the observed field data for all sampling stations and are given **Table-3.9**, **Table-3.10**, **Table-3.11 & Table 3.12**. These are compared with the standards prescribed by Central PollutionControl Board (CPCB) for industrial, residential and rural zone.

Table 3.8: Ambient Air Quality Monitoring Stations

Air monitoring locations					
Location ID	Location name	Distance (Km)	Direction		
AQ 1	Project Site near village Sharbitola	0.47 km	East		
AQ 2	Narbirpur	3.14 km	WSW		
AQ3	Bihta	7.74 km	ENE		
AQ 4	Koilwar	2.51 km	North		
AQ 5	Lei	4.38 km	SE		




Figure 3.4 Ambient Air Quality Monitoring Stations



Table-3.9: Ambient Air Quality in the Study Area PM2.5

Location Code	PM2.5 (μ g/m ³)					
Code	Name of the station	Min	Max	Average	98 th Percentile	
AAQ1	Project Site near village Sharbitola	39.2	45.4	41.4	44.6	
AAQ2	Narbirpur	39.6	46.5	42.6	45.7	
AAQ3	Bihta	40.0	45.8	41.9	44.7	
AAQ4	Koilwar	40.9	47.0	43.0	46.1	
AAQ5	Lei	40.6	44.6	42.4	44.6	

Table-3.10: Ambient Air Quality in the Study Area PM10

Location Code	PM10 (μg/m ³)					
Code	Name of the station	Min	Max	Average	98 th Percentile	
AAQ1	Project Site near village Sharbitola	76.3	90.9	83.4	89.9	
AAQ2	Narbirpur	76.8	91.0	84.1	90.3	
AAQ3	Bihta	71.3	88.0	81.0	87.1	
AAQ4	Koilwar	71.4	88.4	82.5	87.9	
AAQ5	Lei	75.6	89.6	82.1	88.2	

Table-3.11: Ambient Air Quality in the Study Area SO₂

Location	$SO_2 (\mu g/m^3)$					
Code	Name of the station	Min	Max	Average	98 th Percentile	
AAQ1	Project Site near village Sharbitola	4.0	8.3	5.8	7.7	
AAQ2	Narbirpur	5.0	8.9	7.3	8.8	
AAQ3	Bihta	4.7	8.2	6.2	8.1	
AAQ4	Koilwar	5.5	8.9	7.4	8.7	



AAQ5	Lei	4.8	8.9	7.0	8.7

Table-3.12: Ambient Air Quality in the Study Area NO₂

Location Code	$NO_2 (\mu g/m^3)$					
Code	Name of the station	Min	Max	Average	98 th Percentile	
AAQ1	Project Site near village Sharbitola	6.1	12.7	8.9	11.9	
AAQ2	Narbirpur	8.6	15.2	11.6	14.8	
AAQ3	Bihta	6.6	14.4	9.5	13.4	
AAQ4	Koilwar	8.9	15.8	12.0	14.9	
AAQ5	Lei	7.7	14.3	10.8	13.9	

3.3.4.1 Baseline Scenario

Particulate Matter (PM2.5)

Fine particles include all types of combustion, including motor vehicles, power plants, residential wood burning, forest fires, agricultural burning, and some industrial processes. In general some of the important sources of particulate matter are mines. The following sources of particulate matter in the study area are identified:

- Emission due to vehicular movement
- Dust generation from ground or other mining operations

PM2.5 recorded within the study area was in the range of $39.2 \,\mu g/m^3$ to $47.0 \,\mu g/m^3$. Table 3.3 were compared with the National Ambient Air Quality Standards (NAAQS) and found that all sampling stations recorded in the study area are within the applicable limits i.e., $60 \mu g/m^3$ for PM_{2.5} for industrial, residential, rural and other areas.

Suspended Particulate Matter (PM10)

Suspended particulate matter in general terms is the particulate matter in suspension in ambient air. It includes dust, smoke etc. In general some of the important sources of suspended particulate matter are mines. The following sources of suspended particulate matter in the study area are identified:

• Emission due to vehicular movement



• Dust generation from ground or other mining operations

The minimum and maximum level of PM10 recorded within the study area was in the range of $71.3 \,\mu\text{g/m}^3$ to $91.0 \,\mu\text{g/m}^3$. The 24 hourly average values of PM10 were compared with the National Ambient Air Quality Standards (NAAQS) and found that all sampling stations recorded in the study area are within the applicable limits i.e., $100 \,\mu\text{g/m}^3$ for PM10 in industrial, residential, rural and other areas.

Sulphur Dioxide (SO2)

Sulphur dioxide gas is an inorganic gaseous pollutant. Sulphur dioxide emissions are expected to be emitted wherever combustion of any fuel containing Sulphur takes place. The Sulphur in the fuel will combine with oxygen to form Sulphur dioxide. The following sources of Sulphur dioxide in the study area are identified:

• Emissions from domestic/consumption of fuel (coal, diesel, etc)

Sulphur dioxide in atmosphere is significant because of its toxicity; Sulphur dioxide is capable of causing illness and lung injury. Further it can combine with water in the air to form toxic acid aerosols that can corrode metal surfaces, fabrics and the leaves of plants. Sulphur dioxide is an irritant to the eyes and respiratory system. Excessive exposure to Sulphur dioxide causes breathing related diseases as it affects the lungs.

The minimum and maximum concentration of SO_2 recorded within the study area was 4.0 $\mu g/m^3$ to 8.9 $\mu g/m^3$.

The 24 hourly average values of SO_2 were compared with the National Ambient Air Quality Standards (NAAQS) and it was found that all sampling stations recorded values are below the applicable limits $80 \,\mu\text{g/m}^3$ for Residential, Rural and other areas.

Oxides of Nitrogen (NO2)

The important sources of oxides of Nitrogen are from utilities and auto exhaust due to vehicular movement in mine lease area. The following sources of oxides of nitrogen in the study area are identified.

• Emissions from vehicular movements in the study area.

Oxides of Nitrogen in the presence of sunlight will undergo reactions with a number of organic compounds to produce all the effects associated with photochemical smog. NO2 has



inherent ability to produce deleterious effects by themselves like toxicity. It causes asphyxiation when its concentration is great enough to reduce the normal oxygen supply from the air. The minimum and maximum level of NO2 recorded within the study area was in the range of was $6.6 \,\mu\text{g/m}^3$ to $15.8 \,\mu\text{g/m}^3$.

The 24 hourly average values of NO_2 were compared with the National Ambient Air Quality Standards (NAAQS) and it was found that all sampling stations recorded values are below the applicable limits $80 \,\mu\text{g/m}^3$ for Residential, Rural and other areas.

Ambient Air Quality in the Study Area, Free Silica

Location	Free silica (μg/m³)				
Code	Name of the station	Min	Max		
AAQ1	Project Site near village Sharbitola	1.31	1.69		
AAQ2	Narbirpur	1.44	1.65		
AAQ3	Bihta	1.45	1.56		
AAQ4	Koilwar	1.56	1.66		
AAQ5	Lei	1.57	1.83		

3.4 SOIL ENVIRONMENT

Soil may be defined as a thin layer of earth's crust, a medium for the growth of plants. The soil characteristics include both physical and chemical properties. The soil survey and soil sample were carried out / collected to assess the soil characteristics of the study area. Soil samples were collected from 03 locations and analyzed as per CPCB norms. The soil sampling locations are marked in **Figure 3.5** and shown in **Table 3.13**. Thephysico-chemical characteristic of these soil samples is given in **Table 3.14**.



Table 3.13: Description of soil sampling locations

Soil monitoring locations										
Location ID Location name Distance (Km) Direction										
SQ 1	Project Site near village bindaul	1.7 km	South							
SQ 2	Narbirpur	3.14 km	WSW							
SQ 3	Koilwar	2.51 km	North							




Figure 3.5, Soil Sampling Locations

Table 3.14:Physico-chemical properties of Soil

S.No	Parameter	Unit	SQ-1	SQ-2	SQ-3
	Texture	-	Sand	Sand	Loamy
					Sand
1	Silt	%	0.8	1.56	4.32
	clay	%	6.14	7.08	8.63
	Sand	%	93.06	91.36	87.05
2	pН	-	8.17	7.83	8.24



3	Electrical Conductivity	μmhos/cm	124	140	135
4	Cation exchange capacity	meq/100 gm	13.51	14.52	16.41
5	Potassium	mg/kg	48.21	56.34	60.45
6	Sodium	mg/kg	20.86	23.41	26.55
7	Calcium	mg/kg	2356.47	2514.23	2874.96
8	Magnesium	mg/kg	182.62	205.37	212.43
9	Sodium Absorption Ratio	-	0.11	0.12	0.13
10	Water Holding Capacity	%	15.28	16.2	17.46
11	Porosity	%	46.82	45.27	44.38

Observations:

Samples collected from identified locations indicate the soil is sandy type and the pH value ranging from **7.83 to 8.24**, which shows that the soil is alkaline in nature.

3.5 NOISE ENVIRONNENT

The noise levels within the study area were recorded using Sound Level Meter and noise monitoring results were compared with the Ambient Noise Quality Standard notified under Environment Protection Act, 1986. The levels recorded are as stated in **Table 3.15.** The noise level monitoring locations are marked in **Figure 3.6** and shown in **Table 3.16.**






Figure 3.6 Noise Monitoring Stations

Table 3.15: Noise Quality Monitoring Stations

Noise monitoring locations									
Location ID	Location name	Distance (Km)	Direction						
NQ 1	Project Site near village Sharbitola	0.47 km	East						
NQ 2	Narbirpur	3.14 km	WSW						
NQ 3	Bihta	7.74 km	ENE						
NQ 4	Koilwar	2.51 km	North						
NQ 5	Lei	4.38 km	SE						



Table 3.16: Noise Monitoring Results

S.No.	PROJECT SITE	ZONE	CPCB G	IIT (as per ruidelines), IB(A)	Leq Value monitored, in dB(A)		
			DAY*	NIGHT*	DAY*	NIGHT*	
1	NQ-1	Residential Zone	55	45	54.8	42.2	
2	NQ-2	Residential Zone	55	45	52.9	41.1	
3	NQ-3	Residential Zone	55	45	51.7	41.3	
4	NQ-4	Silence zone	50	40	45.5	35.1	
5	NQ-5	Residential Zone	55	55 45		40.0	

^{*} Day time

Leq in **dB(A)** (6.00AM TO 10.00PM)

Night time

Leq in dB(A) (10.00PM TO 6.00AM)

Results

Noise monitoring reveals that the minimum & maximum noise levels at day time were recorded as **45.5dB** (**A**) to **54.8dB** (**A**) respectively. The minimum & maximum noise levels at night time were found to be **35.1dB** (**A**) & **42.2dB** (**A**) respectively.

There are several sources in the 10 km radius of study area, which contributes to the local noise level of the area. On the commencement of the project, the sound from traffic activities will add to the ambient noise level of the area. This will be kept under check by taking proper suggestive measures.

3.6 BIOLOGICAL ENVIRONMENT

3.6.1.1 Introduction

The ecological study reflects the potential of a regional ecosystem and its biological components. In India, the biological diversity of plants and animals varies from region to region on account of their diversity and density. Producers (plants), consumers (animals), and



decomposers (microbes) govern the whole cycle of ecology. Plant and animals both are interdependent on each other.

The biological study is essential to understand the impact of any developmental project on the existing flora and fauna present in the study area. Hence, studies on various aspects of the ecosystem play an important role in identifying sensitive issues for undertaking appropriate action to mitigate the impact if required.

The Environment baseline data generation report in respect of flora-fauna has been prepared to assess the current ecology & biodiversity scenario of the area; and to carry out Environmental Management Plan based on the proposed project activities. The plan will identify and address the environmental and ecological conservation implications of the area. Conservation of biodiversity is essential for sustainable development.

The main objective of the ecological survey is aimed to find out the baseline status of flora and fauna (terrestrial and aquatic ecosystem) of the study area before the start of Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat.

3.6.2 Description of the study area

The Proposed Sand Mining Project was located on Son River at Mauza– Chilka Tola, Anchal –Bihata, District - Patna (Bihar).

3.6.2.1 Description of Eco-sensitive zones in the Study Area (Wildlife Sanctuary/ National Parks/Animal or Elephant Corridors/ Protected Wetlands etc.)

There are no National parks, Biosphere Reserves, Wildlife corridors, Tiger/Elephant reserves (existing as well as proposed), within 5 km from the present project.

Also, areas protected under international conventions, national or local legislation for their ecological, landscape, cultural or other related value are doesn't exist in the core and buffer zone of the present project. On the other hand, the proposed alignment will cross over some riverine channel in the core zone. Adequate structure for cross drainage shall be constructed in order to maintain the natural hydrology and protection of all forms of biota found there in all the water bodies of the area. Apart from the above, the proposed project the area will promote tourism activities due to the existing Beraila Wildlife Sanctuaries (Bird Sanctuary).

3.6.3 Drainage /Water Bodies of the Study Area



Apart from these, some seasonal (monsoon-fed) riverine streams and Nallas are also present in the study area. Few ponds are also recorded nearby the different villages mainly used for fish farming, Cattle feeding, Irrigation purpose by the villagers, etc.

Scope and Objectives of the Study

The above study aims in identifying potential impacts on flora and fauna and to suggest relevant compensatory and mitigatorymeasures to protect/conserve biodiversity in the likely impacted area due to the project activity. Following points to be covered under the scope of work:

- Survey of terrestrial & aquatic flora & fauna for core & buffer zone separately.
- ➤ Details of endemic species found in the study area and their IUCN status, Schedule status (as per WPA, 1972).
- > Survey of the study area in terms of features like breeding &spawning grounds, habitats, flight paths, and the migratory path of the animals.
- ➤ Survey of flora covering types e.g. agriculture crop, commercial crop, plantation, natural vegetation/forest type, grass land. The endangered & endemic species of flora & fauna beside any other flora, if present are also to be identified.
- ➤ The survey has been covering total listing of the faunal population. The survey has also covered endangered, endemic, migratory & detail of aquatic fauna.
- ➤ The assessment of potential damage to terrestrial & aquatic flora and fauna. The impact should be categorized as primary & secondary, temporary and long term, unavoidable & risk transboundary impacts, possible irreversible change.

3.6.4 Methodology/ Data Collection

A primary field survey was carried out within a 10 km radius of the proposed project in premonsoon period (March-May 2023). Both terrestrial and aquatic ecosystems have been studied to understand the biological environment. Secondary data were collected from authentic sources like the Forests Department, Fisheries Department, Agriculture Department of Son, and available published literature.

3.6.5 Flora (Aquatic and Terrestrial)

For the collection of data for aquatic flora, the methodology prescribed in the standard book of Adoni (1985), NEERI (1998), and APHA (2015) has been adopted. A total of 05 sampling sites were selected for the collection of samples to analyze the aquatic flora.



On the other hand, for the terrestrial data, community analysis was carried out during the summer season. For the collection of terrestrial data, a total of 05 sampling points were selected. At every sampling site, quadrates of 10m X 10m (100 sq.m.) size were randomly laid to study tree species. The circumference of all the adult individuals \$\frac{1}{2}0\$ cm circumference at breast height (CBH)] was measured with Freeman's tape. The study of communities was carried out by using qualitative characteristics, and quantitative characteristics. Qualitative characteristic mainly involved presence/absence of the species, genera, and family. This showed the community structures, composition and other characteristic can be readily described by visual observation without actual measurements. The quantitative analysis involved the structure and composition of vegetation across vegetation types and compared in terms of frequency, density, abundance, and basal area of tree species.

3.6.6 Fauna (Aquatic and Terrestrial)

For the collection of data for aquatic fauna, the methodology prescribed in the standard book of Adoni (1985), NEERI (1998), and APHA (2015) has been adopted. A total of 05 sampling points were selected for the collection of samples to identify the the aquatic fauna.

On the other hand, for the terrestrial data, the assessment of fauna was done by an extensive field survey in the area at 05 locations. During the survey, the Line Transect method was used for the study of mammals and Transact & Patch sampling were used for Amphibians, visual encountered methods was used for reptiles and butterflies. The presence of wildlife was also confirmed from the animal calls, footmarks, excreta, and from the local inhabitants depending on the animal sightings and the frequency of their visits in the project area which was later confirmed from the different government offices like the forest department or wildlife department, etc.

Observations of birds were made during a walk-through in the chosen transect for sighting birds. The number of birds observed in each sampling location was listed. Birds were noted and identified with the help of binocular and standard field identification guides.

3.6.7 Sampling Sites

A total of 05 samplingsitewere selected for the terrestrial vegetation, avian fauna, and other terrestrial animals like reptiles, mammals, etc. For the collection of samples and data of aquatic flora and fauna, 05 separate sampling sites were also selected at different locations in the study area.



3.6.8 Flora of the Study Area

The core zone of the proposed project area doesn't have any major natural forest land.

A major part of the core and buffer zone of the project is agricultural land having some major vegetation in the form of agro forestry. Vegetation patterns in villages and surrounding areas are slightly different from the rest of the areas in the Patna District. The common species grown near the villages are mostly edible, fruits bearing or useful plants. Purposely planted tree patches (mostly fruit-bearing) are available nearby several villages in the study area. The most dominant tree species in the study area are Aegle marmelos (Bel), Azadirachta indica (Neem), Emblica officinalis (Amla), Dalbergia sissoo (Sisam), Ficus bengalensis (Bargad), Musa paradisiacal (Kela), Syzygiumcumini (Jamun), Cassia siamea (Kasod/Siris), Litchi chinensis (Litchi), Mangifera indica (Aam) and in case of shrubs Antigonum leptopus, Ricinus communis, Lantana camara, Jatropha gossipifolia and Cassia auriculata etc. The most dominant species in the study area of both the district was Mangifera indica (Aam) and its different varieties.

3.6.9 Flora of Core zone

3.6.9.1 Terrestrial Flora of Core zone (Natural vegetation etc.).

There is no flora found in the core zone

3.6.9.2 Agricultural Crops/ Commercial Crops of the Core zone and Buffer Zone

Details of the agricultural vegetation and commercial crops were collected from the 09 selected sites of the core (Patna district) and the details are given in table 4. These crops are similar to the crops of buffer zone also. So, the same information is applicable for the core and buffer zone.

Table 3.17: List of Crops seasonally planted by respective farmers in the Core and Buffer Zone

S.No.	Botanical Name	Local/Trade Name	Family Name
1	Zey mays	Makkha/Maize	
2	Triticum aestivum	Wheat	Poaceae
3	Oryza sativa	Paddy	
4	Cicer arietinum	Channa	Fabacea



5	Coriander sativum	Dhaniya	Apiaceae
6	Abelmoschus esculentus	Bhendi	Amaranthacea
7	Mamordica charanta	Karela	Cucurbiataceae
8	Capsicum annum	Mirchi	
9	Lycopersicon lycopersicum	Tomato	
10	Solanum melongena	Brinjal	Solanaceae
11	Capsicum annuum	Mirchi	
12	Solanum tuberosum	Potato	
13	Allium cepa	Onian	Amaryllidaceae
14	Cajanus cajan	Pigeon pea	Fabaceae
15	Carica papaya	Papaya	Caricaceae
16	Okra	Ladyfinger/ Bhindi	Malvaceae
17	Lagenaria siceraria	Bottle gourd/ Lauki	Cucurbitaceae
	Source: Present Survey Data Sup	ported by District Agricul	ture Department, Patna

3.6.9.3 Aquatic Flora of Core zone (Phytoplankton/ Macrophytes).

Aquatic floral details of the core zone were collected from 08 selected sites of the study area. Some sites were located buffer zone adjacent to the present alignment, however some were located in the core & buffer zone. Details of phytoplankton and macrophytic vegetation of the core and the buffer zone are given in tables 3.19, 3.20 & 3.21, and Figures 3.10 & 3.11.

Phytoplankton:Most of thethe phytoplankton species recorded from the core zone was similar to the buffer zone also. So, the same information is applicable for the core and buffer zone. Phytoplankton species were collected and identified from 08 selected sampling sites of the study area. A total of 69 phytoplankton species were recorded from the different water bodies of the study area, out of which 27 species were of class Chlorophyceae, 17 species of Cyanophyceae, 19 species of Bacillariophyceae, and 6 species of Euglenophyceae. Details of Phytoplankton species are given in table 3.18.

Table 3.18: List of Phytoplankton species present in different water bodies in study area (Core and Buffer Zone).

CN	Towaramia Dataila	S-	Schedu	IU							
S.N.	Taxonomic Details	1	2	3	4	5	6	7	8	le	CN



										Status	Sta
										in	tus
										WPA	
										(1972)	
	Chlorophyceae									NA	NA
1	Arthrodesmus sp.	+		+	+		+		+	NA	NA
2	Ankistrodesmus falcatus		+	+			+	+	+	NA	NA
3	Chlorococcum sp.	+	+	+			+		+	NA	NA
4	Closteriopsis sp.	+	+		+	+		+		NA	NA
5	Cosmarium formii	+	+	+	+	+	+		+	NA	NA
6	Cosmarium margaritatum	+		+	+		+	+		NA	NA
7	Crucigenia sp.	+	+	+	+		+			NA	NA
8	Chlorella vulgaris	+		+	+	+			+	NA	NA
9	Oocystis crassa	+	+			+	+	+	+	NA	NA
10	Pediastrum simplex			+	+	+				NA	NA
11	Scenedesmus armatus	+	+	+		+	+	+	+	NA	NA
12	Scenedesmus bijugatus	+		+	+	+	+		+	NA	NA
13	Spirogyra sp.	+	+	+		+	+	+		NA	NA
14	Tetraedron trigonum				+		+		+	NA	NA
15	Tetrastrum sp.	+	+	+		+	+		+	NA	NA
16	Ulothrix sp.	+	+	+	+	+	+	+		NA	NA
17	Ulothrix zonata	+		+		+	+		+	NA	NA
18	Volvox sp.	+	+	+		+	+			NA	NA
	Total	19	15	23	16	17	24	12	17		
	Cyanophyceae									NA	NA
1	Anabaena sp.		+	+	+	+	+		+	NA	NA
2	Anabaena circinalis	+	+	+	+	+	+	+		NA	NA
3	Aphanocapsa sp.	+		+	+	+	+	+	+	NA	NA
4	Aphanothece sp.	+	+		+	+			+	NA	NA
5	Chroococcus sp.	+		+	+	+	+	+		NA	NA
6	Gloeocapsa sp.	+	+	+			+		+	NA	NA
7	Lyngbya sp.	+	+		+	+	+	+	+	NA	NA



	Total	5	4	3	5	5	6	4	4		+
6	Trachelomonas sp.	+	+	+	+	+	+	+		NA	N.
5	Phacus caudatus	+			+	+	+	+	+	NA	N
4	Phacus sp.		+				+			NA	N
3	Euglepha sp.	+	+	+	+	+	+	+	+	NA	N
2	Euglena sp.	+			+	+	+		+	NA	N
1	Euglena acus	+	+	+	+	+	+	+	+	NA	N
	Euglenophyceae									NA	N
	Total	16	12	9	13	11	15	10	13		+
15	Synedra ulna		+		+	+	+	+	+	NA	N
14	Synedra acus	+				+	+		+	NA	N
13	Pinnularia sp.	+	+	+				+	+	NA	N
12	Nitzschia palea	+	+		+	+	+			NA	N
11	Navicula subrhyncocephala	+	+		+		+		+	NA	N
10	Navicula similis	+	+	+	+		+	+	+	NA	N
9	Melosira sp.	+	+	+	+	+	+			NA	N
8	Gomphonema lanceolatum	+	+	+	+	+			+	NA	N
7	Gomphonema sp.	+			+		+	+	+	NA	N
6	Fragillaria pinnata		+	+		+	+		+	NA	N
5	Eunotia major	+	+		+	+		+		NA	N
4	Cymbella affinis	+		+	+	· ·	+		+	NA	N
3	Cyclotella sp.	'	<u>'</u>	+	<u>'</u>	+	+	+	+	NA	N
2	Amphora sp.	+	+	+	+	+	'	+	'	NA	N
1	Bacillariophyceae Amphora ovalis	+				+	+		+	NA NA	N
	Total	12	11	11	12	13	15	9	12	NA	N
12	Nostoc sp.	10	+	11	+	+	+	+	+	NA	N
11	Microcystis aeruginosa	+		+			+			NA	N
10	Microcystis sp.		+		+			+	+	NA	N
9	Merismopedia tenuissima	+		+	+	+	+			NA	N
8	Merismopedia sp.	+	+	+		+	+	+	+	NA	N



Table 3.19: Site wise Qualitative list of Phytoplankton species recorded from the Core and Buffer Zone

Class	S-1	S-2	S-3	S-4	S-5	S-6	S-7	S-8
Chlorophyceae	19	15	23	16	17	24	12	17
Bacillariophyceae	16	12	9	13	11	15	10	13
Euglenophyceae	5	4	3	5	5	6	4	4
Total No. of Species	52	42	46	46	46	60	35	46

Macrophytes: The aquatic vegetation recorded from the core zone was similar to the aquatic vegetation of the buffer zone also. So, the same information is applicable for the core and buffer zone. The maximum number of aquatic vegetation was recorded at sites 06 and 08 due to the perennial nature of the water bodies. On the other hand, other water bodies support less vegetation due to a lack of water (monsoon-fed streams), and moisture. The details of Macrophytes species are given in table 3.20.

Table 3.20: List of Aquatic Macrophytic vegetation of Core and Buffer Zone

C No	Name of the Taxa	Γaxa Family Name		S-1	S-	S-	S-	S-	S-	S-7	S-
S.No.	Name of the Taxa	ramny Name	Status	5-1	2	3	4	5	6	5-7	8
1	Azolla pinnata	Salviniaceae	LC	+	+	+	+	+	+	+	+
2	Cyperus alopecuroides	Cyperaceae	LC	+	+			+	+	+	+
3	Cyperus difformis	Cyperaceae	LC	+		+	+		+	+	+
4	Eichhornia crassipes	Pontederiaceae	LC	+	+	+		+	+		+
5	Hydrilla verticillata	Hydrocharitaceae	LC				+			+	+
6	Ipomea aquatica	Convolvulaceae	LC		+	+	+	+	+		+
7	Ipomea carnea	Convolvulaceae	LC	+	+	+	+		+	+	+
8	Lemna minor	Araceae	LC	+	+			+	+	+	+
9	Ludwigia parviflora	Onagraceae	LC	+	+	+	+		+	+	+
10	Nelumbo sp.	Nelumbonaceae	LC		+			+			
11	Nymphoides	Menyanthaceae	LC	+		+		+	+	+	+



	aquatica										
12	Phragmites karka	Poaceae	LC						+		
13	Pistia stratiotes	Araceae	LC		+		+			+	+
14	Polygonum glabrum	Polygonaceae	LC	+	+	+		+	+	+	+
15	Typha latifolia	Typhaceae	LC						+		+
16	Typha orientalis	Typhaceae	LC		+		+	+	+	+	
	Total No. of Species				8	8	8	9	13	11	13

3.6.10 Flora of Buffer zone

3.6.10.1 Terrestrial Flora of Buffer zone (Natural vegetation/Commercial vegetation).

During the present survey,a total of 77 species of plant species were observed from the study area. Out of 77 plant species,42species of tree, 18 species of shrubs/herbs, 6 species of climbers, and 10 species of Grass species were recorded from the buffer zone of the present study area. The below-mentioned vegetation details have been collected from the Core as well as Buffer zone of the present study area. All the details have been furnished based on the field survey at different locations and data supported by the Department of Forest, Patna of Bihar. The details of vegetation of the buffer zone is given in Table 3.21.

Table 3.21: List of Trees, Shrubs, Herbs and Grasses observed in Buffer Zone

S.No.	Botanical Name	Botanical Name Common/ Hindi Name	
	Trees		
1	Acacia nilotica	Babool	Mimosaceae
2	Acacia nilotica	Desi babool	Fabaceae
3	Acacia leucophloea	Safed babul	Mimosaceae
4	Aegle marmelos	Bel	Rutaceae
5	Ailanthus excels	Adusa	Simaroubaceae
6.	Albizzia amara	Siris	Mimosoideae
7	Albizzia lebbeck	Sirish	Mimosaceae
8	Alstonia scholaris	Saptaparni	Apocynaceae
9	Anogeissus latifolia	Dhaura,	Combretaceae
10	Anthocephalus cadamba	Kadamb	Rubiaceae



*III-*71

11	Artocorpus heterophyllus	Jack fruit	Moraceae
12	Azadirachta indica	Neem	Meliaceae
13	Bauhinia racemosa	Apta	Leguminosae
14	Bauhinia variegata L.	Kachnar	Leguminosae
15	Bombax ceiba	Semal	Malvaceae
16	Bombax malabaricum	Semal tree	Malvaceae
17	Borassus flabellifer	Nariyal	Palmae
18	Butea monosperma	Palas	Leguminosae
19	Dalbergia latifolia	Shisam	Leguminosae
20	Dalbergia sissoo	Shisam	Leguminosae
21	Delonix regia	Gulmohar	Fabaceae
22	Dendrocalamus strictus	Bamboo	Poaceae
23	Diospyros melanoxylon	Tendu	Ebenaceae
24	Ficus benghalensis	Bargad	Moraceae
25	Ficus religiosa	Pipal	Moraceae
26	Madhuca longifolia	Mohua tree	Sapotaceae
27	Magnifera indica	Aam	Anacardiaceae
28	Melia azedarach	Bukkam Neem	Meliaceae
29	Moringa olerifera	Munga	Moringanaceae
30	Nerium oleamder	Kaner	Apocynaceae
31	Phoenix sylvestris	Date palm	Arecaceae
32	Phyllanthus emblica	Awla	Euphorbiaceae
33	Pisidium guava	Guava	Myrtaceae
34	Pongamia pinnata	Karanj	Leguminosae
35	Prosopis juliflora	Vilayati babool	Fabaceae
36	Sarracca indica	Ashok	Annonaceae
37	Shorea robusta	Sal	Depterocarpaceae
38	Syzygium cumini	Jamun	Myrtaceae
39	Tectona grandis	Sagwan	Verbenaceae
40	Terminalia arjuna	Arjun	Combretaceae
41	Terminalia chebula	Harhar	Combretaceae
42	Zizyphus jujube	Ber	Rhamnaceae



Shrub	& Herbs		
43	Acanthospermum hispidum	Kanti	Asteraceae
44	Acheranthus aspera	Aghada	Amaranthaceae
45	Argemone mexicana	Pila dhtura	Papaveraceae
46	Baugainvellia glabra	Paper flower	Nyctaginaceae
47	Calotropis procera	Aakra	Asclepiadaceae
48	Cassia auriculata	Tarwar	Fabaceae
49	Cassia tora	Tarota /Takla	Caesalpiniaceae
50	Chenopodium album	manure weed	Amaranthaceae
51	Dalura metel	Dhotra	Solanaceae
52	Ipomoea carnea	Besharam	Convolvulaceae
53	Jatropha gossipifolia	cotton-leaf	Euphorbiaceae
54	Lantana camara	Ghaneri	Verbenaceae
55	Mimosa pudica	Chui Mui	Mimosaceae
56	Ocimum sanctum	Tulsi	Labiatae
57	Parthenium hysterophorus	Gajar grass	Asteraceae
58	Ricinus communis	Arand	Euphorbiaceae
59	Ricinus communis	castor oil plant	Euphorbiaceae
60	Tridax procumbens	Kambarmodi	Asteraceae
Grasse	es		'
61	Apluda mutica	Mauntian grass	Poaceae
62	Commelina benghalensis	Bokna	Commelinaceae
63	Cynodon dactylon	Doob	Poaceae
64	Cyperus rotundus	Motha	cyperaceae
65	DactylSeptemberenum aegyptium	Crow foot grass	Poaceae
66	Pennisetum purpureum	Elephant grass	Poaceae
Climbe	ers	•	·
67	Antigonon leptopus	Anantalata	Polygonaceae
68	Bougainvillea glabra	Booganbel	Nyctaginaceae
69	Celastrus paniculata	Kujari	Celastraceae
70	Cissampelos pareira	Khariya lata	Menispermaceae
71	Clitoria ternatea	Blue pea	Fabaceae



72	Coccinia grandis	Jungli Kundru	Cucurbitaceae
73	Combretum indicum	Madhu Malati	Combretaceae
74	Cuscuta reflexa	Amarbel	Convolvulaceae
75	Cuscuta reflexa	Amar bel	Convolvulaceae
76	Ipomoea cairica	Neeli Bel	Convolvulaceae
77	Tilospora cordifolia	Giloy	Menispermaceae

Source:Primary data of P&M Solution, Noida and data supported by the Department of Forest, Patna district of Bihar.

3.6.10.2 Agricultural vegetation/ Commercial vegetation of the Buffer zone.

The variety of Crops and cropping patterns in the core and the buffer zone was the same in the study area. Vegetation details of the buffer zone were collected from 05 selected sites (TS-1 to TS-05).

3.6.10.3 Aquatic Flora of Buffer zone (Phytoplankton/ Macrophytes/ Aquatic Weeds)

Phytoplankton: The diversity of Phytoplankton species was similar in the core and buffer zone. The details of macrophytic vegetation of the buffer zone are given in Table 3.18 & 3.19.

Macrophytes: The diversity of aquatic macrophytes was similar in both core and buffer zone. The details of macrophytic vegetation of the buffer zone are given in Table 3.20.

3.6.11 Fauna of the Study Area

Proposed alignment passing through the rural and purely in the agricultural field. At some places, it will cross from adjacent to some villages in the study area. The study area is devoid of any natural forest, so, major wildlife animals are rarely found in the area. Only some moving animals were observed. Domesticated animals mainly constitute the faunal population within the project area.

The assessment of fauna was done on the bases of secondary data collected from different government offices like the forest department, wildlife department, etc. The presence of wildlife was also confirmed by the local inhabitants depending on the animal sightings and the frequency of their visits in the project area.



During the present study period, a large number of local birds are noticed in the buffer zone of the study area. But, there are no bird habitats like nesting, breeding, and foraging patterns are noticed in the core zone.

3.6.12 Fauna of the Core Zone

3.6.12.1 Terrestrial fauna of core zone (Mammals/Reptiles/amphibians/birds/insects etc.).

The domesticated animals like; Buffalo (*BuSands bubalis*); Ass (*Equus hemionus*), Cow (*Bos primigenius*); Goat (*Capra aegagrus*) Horse (*Equus caballus*); and Dog (*Canis lupus familaris*) were observed moving in different parts of the study area (including core and buffer zone), especially nearby town and villages. Other mammals and reptiles found in the study area are listed in Table 3.22.

Table 3.22: List of Mammals/Reptiles/Amphibians/Birds recorded from the Core Zone

S. No.	Common Name	Scientific Name	Family	Schedule status (as per WPA- 1972)	IUCN status					
Mamm	Mammals									
1.	Jungle cat	Fellis chaus	Felidae	II	LC					
2.	Five striped palm squirrel	Funambulus pennanti	Sciuridae	IV	LC					
3.	Indian Fulvous Fruit- Bat	Rousettus leschenaultia	Pteropodidae	V	LC					
4.	Indian Field Mouse	Mus booduga	Muridae	V	LC					
5.	Common House Rat	Rattus rattus	Muridae	V	LC					
6.	Bandicoot Rat	Bandicotabengalensis	Muridae	V	LC					
7.	Indian Grey Mongoose	Herpestesedwardsi edwardsi	Herpestidae	П	LC					
Reptile	Reptiles & Amphibians									
8.	Garden lizard	Calotes versicolor	Agamidae	IV	NE					
9	King cobra	Ophiophagus hannah	Elapidae	II	LC					



10	Cobra	Naja naja	Elapidae	II	LC
11.	Pit viper	Crotolus sp	Viperadae	II	LC
12	Garden lizard	Calotes versicolor	Agamidae	IV	NE
Bird S	pecies			-1	•
1	Acridotheres tristis	Myna	Sturnidae	IV	LC
2	Acridotheres tristis	Common myna	Sturnidae	IV	LC
3	Amandava amandava	Red munia	Estrildidae	IV	LC
4	Ardea cinerea	Grey heron	Ardeidae	IV	LC
6	Bubulcus ibis	Cattle egret	Ardeidae	IV	LC
7	Columba livia	Pigeon	Columbidae	IV	LC
5	Corvus macrorhynchos	Jungle crow	Corvidae	IV	LC
6	Corvus splendens	Crow	Corvidae	V	LC
7	Gallinule chloropus	Common moorhen	Rallidae	IV	LC
8	Milvus migrans	Black Kite	Accipitridae	IV	LC
9	Passer domesticus	House sparrow	Passeridae	IV	LC
10	Pycnonotus cafer	Red-vented bulbul	Pycnonotidae	IV	LC
11	Saxicoloides fulicatus	Indian robin	Psittaculidae	IV	LC
12	Turdoides caudate	Common babbler	Leiothrichidae	IV	LC

IUCN Status = LC: Least Concern, **NE:** Not Evaluated.

Source:Primary Survey data of P&M Solution, Noida and the data supported by Department of Forest, Patna district of Bihar

Table 3.23: Butterflies observed in the Core zone

S. No.	Common Name	Scientific Name	Family	IUCN Status
1.	Plain Tiger	Danaus chrysippus	Nymphalidae	LC
2.	Common emigrant	Catopsilia pomona	Pieridae	LC
3.	Common crow	Euploea core	Nymphalidae	LC
4.	Small grass yellow	Eurema brigitta	Pieridae	LC

Source:Primary Survey data of P&M Solution, Noida and the data supported by Department of Forest, Patna district of Bihar



3.6.12.3 Aquatic Fauna of Core zone (Zooplankton/ Macro-invertebrates/ Fishes/ Amphibians/ Turtles etc.)

All the aquatic fauna recorded from the core zone were also recorded from the buffer zone and most of the sampling sites are the same for the core and buffer zone as given in table 3.18. So, the list of aquatic fauna of the core zone is merged with the details of the buffer zone and is given in Table 3.24 to 3.26.

3.6.12.4 Fauna of Buffer zon

To prepare a detailed report on the status of faunal biodiversity of the present study area (1 km buffer) of Patna district of Bihar and to assess the impacts due to digging/ leveling of alignment route/ construction of bridge/ operational activity which evolves suitable mitigation measures to protect & conserve biodiversity following components were studied: terrestrial biodiversity, wildlife survey (diversity), habitat study (feeding, breeding, roosting areas), distribution of birds, rare & endangered species of the study area.

The fauna of the study area (Core and Buffer zone) vary upon the local topography and different types of habitats. The fauna of the study area has been categorized into two categories based on their habitat, i.e.

- (i) Aquatic fauna and
- (ii) Terrestrial fauna.

During the present survey, there are some seasonal, perennial and private water body was observed along with the proposed alignment, which will be affected due to the present project activities. The alignment of the project will cross a few seasonal and perennial streams.

3.6.12.6 Terrestrial Fauna of Buffer zone (Mammals/Reptiles/Amphibians/Birds/ Insects etc.)

The major part of the study area lies under agricultural fields and barren land which restricts the wildlife habitat significantly. There is neither any wildlife sensitive area nor any corridor for the movement of wildlife in the study area. A list of the animals of the study area has been prepared on the basis of the survey and also inquire from the local people. The animals, thus



recorded were cross-checked with Wildlife (Protection) Act, 1972 for their schedule status. Faunal details of the study area are given in Tables 3.24 to 3.26.

i. Mammals and Reptiles/ Amphibians

The domesticated animals like Goat (*Capra aegagrus*); Buffalo (*BuSands bubalis*); Cow (*Bos primigenius*); Horse (*Equus caballus*); Ass (*Equus hemionus*) and Dog (*Canis lupus familaris*) were observed moving in different parts of the study area, especially nearby town and villages. Other mammals and reptiles found in the study area are listed in Table 3.24.

Table 3.24: List Mammals, Reptiles and Amphibians recorded from the Buffer Zone

S. No.	Common Name	Scientific Name	Family	Status as per WPA- 1972	IUCN status
		Mammals			
1	Bandicota bengalensis	Bandicoot Rat	Sciuridae	IV	LC
2	Canis aurius	Jackal	Pteropodidae	V	LC
3	Fellis chaus	Jungle cat	Soricidae	IV	LC
4	Funambulus palmarum	Three-striped Squirrel	Suidae	III	LC
5	Funambulus pennanti	Five striped palm squirrel	Hyaenidae	III	LC
6	Herpestes edwardsi	Indian Grey Mongoose	Canidae	II	LC
7	Hyaena hyaena	Stripped hyena	Leporidae	V	LC
8	Lepus nigricollis	Indian Hare	Canidae	II	LC
9	Mus booduga	Indian Field Mouse	Sciuridae	IV	LC
10	Presbytis entellus	Common langur	Cercopithecidae	II	LC
11	Pteropus giganteus	Indian Flying Fox	Pteropodidae	V	LC
12	Rattus rattus	Common House Rat	Muridae	V	LC
13	Rousettus leschenaultia	Indian Fulvous Fruit- Bat	Muridae	V	LC



14	Suncus murinus	Grey musk Shrew	Muridae	V	LC
15	Sus scrofa	Wild Boar	Canidae	III	LC
16	Vulpes bengalensis	Indian fox	Felidae	II	LC
Repti	les and Amphibians			l	•
1	Bufo melanostictus	Common toad	Bufonidae	IV	LC
2	Bungarus caeruelus	Krait	Elapidae	IV	NE
3	Calotes versicolor	Garden lizard	Agamidae	IV	NE
4	Crotolus sp.	Pit viper	Viperadae	II	LC
5	Enhydris enhydris	Smooth water snake	Homalopsidae	IV	LC
6	Euphlyctis hexadactyla	Common frog	Dicroglossidae	IV	LC
7	Hemidactylus flaviviridis	House Gecko	Gekkonidae		NE
8	Naja naja	Cobra	Elapidae	II	LC
9	Ophiophagus hannah	King cobra	Elapidae	II	LC
10	Ptyas mucosa	Rat Snake	Colubridae	II	NE
11	Rana temporaria	Common frog	Ranidae	IV	LC
12	Varanus sp.	Monitor lizzard	Varanidae	II	LC

IUCN Status = LC: Least Concern, **VU:** Vulnerable. **NT:** Near Threatened, **NE:** Not Evaluated, **Source:**Primary Survey data of P&M solution, Noida and the data supported by Department of Forest, Patna District.

ii. Avian Fauna

Table 3.25: Avian Fauna observed from the study area (01 KM Buffer area)

S.No	Scientific Name	Common Name	Family	Schedule Status (WPA- 1972	IUCN Status
1	Acridotheres tristis	Myna	Sturnidae	IV	LC
2	Acridotheres tristis	Common myna	Sturnidae	IV	LC
3	Alcedo atthis	Small blue kingfisher	Alcedinidae	IV	LC



4	Amandava amandava	Red munia	Estrildidae	IV	LC
5	Ardea cinerea	Grey heron	Ardeidae	IV	LC
6	Ardeola grayii	Indian pond heron	Ardeidae	IV	LC
7	Athene brama	Spotted Owlet	Strigidae	IV	LC
8	Bubulcus ibis	Cattle egret	Ardeidae	IV	LC
9	Centropus sinensis	Crow pheasant	Cuculidae	IV	LC
10	Ceryle rudis	Pied kingfisher	Alcedinidae	IV	LC
11	Charadrius dubius	Little ringed plover	Charadriidae	IV	LC
12	Ciconia episcopus	White-necked stork	Ciconidae	IV	NT
13	Cinnyris asiaticus	Purple Sunbird	Psittaculidae	IV	LC
14	Columba livia	Pigeon	Columbidae	IV	LC
15	Corvus macrorhynchos	Jungle crow	Corvidae	IV	LC
16	Corvus splendens	Crow	Corvidae	V	LC
17	Dicrurus adsimilis	Black drango	Dicruridae	IV	LC
18	Egretta alba	Larger egret	Ardeidae	IV	LC
19	Egretta garzetta	Little egret	Ardeidae	IV	LC
20	Francolinus pondicerianus	Titar	Phasianidae	IV	LC
21	Gallinule chloropus	Common moorhen	Rallidae	IV	LC
22	Gallus gallus	Jungle hen	Phasianidae	IV	LC
23	Halcyon smymensis	White-throated kingfisher	Alcedinidae	IV	LC
24	Milvus migrans	Black Kite	Accipitridae	IV	LC
25	Passer domesticus	House sparrow	Passeridae	IV	LC
26	Phalacrocorax carbo	Great cormorant	Phalacrocoracidae	IV	LC
27	Phalacrocorax niger	Little cormorant	Phalacrocoracidae	IV	LC
28	Pluvialis fulva	Pacific golden plover	Charadriidae	IV	LC
29	Pseudibis papillosa	Red-naped ibis	Threskiornithidae	IV	LC
30	Psittacula krameri	Rose ringed Parakeet	Psittacidae	IV	LC
31	Pycnonotus cafer	Red-vented bulbul	Pycnonotidae	IV	LC
32	Saxicoloides fulicatus	Indian robin	Psittaculidae	IV	LC



IUCN Status =LC: Least Concern, **VU:** Vulnerable.

Source: Primary Survey data of P&M Solution and the data supported by Department of Forest, Son, Bihar.

iii. Butter Flies

Table 3.26: Butterflies observed from the Buffer zone of the study area

S.No.	Scientific Name	Common Name	Family	IUCN
5.110.	Scientific Name	Common Name	ranniy	Status
1	Catopsilia pomona	Common emigrant	Pieridae	LC
2	Chlosyne lacinia	Sunflower/Bordered Patch	Nymphalidae	LC
3	Danaus chrysippus	Plain Tiger	Nymphalidae	LC
4	Danaus genutia	Stripped Tiger	Nymphalidae	LC
5	Euploea core	Common crow	Nymphalidae	LC

Source:Primary Survey data of P&M Solution and the data supported by Department of Forest, Son, Bihar.

3.6.12.7 Aquatic Fauna of Buffer zone (Zooplankton/Macro-invertebrates/Fishes/Amphibians /Turtles etc.)

Aquatic fauna is referred to as any form of an animal that has adapted to living in the aquatic environments such as rivers, lakes, ponds, dams, streams, etc.). Son River and its adjoining streams are formed the drainage in the study area. Few other seasonal water bodies like village ponds, streams, and nallas are also present in the study area. In general, faunal account of any water bodies can be divided into following categories, *i.e.*,

- (i) zooplankton,
- (ii) Macro-invertebrates/Insects/Benthos
- (iii) Fishes
- (iv) Amphibians/ Reptiles/ etc.

Details of Zooplankton; Macro-invertebrates/insects/benthos; Amphibians/Reptiles and Fishes recorded from the different water bodies of the study area (Patna district) are given in Tables 3.27 to 3.30.

i. Zooplankton

Zooplankton is commonly found in all types of aquatic habitats. These are recognized as secondary producers and considered as one of the best tools for the environmental monitoring



program. During the present study period, a total of 49 zooplankton species was recorded and identified comprising of class Protozoa (8 species), Rotifera (20 species), Cladocera (10 species), Copepoda (8 species), and Ostracoda (3 species). The details of the zooplankton diversity of different habitats are given in Table 3.27.

Table 3.27: Zooplankton species found in the different water bodies situated in the buffer zone

										Schedule	
S.No.	Name of the Taxa	S-	Status in	IUCN							
5.110.	Name of the Taxa	1	2	3	4	5	6	7	8	WPA	Status
										(1972)	
	Protozoa			I				ı	I		
1	Arcella sp.	+	+	+		+	+		+	NA	NA
2	Arcella discoides	+	+	+	+	+	+	+	+	NA	NA
3	Arcella vulgaris	+	+	+	+	+	+	+	+	NA	NA
4	Centropyxis sp.	+	+	+	+	+	+	+		NA	NA
5	Centropyxis ecornis		+			+	+		+	NA	NA
6	Euglypha sp.	+		+	+	+	+	+	+	NA	NA
7	Metopus sp.		+	+	+		+			NA	NA
8	Opercularia sp.	+	+	+		+			+	NA	NA
	Total	8	9	8	7	8	9	5	8		
	Rotifera		ı	l	ı	ı	ı	I	<u>I</u>		
1	Anuraeopsissp.	+		+	+	+	+	+	+	NA	NA
2	Anuraeopsis fissa				+	+	+	+	+	NA	NA
3	Asplanchna sp.	+	+	+		+	+	+	+	NA	NA
4	Asplanchna brightwelli		+		+	+	+	+	+	NA	NA
5	Brachionus sp.	+		+	+	+	+	+		NA	NA
6	Brachionus angularis		+						+	NA	NA
7	Brachionus calyciflorus	+	+	+	+		+	+	+	NA	NA
8	Brachionus quadridentata		+	+	+		+	+		NA	NA
9	Brachionus falcatus	+			+	+	+	+		NA	NA
10	Brachionus forficula	+		+		+	+		+	NA	NA
11	Cephlodella gibba	+	+		+	+	+	+		NA	NA



12	Filinia sp.	+					+	+	+	NA	NA
13	Filinia longiseta		+	+		+		+	+	NA	NA
14	Keratella sp.	+		+		+			+	NA	NA
15	Keratella Cochlearis	+	+	+	+	+	+	+	+	NA	NA
16	Monostyla quadridentatus		+	+						NA	NA
17	Mytilina sp.	+			+	+	+	+	+	NA	NA
18	Polyarthra vulgaris	+		+		+			+	NA	NA
19	Testudinella patina		+		+		+	+		NA	NA
20	Trichocerca sp.	+		+		+	+		+	NA	NA
	Total	15	11	13	13	15	18	16	16		
	Cladocera			I		I	I	I	I		
1	Alona sp.	+	+	+	+	+	+	+	+	NA	NA
2	Alona intermediate		+		+		+	+		NA	NA
3	Bosmina sp.	+		+	+	+	+	+	+	NA	NA
4	Bosmina longirostris	+		+			+	+		NA	NA
5	Ceriodaphnia sp.		+	+		+	+		+	NA	NA
6	Chydorus sphaericus	+	+		+		+	+		NA	NA
7	Daphnia sp.	+		+	+		+	+		NA	NA
8	Leydgia sp.		+	+		+	+		+	NA	NA
9	Moina daphnia	+			+		+	+	+	NA	NA
10	Simocephalus sp.	+	+	+		+			+	NA	NA
	Total	9	7	8	7	6	11	8	7		
	Copepoda		•	ı							
1	Cyclops sp.	+	+	+	+	+	+	+	+	NA	NA
2	Diaptomus sp.	+	+	+	+	+	+		+	NA	NA
3	Eucyclops sp.	+	+	+			+	+	+	NA	NA
4	Heleodiaptomus viduus	+	+			+	+			NA	NA
5	Mesocyclops sp.	+	+		+		+	+	+	NA	NA
6	Nauplius larvae	+	+	+	+	+	+	+	+	NA	NA
7	Neodiaptomus sp.		+		+		+		+	NA	NA
8	Nitzii amphibia	+	+	+	+	+	+	+		NA	NA
	Total	10	10	8	9	7	11	7	9		



	Ostracoda										
1	Cyprinotus sp.	+		+	+	+	+	+	+	NA	NA
2	Cypris sp.	+	+	+	+		+	+	+	NA	NA
3	Stenocypris malcolmsoni	+	+	+	+	+	+		+	NA	NA
	Total	4	3	4	4	3	4	3	4		

Source: Primary Survey data of P&M Solution, Noida.

ii. Macro-invertebrates (Insects/Benthos)

Macro-invertebrates are commonly found in all types of aquatic habitats such as streams, rivers, wetlands, lakes, and ponds. The term macro-invertebrate is used for those animals that have no backbone and can be seen with the naked eye. These animals generally include insects, crustaceans, mollusks, and annelids. They are significant within the food chain as larger animals such as fish and birds rely on them as a food source. None of the macro-invertebrate species have been observed under the of Rare, Endangered, and threatened category. Various macro-invertebrate species were collected and identified from the present study area and listed in Table 3.28.

Table 3.28: Macro-invertebrates recorded from the Core and Buffer zone

	Insecta										
1	Baetis nymph		+	+	+	+	+	+	+	NA	NE
2	Caenid mayfly	+			+		+			NA	NE
3	Chironomus plumosus	+	+	+	+	+	+	+	+	NA	NE
4	Chironomus sp.	+	+	+	+	+	+	+	+	NA	NE
5	Damsel flies nymphs	+			+		+			NA	NE
6	Hirudineria sp.	+	+	+			+	+	+	NA	NE
7	Limnodrillus hoffmeisteri	+					+			NA	NE
8	Mayflies nymphs		+		+		+	+	+	NA	NE
9	Mosquitos larvae	+	+	+	+	+	+	+	+	NA	NE
10	Ranatra elongata	+	+			+	+	+	+	NA	NE
	Total	12	10	10	11	9	16	11	11		
	Mollusca				•						
1	Bellamya bengalensis	+		+	+	+	+	+	+	NA	NE



2	Corbicula fluminalis		+	+	+	+	+	+	+	NA	NE
3	Corbicula sp.	+	+	+	+	+	+			NA	NE
4	Gyraulus convexiculus	+		+			+	+	+	NA	NE
5	Gyraulus sp.	+	+		+	+	+		+	NA	NE
6	Lymnaea acuminata	+		+		+		+	+	NA	NE
7	Lymnaea sp.	+	+	+	+	+	+	+		NA	NE
8	Melanoides lineatus		+	+			+		+	NA	NE
9	Pila globosa(apple snail)		+		+		+		+	NA	NE
10	Unio tigridis			+	+		+	+	+	NA	NE
	Total	9	8	12	10	8	13	9	11		
	Source: Primary Survey da	ıta of I	P&M S	Solutio	n, No	oida.					

iii. Amphibians

Amphibians and reptiles are commonly found at places along the margin of aquatic and terrestrial systems. The presence of water bodies like rivers, streams, etc. in the study area are providing shelter to many amphibian species. Some of the commonly reported amphibian species in the present study areas are given in Table 3.29. None of the Amphibians and Reptiles have been observed under the Rare, Endangered, and threatened category. Also, none of them are under the Schedule-I category as per Wildlife Protection Act, 1972.

Table 3.29: Amphibians and Reptiles recorded from the Core and Buffer zone

S. No	English Name	Scientific Name	S- 1	S- 2	S- 3	S- 4	S- 5	S- 6	S- 7	S- 8	Schedule Status (WPA,1972)	IUCN Status
1	Bufo melanostictus	Common toad	+	+	+	+	+	+	+	+	IV	LC
2	Bungarus caeruleus	Common Krait	+	+	+	+	+	+	+	+	IV	LC
3	Bungarus fasciatus	Banded Krait	+	+	+	+	+	+	+	+	IV	LC
4	Euphlyctis cyanophlyctis	Indian skipper frog	+	+	+	+	+	+	+	+	IV	LC
5	Hoplobatrachus tigerinus	(Indian bullfrog).	+	+	+	+	+	+	+	+	IV	LC
6	Chamelion	Chameleon	+	+	+	+	+	+	+	+	II	LC



CHAPTER-3

BASELINE DATA DESCRIPTION

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

	calcarata											
7	Naja naja	Indian Cobra	+	+	+	+	+	+	+	+	II	LC

Note:DD=Data Deficient, LC=Least Concern, NE=Not Evaluated.

Source: Primary Survey data of P&M Solution, Noida and Data supported by data of Department of Forest, Patna District, Bihar.

(iii) Fishes

The study area of the present Project development project has several lentic and lotic water bodies in which few are perennial and most of the water bodies are seasonal or monsoon fed. Jammuaririver is a major lotic system in the study area. Some private ponds are also present in the study area which are mainly used for the culture of fishes. All these water bodies support fish species. Fishes found in the study area are listed in Table 3.30.

Table 3.30: Fish Fauna found in different seasonal and perennial water bodies in the study area

												Schedule
S.No.	Name of the Taxa	Family Name	S-	IUCN	Status in							
5.710.	Traine of the Taxa	Taminy Ivame	1	2	3	4	5	6	7	8	Status	WPA
												(1972)
1	Catla catla	Cyprinidae	+	+	+	+		+		+	VU	NA
2	Channa stiatus	Chandadae					+	+	+		LC	NA
3	Channa punctatus	Chandadae			+	+	+		+	+	LC	NA
4	Labeo bata	Cyprinidae		+		+				+	LC	NA
5	Labeo rohita	Cyprinidae	+		+	+		+			LC	NA
6	Macrobrachium	Palaemonidae	+		+	+	+	+	+	+	LC	
	malcomsoni								·			NA
7	Mystus bleekri	Bagridae		+			+	+			LC	NA
8	Mystus tengara	Bagridae	+	+	+	+	+	+	+	+	LC	NA
9	Puntius sarana	Cyprinidae			+			+	+	+	LC	NA
10	Puntius sophore	Cyprinidae	+	+	+		+			+	LC	NA
11	Puntius stigma	Cyprinidae			+	+		+			LC	NA
12	Puntius ticto	Cyprinidae		+	+	+			+	+	LC	NA



CHAPTER-3

BASELINE DATA DESCRIPTION

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

Total 7 | 7 | 10 | 9 | 7 | 10 | 6 | 9 |

Note: VU= Vulnerable, LC= Least Concern and NA= Not Application.

Source: Primary Survey data of P&M Solution, Noida and data supported by Department of Fisheries,

Patna District, Bihar.

3.6.13 Observations of Present Study (Flora & Fauna)

3.6.13.1 Flora

Most of the parts of the present study area (Patna district) are agricultural fields, villageland. The forest of the district comprises tropical deciduous vegetation due to high temperature and humidity. No any rare, endangered and threatened floral species have been observed from the core and buffer zone of the present study.

3.6.13.2 Fauna

There are no National parks, Sanctuaries, Biosphere Reserves, Wildlife corridors, Tiger/Elephant reserves (existing as well as proposed), within 1 km buffer area as well as 5 km of the project area. No any endangered and threatened faunal species were observed from the core and buffer zone of the present study area. On the other hand, there is no any Schedule-I fauna was recorded as per the Wildlife (Protection) Act, 1972. However, care will be taken during the developmental activities if found any.

3.7 Socio-Economic Environment

Demography & Socio-Economic Features

Demography

Demography is one of the important indicators of environmental health of an area. It includes population, sex ratio, number of households, literacy, population density, etc. In order to assess the Demographic & Socio-economic features of the area, Census data 2011, for 2 major districts named Patna and Bhojpur of Biharstate was compiled and placed in the form of tabulation and graphical representation.

Demography of the Patna District

As per the census records 2011, Patna district has a population of 5,838,465 persons followed by 3,078,512 males and 2,759,953 females respectively. Out of the total population of the



111-87

district, about 43.0% population lived in urban areas while 57.0% live in rural areas. The decadal Variation of the district has been seen at 23.7% during the decade 2001-11. The Urban area of the district has attained a higher decadal Variation of 28.2% as compared to that of rural area at 20.6%.

As per 2011 census sex ratio of the district is 897 females per 1,000 males. The same for rural and urban areas of the district stands at 904 and 887 respectively. As per the census records 2011, the sex ratio of population in the age group 0-6, which works out to 909, is much higher than the sex ratio of the total population as 897 for the district of Patna. While the sex ratio of (0-6) population in the rural areas of the district is 923, the sex ratio of (0-6) population for the urban areas is only 883 females per 1000 males.

The district occupies an area of 3,202 square kilometres. As per the census records 2011, it is observed that the proportion of scheduled castes and scheduled tribe's population to the total population of the district is found to be only 15.77 and 0.16% respectively. For rural areas, the respective proportion of scheduled castes and scheduled tribes to the total population of the district comes out to be 19.98 and 0.06% respectively. Similarly,in urban areas, the percentage of scheduled castes and scheduled tribe's population to the total population of the district comes out to 10.21 and 0.27% respectively.

It is also observed from the census records 2011, that the district has registered a literacy rate of 70.68%. As regards to rural and urban areas of the district the literacy rates have been registered 62.38 & 80.98% respectively. The gap in the male-female literacy rates has been 16.52% point as it is 78.48% male and 61.96% female respectively. For the district as a whole, the literacy rate of males is much higher than that of females.

Census data 2011 shows that the work participation rate (WPR) in the district is 23.49% for main workers and 8.75% for marginal workers. Proportion of non workers in the district is 67.77%..

Mother Tongue

As per the census records for Patna district, Hindi is the main mother tongue of the district was returned by 91.7% of the population. The corresponding percentage for the Urdu, the second most prominent language spoken in Patna district, was 6.5%. Speakers of other Scheduled languages were very thin in number than the two described above.

Religion



The population of the Patna district during 2011 was 5,838,465. Hindus constitute 91.74% (5,356,075 persons) of the population in the district followed by Muslims 7.54% (439,952 persons). All other four major religious communities have almost negligible percentages.

Methodology

In order to assess the Demographic & Socio-economic features along with the 10km distance based on field surveys and public consultations undertaken during the baseline field study period and Census records 2011, for 2 majorconcerned districts named Patnaand Bhojpur of Bihar state respectively was compiled and placed in the form of tabulation and graphical representation. Entire study area is observed predominantly ruraland no town was found in the study area.

Purpose of the Study

Socio-economic study was conducted to establish the baseline demographic features and impacts due to this 'Sand Ghat Project', as operation phase of any project invariably leads to Socio-economic changes. The construction phase of any kind of project could lead to unplanned and haphazard development of slums of various size and description with little or rudimentary.

Description of Social Environment

As per the Census Records 2011, the study area has a total of 151villageslying under Patna and BhojpurDistricts in Bihar state. Overall study area villages are falling mainly underFive (05) tehsils namelyBikram (27 villages), Dulhin Bazar (25 villages), Paliganj (30 villages), Sandesh (54 villages) and Agiaon (15 villages) of Patna and Bhojpur district respectivelyin Bihar state. There are eleven (11) villages of 2major concerned districts named Patna and Bhojpur in Biharstate found as uninhabited villages in the study area.

There is no town found in the 10km radial study zone. There are four towns named Bikram, Masaurhi and Jehanabad of Patna district and Arrah of Bhojpur district available in the distance range of 5 to 40km from the villages of study zone.

Population Distribution (10 km)



As per the Census Records 2011, the total population of 10 km study zone was recorded as 3, 63,462 persons of 151 villages of 2 main concerned districts named Patna and BhojpurinBihar state. Male-female wise total population was recorded as 1,89,089 males (52.0%) and 1, 74,373 (48.0%) females respectively.

Total number of 'Households' was observed as 58,706in the 10 km radius study zone. Scheduled Caste ('SC') population was observed as 66,230persons consisting of 34,243males (51.7%) and 31,987 females (48.3%) in the 10km study zone. Scheduled Tribes ('ST') population was also observed as 154 persons (0.04%) consisting of 74 males (48.2%) and 80females (52.0%) in the 10 km study zone. The child population (0-6 Age) of the study area is recorded as 62,534(17.2%) and comprising of 32,467 (52.0%) males & 30,067 (48.0%) females respectively. Village wise details of population distributionare given as follows in **Table 3.31 & 3.32**.

Table 3.31: Village-wise Population Distribution (10km)

Name of		Tota	l Popula	tion	Child Population (0-6 Years)			
Village/Town	No of							
	Households	Persons	Male	Female	Persons	Male	Female	
1. District Patna,	Bihar							
Patut	1415	9111	4787	4324	1558	783	775	
Barah	1104	7364	3917	3447	1188	601	587	
Birdhaur	575	3702	1978	1724	510	272	238	
Berar	541	3052	1562	1490	455	231	224	
Janpara	302	1765	946	819	306	153	153	
Lahladpur	284	2047	1086	961	322	172	150	
Dullahpur	112	836	423	413	83	46	37	
Donrapur	205	1251	643	608	182	89	93	
Wazirpur	1131	6929	3640	3289	1203	640	563	
Raghunathpur	474	3026	1593	1433	482	256	226	
Kanpa	480	3194	1713	1481	560	297	263	
Saidabad	556	3730	1933	1797	564	288	276	
Anharipur	77	568	302	266	97	52	45	



Gona	516	3500	1816	5 168	34	545	29	92	253
Habaspur	509	2893	1493	3 140	00	531	26	59	262
Chandni	51	345	188	15	7	64	3	5	29
Barda	203	1517	769	74	8	284	14	16	138
Gopalpur	192	1008	540	46	8	166	9	5	71
Bara	347	1776	922	85	4	302	15	57	145
Beni Bigha	461	2330	1256	5 107	'4	363	21	12	151
Chihunta	393	2146	1120) 102	6	378	19	91	187
Shahjahanpur	232	1216	620	59	5	207	10)5	102
Baigawan	158	891	451	44	0	150	7	8	72
Hathsar	59	461	244	21	7	30	1	6	14
Painapur	282	1927	999	92	8	334	16	55	169
Chichourha	206	1005	528	47	7	182	8	7	95
Jamalpur	373	1983	1012	2 97	1	296	17	70	126
Baijalpur	100	778	420	35	8	138	7	8	60
Nisarpura	543	3458	1791	166	57	529	33	34	295
Kab	1658	10141	5277	7 486	54 1	656	83	31	825
Dorwan	363	2521	1300) 122	1	369	19	90	179
Belhauri	599	3873	1963	3 191	0	538	33	30	308
Silhouri	640	4051	2091	196	50	564	33	33	331
Pathak Milki	129	808	423	38	5	148	8	9	59
Chhotka Kharwa	628	4030	2123	3 190	7	561	35	57	304
Barka Kharwa	460	2766	1453	3 131	3	454	24	10	214
Bharbhesar	102	533	280	25	3	100	5	7	43
Bharathpura	864	5075	2627	7 244	-8	982	47	79	503
Alipur	333	2039	1045	5 99	4	355	18	37	168
Raksia	346	1849	939	91	0	311	16	56	145
Khapuri	180	1099	578	52	1	174	8	8	86
Ganipur			Un	inhabited	l Village		1		1
Bhadsara	1436	8834	4633	4201	1525	7	56		769
Gulal Chak	82	528	285	243	100	4	59		41
Bhalua	232	1331	696	635	213	1	16		97



Sadawe	823	4762	2501	2261	798	458	340
Andehri	183	1125	527	598	212	96	116
Baduri	158	895	447	448	146	76	70
Paipura Khurd	183	1088	553	535	205	115	90
Rajipur	765	4509	2315	2194	859	418	441
Saraiya	452	2670	1392	1278	581	310	271
Achhua	534	3052	1556	1496	525	285	240
Bali Pakar	595	3185	1631	1554	512	265	247
Kalyanpur	517	3450	1866	1584	583	321	262
Jalpura	216	1570	828	742	245	140	105
Masaurha	442	2413	1203	1210	397	207	190
Udaipur	367	2130	1073	1057	391	191	200
Mohbalipur	1251	6863	3466	3397	1273	640	633
Mohabbatpur	110	634	336	298	117	54	63
Ranipur	258	1584	828	756	263	140	123
Fatehpur	276	1630	856	774	265	143	122
Hasanpur	62	269	128	141	40	20	20
Dariapur Pem	302	1697	880	817	290	142	148
Paipura Kalan	304	1783	877	906	295	137	158
Ijarta	186	1117	536	581	182	78	104
Dharahra	792	4538	2421	2117	673	354	319
Milki	349	1856	961	895	342	162	180
Dariapur Anant	309	1791	919	872	281	148	133
Nirakpur Pali	1977	11798	6170	5628	2066	1091	975
Akhtiarpur Pali	614	3776	1970	1806	661	386	275
Kurkuri	701	4444	2248	2196	763	386	377
Bibipur	198	1157	576	581	192	103	89
Harpur Ankuri	581	2810	1342	1468	576	287	289
Sarsi	385	2471	1293	1178	401	225	176
Muhammadpur	264	1452	751	701	262	128	134
Bherharia	846	5419	2849	2570	1015	508	507
Mohibalipur Chak		ı	Ur	inhabited	Village	ı	1



Ghurna Bigha	191	1218	622	596	225	112	113	
Habsapur	103	712	370	342	120	66	54	
Pipardaha	652	4007	2055	1952	792	395	397	
Belaunra	550	3078	1617	1461	500	274	226	
Rampur Nagwan	710	4535	2348	2187	827	428	399	
2. District Bhojpu	ır, Bihar	ı	I		I			
Sarimpur Bachri	554	3433	1782	1651	589	309	280	
Lodipur	29	182	77	105	29	13	16	
Narainpur	416	2711	1441	1270	415	215	200	
Nansagar	54	328	163	165	58	29	29	
Nasratpur	548	3279	1734	1545	511	271	240	
Chilhauns	782	5054	2596	2458	1018	520	498	
Turkaul	591	3817	2066	1751	663	352	311	
Jansara	100	1018	542	476	168	83	85	
Ahpura	531	3321	1752	1569	563	300	263	
Salempur	139	543	291	252	85	50	35	
Sandesh	1037	6874	3573	3301	1219	616	603	
Panpura	54	483	255	228	82	35	47	
Kanharpur	209	1319	729	590	182	110	72	
Chela	377	2139	1115	1024	365	188	177	
Panrepur	97	594	335	259	66	36	30	
Basauri	69	484	254	230	74	38	36	
Gaighat			Un	inhabited	Village			
Bhanpura			Un	inhabited	Village			
Dihra	489	3371	1786	1585	608	317	291	
Maniach	419	2578	1347	1231	466	247	219	
Bichhiaon	476	2994	1519	1475	540	273	267	
Dharampur	318	1942	1015	927	343	168	175	
Surungapur	252	1756	900	856	282	140	142	
Chauria	Uninhabited Village							
Dalelganj	225	1802	939	863	360	192	168	
Parura Rampur	417	2522	1336	1186	537	306	231	
	1	1	L	l	l	l .	l	



Kusra	343	2462	1332	1130	503	263	240
Parura	535	3739	1955	1784	621	332	289
Deoar	255	1809	946	863	402	211	191
Akhgaon	443	3094	1626	1468	515	289	226
Partappur	287	1552	769	783	233	120	113
Kholpur	320	2429	1314	1115	414	207	207
Dehri	280	2183	1118	1065	421	225	196
Bardiha	190	1283	698	585	226	121	105
Jamuaon	694	4261	2297	1964	803	446	357
Udaibhanpur	23	156	86	70	19	11	8
Bara	171	997	514	483	166	92	74
Bartiar	305	1788	942	846	330	184	146
Kosdihra	116	766	394	372	149	74	75
Kori	1067	6821	3434	3387	1208	589	619
Baranhpur	18	84	45	39	12	7	5
Khandaul	846	5179	2686	2493	791	429	362
Phulari	762	5036	2682	2354	762	387	375
Bhatauli	431	2482	1324	1158	345	169	176
Chanchar			Ur	inhabited	Village		
Raman Sanrh	837	5613	3003	2610	890	478	412
Patkhaulia	85	552	273	279	103	54	49
Pinjroi	110	689	334	355	112	58	54
Mahadeopur			Ur	inhabited	Village	I	
Ahiman Chak	230	1457	736	721	282	131	151
Khemkaranpur			Ur	inhabited	Village	I	
Baga	472	2697	1316	1381	473	243	230
Bhikham Chak	8	39	16	23	7	2	5
Balra	Uninhabited Village						
Ahila	407	2477	1280	1197	488	245	243
Kheri	248	1706	858	848	330	160	170
Megharia	227	1278	599	679	260	133	127
Kamaria	271	2004	1029	975	330	170	160



Kirkiri	686	4247	2194	2053	785	398	387		
Narainaganj	58	279	159	120	63	35	28		
Dundhua			Un	inhabited	Village				
Barhampur									
Mehdanra	511	3044	1568	1476	473	252	221		
Chilhar	685	4188	2221	1967	711	379	332		
Tara Chak	256	1748	927	821	283	153	130		
Misraulia	149	757	394	363	122	63	59		
Khopira	564	3742	1955	1787	673	344	329		
Lahauripur			Un	inhabited	Village				
Panwar	450	3236	1676	1560	617	304	313		
Ekauni	44	269	126	143	55	24	31		
			18908	17437					
TOTAL (10km)	58706	363462	9	3	62534	32467	30067		
Source-Census of India, 2011									

Table 3.32: Village-wise SC & ST Population Distribution (10km)

	Total	Scheduled Castes Scheduled					d Tribes			
Name of Village	Population									
		Persons	Males	Females	Persons	Males	Females			
District Patna	1. District Patna, Bihar									
Patut	9111	1563	822	741	1	0	1			
Barah	7364	1667	872	795	2	1	1			
Birdhaur	3702	296	161	135	0	0	0			
Berar	3052	135	67	68	24	12	12			
Janpara	1765	63	34	29	0	0	0			
Lahladpur	2047	261	152	109	0	0	0			
Dullahpur	836	0	0	0	0	0	0			
Donrapur	1251	517	274	243	10	6	4			
Wazirpur	6929	2106	1085	1021	3	2	1			
Raghunathpur	3026	130	71	59	0	0	0			



111-95

Kanpa	3194	838	434	404	1	0	1
Saidabad	3730	649	325	324	25	13	12
Anharipur	568	0	0	0	0	0	0
Gona	3500	918	460	458	0	0	0
Habaspur	2893	749	390	359	0	0	0
Chandni	345	0	0	0	0	0	0
Barda	1517	577	283	294	0	0	0
Gopalpur	1008	314	163	151	0	0	0
Bara	1776	319	156	163	1	0	1
Beni Bigha	2330	253	141	112	0	0	0
Chihunta	2146	532	269	263	0	0	0
Shahjahanpur	1216	187	93	94	0	0	0
Baigawan	891	400	209	191	1	0	1
Hathsar	461	0	0	0	0	0	0
Painapur	1927	27	18	9	0	0	0
Chichourha	1005	485	246	239	0	0	0
Jamalpur	1983	442	243	199	0	0	0
Baijalpur	778	0	0	0	0	0	0
Nisarpura	3458	775	394	381	1	0	1
Kab	10141	2234	1139	1095	2	1	1
Dorwan	2521	166	94	72	0	0	0
Belhauri	3873	175	86	89	0	0	0
Silhouri	4051	1073	551	522	4	1	3
Pathak Milki	808	0	0	0	0	0	0
Chhotka Kharwa	4030	243	122	121	0	0	0
Barka Kharwa	2766	531	274	257	0	0	0
Bharbhesar	533	28	18	10	0	0	0
Bharathpura	5075	1012	529	483	2	1	1
Alipur	2039	552	270	282	0	0	0
Raksia	1849	834	416	418	0	0	0
Khapuri	1099	302	152	150	0	0	0
Ganipur		1	Uninhah	ited Villag	<u> </u>	<u>I</u>	



Bhadsara	8834	1413	744	669	8	3	5
Gulal Chak	528	0	0	0	0	0	0
Bhalua	1331	262	136	126	0	0	0
Sadawe	4762	664	350	314	0	0	0
Andehri	1125	238	103	135	0	0	0
Baduri	895	96	48	48	0	0	0
Paipura Khurd	1088	253	129	124	0	0	0
Rajipur	4509	1281	654	627	0	0	0
Saraiya	2670	984	525	459	0	0	0
Achhua	3052	385	204	181	1	1	0
Bali Pakar	3185	1288	642	646	0	0	0
Kalyanpur	3450	329	177	152	0	0	0
Jalpura	1570	91	45	46	0	0	0
Masaurha	2413	600	310	290	0	0	0
Udaipur	2130	75	44	31	0	0	0
Mohbalipur	6863	1729	878	851	2	2	0
Mohabbatpur	634	0	0	0	0	0	0
Ranipur	1584	198	110	88	1	1	0
Fatehpur	1630	803	413	390	1	0	1
Hasanpur	269	54	23	31	0	0	0
Dariapur Pem	1697	853	438	415	1	0	1
Paipura Kalan	1783	307	151	156	0	0	0
Ijarta	1117	374	160	214	0	0	0
Dharahra	4538	436	229	207	1	0	1
Milki	1856	850	442	408	0	0	0
Dariapur Anant	1791	438	229	209	0	0	0
Nirakpur Pali	11798	1814	936	878	1	0	1
Akhtiarpur Pali	3776	341	172	169	0	0	0
Kurkuri	4444	563	284	279	0	0	0
Bibipur	1157	320	158	162	0	0	0
Harpur Ankuri	2810	834	402	432	1	1	0
Sarsi	2471	597	318	279	0	0	0



Muhammadpur	1452	148	76	72	0	0	0	
Bherharia	5419	1251	640	611	8	5	3	
Mohibalipur Chak			Uninhab	oited Villag	e	-1		
Ghurna Bigha	1218	468	246	222	0	0	0	
Habsapur	712	49	26	23	0	0	0	
Pipardaha	4007	1484	756	728	1	1	0	
Belaunra	3078	757	406	351	0	0	0	
Rampur Nagwan	4535	534	277	257	6	2	4	
2. District Bhoj	pur, Bihar				l			
Sarimpur Bachri	3433	665	347	318	0	0	0	
Lodipur	182	54	25	29	4	1	3	
Narainpur	2711	173	88	85	25	12	13	
Nansagar	328	37	18	19	0	0	0	
Nasratpur	3279	335	176	159	0	0	0	
Chilhauns	5054	946	473	473	0	0	0	
Turkaul	3817	335	193	142	0	0	0	
Jansara	1018	0	0	0	0	0	0	
Ahpura	3321	695	364	331	0	0	0	
Salempur	543	293	153	140	0	0	0	
Sandesh	6874	1826	929	897	1	0	1	
Panpura	483	0	0	0	0	0	0	
Kanharpur	1319	96	51	45	0	0	0	
Chela	2139	723	399	324	0	0	0	
Panrepur	594	0	0	0	0	0	0	
Basauri	484	0	0	0	0	0	0	
Gaighat			Uninhab	oited Villag	e	-1		
Bhanpura	Uninhabited Village							
Dihra	3371	793	431	362	0	0	0	
Maniach	2578	686	374	312	0	0	0	
Bichhiaon	2994	527	272	255	0	0	0	
Dharampur	1942	329	171	158	0	0	0	
Surungapur	1756	0	0	0	0	0	0	



Chauria			Uninhab	oited Villag	e				
Dalelganj	1802	180	89	91	0	0	0		
Parura Rampur	2522	740	382	358	0	0	0		
Kusra	2462	377	205	172	0	0	0		
Parura	3739	413	218	195	9	3	6		
Deoar	1809	44	24	20	0	0	0		
Akhgaon	3094	439	236	203	3	2	1		
Partappur	1552	32	17	15	0	0	0		
Kholpur	2429	278	157	121	0	0	0		
Dehri	2183	91	42	49	0	0	0		
Bardiha	1283	78	45	33	0	0	0		
Jamuaon	4261	881	477	404	0	0	0		
Udaibhanpur	156	0	0	0	0	0	0		
Bara	997	0	0	0	0	0	0		
Bartiar	1788	402	214	188	0	0	0		
Kosdihra	766	0	0	0	0	0	0		
Kori	6821	1098	554	544	0	0	0		
Baranhpur	84	0	0	0	0	0	0		
Khandaul	5179	231	115	116	0	0	0		
Phulari	5036	586	297	289	0	0	0		
Bhatauli	2482	540	275	265	0	0	0		
Chanchar		"	Uninhat	oited Villag	e				
Raman Sanrh	5613	887	476	411	0	0	0		
Patkhaulia	552	257	126	131	0	0	0		
Pinjroi	689	0	0	0	0	0	0		
Mahadeopur		1	Uninhab	oited Villag	e	1			
Ahiman Chak	1457	77	44	33	0	0	0		
Khemkaranpur	Uninhabited Village								
Baga	2697	295	140	155	0	0	0		
Bhikham Chak	39	0	0	0	0	0	0		
Balra			Uninhab	oited Villag	e				
Ahila	2477	360	190	170	0	0	0		



CHAPTER-3

BASELINE DATA DESCRIPTION

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

Kheri	1706	138	75	63	0	0	0			
Megharia	1278	122	61	61	0	0	0			
Kamaria	2004	98	49	49	0	0	0			
Kirkiri	4247	201	102	99	0	0	0			
Narainaganj	279	181	100	81	0	0	0			
Dundhua			Uninhab	ited Villag	e	I				
Barhampur										
Mehdanra	3044	416	210	206	0	0	0			
Chilhar	4188	1095	577	518	0	0	0			
Tara Chak	1748	296	148	148	0	0	0			
Misraulia	757	309	163	146	0	0	0			
Khopira	3742	996	516	480	3	3	0			
Lahauripur			Uninhab	ited Villag	e	I				
Panwar	3236	1065	561	504	0	0	0			
Ekauni	269	0	0	0	0	0	0			
TOTAL (10km)	363462	66230	34243	31987	154	74	80			
	Source-Census of India, 2011									

Sex Ratio

The 'Sex Ratio' of the study area is a numeric relationship between females and males of an area and bears paramount importance in the present day scenario where the un-ethnic predetermination of sex and killing of female foetus during pregnancy is practiced by unscrupulous medical practitioners against the rule of the law of the country. It is evident that by contrast the practice of female foeticide is not prevalent in the study area.

The 'Sex Ratio' was observed as 897females per 1000 males in the District. The same was recorded as 922females for every 1000 males in the study area. The child (0-6 yr age) sex ratio of the stud area was observed as 926 female children per 1000 male children.

The village wise male-female population distribution for the study area is depicted and shown by graphical representation in **Table 3.33 & Figure 3.7.**




Figure 3.7 :Male-Female Wise Population Distribution

Scheduled Caste & Scheduled Tribe Population

On the basis of the village wise SC & ST population distribution of the study area during 2011, the 'Scheduled Castes' population was observed as 66,230 persons consisting of 34,243 males and 31,987females respectively in the study area which accounts as 18.2% to the total population (3,63,462 persons) of the study area. Scheduled Tribes ('ST') population was observed as 154 persons,accounts as 0.04% to the total population of the study zone consisting of 74males and 80 females in the 10 km radius study zone. It implies that the rest 81.8% of the total population belongs to the general category.

Male-female wise distribution of 'SC' & 'ST' population in the study area is graphically shown in **Figure 3.8 & 3.9** as follows.




Figure 3.8 : Scheduled Caste Population in the Study Area




Figure 3.9: Scheduled Tribes Population in the Study Area

Literacy Rate

Literacy level is quantifiable indicator to assess the development status of an area or region. Male-Female wise literates and illiterate's population is represented in **Table 3.33.** Total literate's population was recorded as 2,03,559 persons (56.0%) in the study area. **Table 3.33** reveals that Male-Female wise literates are observed as 1,24,824 & 78,735 persons

respectively, implies that the 'Literacy Rate' is recorded as 56.0% with male-female wise percentages being 34.3% &21.7% respectively.

The Male-Female wise graphical representation of literates &illiterate's population in study area villages/town is shown in **Figure 3.10.**




Figure 3.10 :Male-Female Wise Distribution of Literates & Illiterates

Table 3.33 :Male-Female Wise Literates and Illiterates (10km)

Name of Village	Total	Literates			Illiterates						
	Population	Persons	Males	Females	Persons	Males	Females				
1. District Patna, Bihar											
Patut	9111	5178	3134	2044	3933	1653	2280				
Barah	7364	4586	2764	1822	2778	1153	1625				
Birdhaur	3702	2329	1430	899	1373	548	825				
Berar	3052	1650	977	673	1402	585	817				
Janpara	1765	1004	648	356	761	298	463				
Lahladpur	2047	1241	783	458	806	303	503				
Dullahpur	836	657	351	306	179	72	107				
Donrapur	1251	721	414	307	530	229	301				
Wazirpur	6929	3842	2391	1451	3087	1249	1838				

Raghunathpur	3026	1861	1176	685	1165	417	748
Kanpa	3194	1843	1148	695	1351	565	786
Saidabad	3730	2454	1461	993	1276	472	804
Anharipur	568	301	201	100	267	101	166
Gona	3500	2101	1275	826	1399	541	858
Habaspur	2893	1510	950	560	1383	543	840
Chandni	345	177	119	58	168	69	99
Barda	1517	724	437	287	793	332	461
Gopalpur	1008	530	313	217	478	227	251
Bara	1776	982	598	384	794	324	470
Beni Bigha	2330	1482	909	573	848	347	501
Chihunta	2146	1291	773	518	855	347	508
Shahjahanpur	1216	708	427	281	508	193	315
Baigawan	891	524	328	196	367	123	244
Hathsar	461	354	201	153	107	43	64
Painapur	1927	1254	761	493	673	238	435
Chichourha	1005	442	269	173	563	259	304
Jamalpur	1983	1130	685	445	853	327	526
Baijalpur	778	428	288	140	350	132	218
Nisarpura	3458	1688	1058	630	1770	733	1037
Kab	10141	6091	3611	2480	4050	1666	2384
Dorwan	2521	1417	855	562	1104	445	659
Belhauri	3873	2319	1282	1037	1554	681	873
Silhouri	4051	2480	1471	1009	1571	620	951
Pathak Milki	808	450	270	180	358	153	205
Chhotka Kharwa	4030	2893	1626	1267	1137	497	640
Barka Kharwa	2766	1570	959	611	1196	494	702
Bharbhesar	533	190	121	69	343	159	184
Bharathpura	5075	2202	1388	814	2873	1239	1634
Alipur	2039	1024	585	439	1015	460	555
Raksia	1849	1138	615	523	711	324	387
Khapuri	1099	651	385	266	448	193	255



Ganipur			Un	inhabited	Village		
Bhadsara	8834	4868	3013	1855	3966	1620	2346
Gulal Chak	528	305	205	100	223	80	143
Bhalua	1331	810	476	334	521	220	301
Sadawe	4762	2834	1684	1150	1928	817	1111
Andehri	1125	598	367	231	527	160	367
Baduri	895	500	303	197	395	144	251
Paipura Khurd	1088	637	366	271	451	187	264
Rajipur	4509	2403	1489	914	2106	826	1280
Saraiya	2670	1099	697	402	1571	695	876
Achhua	3052	1706	999	707	1346	557	789
Bali Pakar	3185	1727	1025	702	1458	606	852
Kalyanpur	3450	1731	1136	595	1719	730	989
Jalpura	1570	1085	622	463	485	206	279
Masaurha	2413	1425	831	594	988	372	616
Udaipur	2130	1066	693	373	1064	380	684
Mohbalipur	6863	3804	2316	1488	3059	1150	1909
Mohabbatpur	634	342	243	99	292	93	199
Ranipur	1584	917	555	362	667	273	394
Fatehpur	1630	842	513	329	788	343	445
Hasanpur	269	133	83	50	136	45	91
Dariapur Pem	1697	720	481	239	977	399	578
Paipura Kalan	1783	1031	620	411	752	257	495
Ijarta	1117	557	320	237	560	216	344
Dharahra	4538	3024	1771	1253	1514	650	864
Milki	1856	897	583	314	959	378	581
Dariapur Anant	1791	1095	642	453	696	277	419
Nirakpur Pali	11798	6962	4033	2929	4836	2137	2699
Akhtiarpur Pali	3776	2360	1382	978	1416	588	828
Kurkuri	4444	2692	1596	1096	1752	652	1100
Bibipur	1157	704	420	284	453	156	297
Harpur Ankuri	2810	1381	813	568	1429	529	900



Sarsi	2471	1549	939	610	922	354	568
Muhammadpur	1452	656	411	245	796	340	456
Bherharia	5419	3023	1864	1159	2396	985	1411
Mohibalipur Chak		l	Un	inhabited `	Village		
Ghurna Bigha	1218	460	330	130	758	292	466
Habsapur	712	460	263	197	252	107	145
Pipardaha	4007	1851	1205	646	2156	850	1306
Belaunra	3078	1656	1008	648	1422	609	813
Rampur Nagwan	4535	2230	1410	820	2305	938	1367
2. District Bhojp	ur, Bihar		L			l	
Sarimpur Bachri	3433	1924	1157	767	1509	625	884
Lodipur	182	110	56	54	72	21	51
Narainpur	2711	1804	1078	726	907	363	544
Nansagar	328	200	121	79	128	42	86
Nasratpur	3279	1719	1072	647	1560	662	898
Chilhauns	5054	2585	1763	822	2469	833	1636
Turkaul	3817	2201	1396	805	1616	670	946
Jansara	1018	511	385	126	507	157	350
Ahpura	3321	2040	1247	793	1281	505	776
Salempur	543	253	154	99	290	137	153
Sandesh	6874	4021	2453	1568	2853	1120	1733
Panpura	483	304	196	108	179	59	120
Kanharpur	1319	866	520	346	453	209	244
Chela	2139	1037	672	365	1102	443	659
Panrepur	594	176	132	44	418	203	215
Basauri	484	316	201	115	168	53	115
Gaighat		l .	Un	inhabited `	Village		
Bhanpura			Un	inhabited `	Village		
Dihra	3371	1951	1253	698	1420	533	887
Maniach	2578	1457	874	583	1121	473	648
Bichhiaon	2994	1562	993	569	1432	526	906
Dharampur	1942	1016	611	405	926	404	522



BASELINE DATA DESCRIPTION

Surungapur	1756	977	636	341	779	264	515		
Chauria		Uninhabited Village							
Dalelganj	1802	953	636	317	849	303	546		
Parura Rampur	2522	1266	780	486	1256	556	700		
Kusra	2462	968	667	301	1494	665	829		
Parura	3739	2052	1251	801	1687	704	983		
Deoar	1809	861	569	292	948	377	571		
Akhgaon	3094	1834	1099	735	1260	527	733		
Partappur	1552	1065	598	467	487	171	316		
Kholpur	2429	1237	886	351	1192	428	764		
Dehri	2183	1147	766	381	1036	352	684		
Bardiha	1283	654	444	210	629	254	375		
Jamuaon	4261	2042	1346	696	2219	951	1268		
Udaibhanpur	156	57	43	14	99	43	56		
Bara	997	678	393	285	319	121	198		
Bartiar	1788	1009	640	369	779	302	477		
Kosdihra	766	353	246	107	413	148	265		
Kori	6821	3549	2261	1288	3272	1173	2099		
Baranhpur	84	59	38	21	25	7	18		
Khandaul	5179	2624	1657	967	2555	1029	1526		
Phulari	5036	3194	1990	1204	1842	692	1150		
Bhatauli	2482	1427	928	499	1055	396	659		
Chanchar		ı	Un	inhabited	Village	I	l		
Raman Sanrh	5613	3301	2080	1221	2312	923	1389		
Patkhaulia	552	318	189	129	234	84	150		
Pinjroi	689	436	240	196	253	94	159		
Mahadeopur		Uninhabited Village							
Ahiman Chak	1457	727	475	252	730	261	469		
Khemkaranpur		1	Un	inhabited	Village	1	1		
Baga	2697	1668	948	720	1029	368	661		
Bhikham Chak	39	20	9	11	19	7	12		
Balra		Uninhabited Village							



TOTAL (10km)	363462	203559 Source-Co	4	78735	159903	5	95638
			12482			6426	
Ekauni	269	112	71	41	157	55	102
Panwar	3236	1223	806	417	2013	870	1143
Lahauripur			Un	inhabited	Village	•	
Khopira	3742	2075	1280	795	1667	675	992
Misraulia	757	430	253	177	327	141	186
Tara Chak	1748	998	637	361	750	290	460
Chilhar	4188	2377	1437	940	1811	784	1027
Mehdanra	3044	1553	958	595	1491	610	881
Barhampur							
Dundhua		<u>l</u>	Un	inhabited	Village	<u> </u>	
Narainaganj	279	75	55	20	204	104	100
Kirkiri	4247	2532	1498	1034	1715	696	1019
Kamaria	2004	1085	696	389	919	333	586
Megharia	1278	711	401	310	567	198	369
Kheri	1706	1041	629	412	665	229	436
Ahila	2477	1261	810	451	1216	470	746

Economic Profile of Patna District:

Patna has long been a major agricultural hub and centre of trade. It's most active exports are grain, sugarcane, sesame, and medium-grained Patna rice. There are several sugar mills in and around Patna. It is an important business and luxury brand centre of eastern India.

The economy of Patna has seen sustained economic growth since 2005. The economy has been spurred by growth in the Fast-Moving Consumer Goods industry, the service sector, along with Green revolution businesses. In 2009, the World Bank stated Patna as the second best city in India to start up a business. As of 2015, GDP per capita of Patna is ₹1, 06,000 and its GDP growth rate is 7.29%.

Patna is the 21st fastest growing city in the world, and the fifth fastest growing city in India, and is expected to grow at an average annual rate of 3.72%.



Workers Scenario:

Occupational studied to assess the skills of people in the study area. Occupational pattern helps in identifying major economic activities of the area. In the study area the Main and Marginal Workers population was observed as 82,953(23.0%) and 44,008(12.0%) to the total population (3,63,462), while the remaining 236501(65.0%) persons were recorded as non-workers. Thus it implies that the semi-skilled and non-skilled work-force required in study area for the project is available in aplenty.

The village-wise main and marginal worker's population with further classification as casual, agricultural, households and other workers is shown as follows in **Table 3.34.**

BASELINE DATA DESCRIPTION

Table 3.34 :Village-wise Occupational Pattern (10km)

	MAIN	MAIN_	MAIN	MAIN	MAIN	MARG	MARG_	MARG_	MARG_	MARG
Name of the Village	WORK_P	CL_P	_AL_P	_HH_P	_OT_P	WORK_P	CL_P	AL_P	HH_P	_OT_P
1. District Patna,	Bihar									
Patut	2428	533	1224	131	540	979	76	483	79	341
Barah	1567	209	709	73	576	1087	96	780	33	178
Birdhaur	808	115	305	47	341	179	7	84	9	79
Berar	685	262	239	41	143	463	55	155	52	201
Janpara	517	60	241	19	197	414	30	339	2	43
Lahladpur	432	202	99	5	126	587	105	388	9	85
Dullahpur	329	235	24	17	53	172	9	21	2	140
Donrapur	328	103	195	10	20	158	15	136	1	6
Wazirpur	1657	801	676	50	130	418	219	155	7	37
Raghunathpur	572	247	223	34	68	696	175	317	129	75
Kanpa	767	242	319	45	161	461	26	278	78	79
Saidabad	413	82	203	14	114	702	102	353	51	196
Anharipur	124	2	61	1	60	5	0	1	0	4
Gona	912	194	195	49	474	435	23	235	17	160
Habaspur	709	392	223	16	78	670	230	259	152	29
Chandni	85	37	48	0	0	89	0	83	6	0
Barda	485	122	212	51	100	356	43	164	115	34
Gopalpur	291	158	40	7	86	121	2	107	5	7
Bara	392	148	55	109	80	238	24	171	17	26
Beni Bigha	401	126	167	32	76	519	10	434	48	27
Chihunta	712	385	206	7	114	100	30	47	6	17
Shahjahanpur	371	51	178	26	116	257	15	105	4	133
Baigawan	343	8	148	106	81	127	5	1	89	32
Hathsar	44	4	4	6	30	120	3	37	5	75
Painapur	625	309	127	118	71	144	28	61	3	52



BASELINE DATA DESCRIPTION

Chichourha	156	0	8	80	68	100	1	37	55	7
Jamalpur	571	77	240	106	148	168	3	67	34	64
Baijalpur	392	105	27	146	114	38	2	1	16	19
Nisarpura	1020	357	354	152	157	567	143	389	12	23
Kab	3344	1042	1174	101	1027	865	167	389	74	235
Dorwan	521	82	230	8	201	175	7	98	4	66
Belhauri	812	166	283	29	334	257	16	108	36	97
Silhouri	1048	229	549	24	246	334	36	271	6	21
Pathak Milki	188	2	162	13	11	5	0	4	1	0
Chhotka Kharwa	795	120	207	101	367	427	66	298	38	25
Barka Kharwa	1007	169	718	57	63	70	7	31	7	25
Bharbhesar	10	9	0	0	1	147	146	1	0	0
Bharathpura	1638	383	1114	43	98	253	19	170	21	43
Alipur	869	33	787	6	43	94	10	41	33	10
Raksia	724	14	666	2	42	80	31	43	0	6
Khapuri	158	56	28	6	68	163	3	106	29	25
Ganipur					Uninhabi	ted Village				
Bhadsara	1816	630	901	26	259	1270	622	473	29	146
Gulal Chak	131	3	122	1	5	18	0	5	0	13
Bhalua	441	116	262	5	58	113	29	53	8	23
Sadawe	1556	445	363	37	711	448	43	187	31	187
Andehri	459	17	309	26	107	76	8	27	4	37
Baduri	227	10	46	0	171	49	14	10	3	22
Paipura Khurd	552	302	204	32	14	77	1	34	26	16
Rajipur	1230	39	287	4	900	387	32	281	9	65
Saraiya	845	385	399	19	42	138	10	87	23	18
Achhua	805	206	503	7	89	577	79	474	6	18
Bali Pakar	891	315	480	7	89	180	13	36	7	124
Kalyanpur	877	155	665	1	56	318	11	236	1	70
Jalpura	166	89	20	1	56	240	160	42	1	37



BASELINE DATA DESCRIPTION

Masaurha	404	183	137	22	62	597	98	360	70	69
Udaipur	240	48	64	33	95	542	38	436	39	29
Mohbalipur	993	386	249	52	306	967	94	725	51	97
Mohabbatpur	93	80	6	0	7	27	17	9	0	1
Ranipur	402	126	201	4	71	130	26	82	1	21
Fatehpur	304	28	230	5	41	331	1	316	5	9
Hasanpur	38	17	13	0	8	52	8	41	0	3
Dariapur Pem	354	84	221	12	37	481	35	245	13	188
Paipura Kalan	540	211	298	1	30	10	8	2	0	0
Ijarta	178	35	87	8	48	216	2	207	2	5
Dharahra	1175	227	323	37	588	302	40	135	67	60
Milki	245	38	137	7	63	399	18	245	6	130
Dariapur Anant	506	321	160	3	22	98	56	41	1	0
Nirakpur Pali	2627	237	478	171	1741	1047	93	412	25	517
Akhtiarpur Pali	772	250	291	94	137	419	62	194	40	123
Kurkuri	1198	529	543	1	125	107	11	77	0	19
Bibipur	252	57	88	1	106	105	5	96	0	4
Harpur Ankuri	587	257	193	1	136	370	17	279	0	74
Sarsi	672	232	326	7	107	33	13	7	0	13
Muhammadpur	226	31	186	2	7	86	48	18	9	11
Bherharia	1261	205	714	29	313	838	65	427	227	119
Mohibalipur Chak					Uninhabi	ted Village				
Ghurna Bigha	148	25	120	0	3	349	39	305	0	5
Habsapur	381	72	273	1	35	10	5	1	0	4
Pipardaha	870	204	604	1	61	517	67	409	13	28
Belaunra	634	325	253	7	49	695	7	621	36	31
Rampur Nagwan	731	184	474	2	71	944	145	730	26	43
2. District Bhojp	ur, Bihar									
Sarimpur Bachri	708	353	283	5	67	102	16	84	0	2
Lodipur	23	6	12	0	5	1	0	1	0	0



BASELINE DATA DESCRIPTION

Narainpur	633	149	287	34	163	23	2	10	3	8
Nansagar	57	35	21	1	0	0	0	0	0	0
Nasratpur	438	76	281	15	66	359	202	90	33	34
Chilhauns	556	118	184	10	244	660	82	340	8	230
Turkaul	501	120	256	40	85	432	11	334	55	32
Jansara	425	12	385	5	23	105	3	19	2	81
Ahpura	1022	119	699	101	103	111	25	41	16	29
Salempur	16	0	4	0	12	244	43	200	0	1
Sandesh	1591	106	507	344	634	684	42	290	66	286
Panpura	123	1	111	0	11	5	0	4	0	1
Kanharpur	240	68	105	0	67	109	10	72	0	27
Chela	368	186	113	3	66	365	135	212	4	14
Panrepur	138	24	80	17	17	16	6	2	2	6
Basauri	128	95	32	0	1	0	0	0	0	0
Gaighat					Uninhabi	ted Village				
Bhanpura					Uninhabi	ted Village				
Dihra	484	242	83	29	130	469	15	446	0	8
Maniach	188	128	9	1	50	648	37	535	6	70
Bichhiaon	389	178	38	9	164	559	80	341	14	124
Dharampur	161	113	15	7	26	493	24	449	3	17
Surungapur	431	123	273	4	31	465	176	170	1	118
Chauria					Uninhabi	ted Village				
Dalelganj	287	99	131	6	51	163	41	105	3	14
Parura Rampur	336	27	267	10	32	883	10	806	26	41
Kusra	1036	347	565	107	17	113	49	40	15	9
Parura	944	155	497	157	135	579	70	324	34	151
Deoar	245	193	16	1	35	457	8	423	4	22
Akhgaon	527	44	292	26	165	166	12	82	16	56
Partappur	195	101	23	10	61	265	18	228	0	19
Kholpur	494	155	246	6	87	518	91	313	14	100



BASELINE DATA DESCRIPTION

Dehri	546	294	28	14	210	205	24	99	6	76
Bardiha	81	46	2	8	25	308	42	70	61	135
Jamuaon	814	161	341	41	271	665	139	393	24	109
Udaibhanpur	24	24	0	0	0	1	1	0	0	0
Bara	329	144	93	54	38	53	0	6	38	9
Bartiar	539	132	163	158	86	211	14	119	23	55
Kosdihra	154	125	8	0	21	38	4	30	1	3
Kori	2100	166	1545	52	337	154	4	131	4	15
Baranhpur	15	8	5	0	2	11	2	9	0	0
Khandaul	783	329	331	7	116	767	26	632	11	98
Phulari	912	150	515	5	242	658	200	294	11	153
Bhatauli	239	39	147	20	33	335	27	276	11	21
Chanchar					Uninhabi	ted Village				
Raman Sanrh	1313	452	596	77	188	549	124	171	36	218
Patkhaulia	113	30	70	0	13	5	0	2	1	2
Pinjroi	126	79	18	0	29	0	0	0	0	0
Mahadeopur					Uninhabi	ted Village				
Ahiman Chak	223	37	91	46	49	269	14	208	17	30
Khemkaranpur					Uninhabi	ted Village				
Baga	233	12	123	3	95	328	66	232	9	21
Bhikham Chak	4	0	2	0	2	5	1	2	0	2
Balra						ted Village				
Ahila	713	213	186	189	125	375	83	229	22	41
Kheri	482	164	156	101	61	177	43	48	33	53
Megharia	192	55	41	45	51	90	13	67	7	3
Kamaria	378	230	112	10	26	327	36	126	10	155
Kirkiri	780	57	175	23	525	196	8	35	20	133
Narainaganj	82	26	53	0	3	7	3	3	0	1
Dundhua					Uninhabi	ted Village				
Barhampur	861	177	453	21	210	509	80	238	115	76



BASELINE DATA DESCRIPTION

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

Mehdanra										
Chilhar	767	190	242	44	291	318	14	248	39	17
Tara Chak	435	272	121	1	41	385	19	343	2	21
Misraulia	168	22	113	1	32	33	0	9	3	21
Khopira	676	249	386	0	41	894	186	452	42	214
Lahauripur					Uninhabi	ted Village				
Panwar	1053	235	764	13	41	331	39	268	1	23
Ekauni	57	37	18	1	1	7	5	2	0	0
TOTAL (10km)	82953	22503	36611	4437	19402	44008	6450	26316	2936	8306

Source-Census of India, 2011

ABBREVIATIONS:

MAIN WORKERS POPULATION: MAIN WORK_P: Main worker's total population, MAIN_CL_P: Main cultivated labour population, MAIN_AL_P: Main agricultural labour population, MAIN_HH_P: Main workers

population involved in household industries, MAIN_OT_P: Main other worker's population

MARGINAL WORKERS POPULATION:

MARG WORK_P: Marginal worker's total population, MARG_CL_P: Marginal cultivated labors total population, MARG_AL_P: Marginal agricultural labors population, MARG_HH_P: Marginal workers involved in household industries, MARG_OT_P: Marginal other workers Population



Distribution of work participation rate of the study area population is shown in **Table 3.35** as follows;

Table 3.35:Distribution of Work Participation Rate (10km)

Occupation Class	Year, 2011
Main Workers	82,953 (23.0%)
Male	63,039(76.0%)
Female	19,914(24.0%)
Marginal Workers	44,008(12.0%)
Male	25,688(58.4%)
Female	18,320(41.6%)
Non-Workers	2, 36,501(65.0%)
Male	1, 00,362 (42.4%)
Female	1, 36,139(57.6%)
Total Population (10km)	3,63,462
Source: Census of I	ndia Records, 2011

Graphical representation of Workers Scenario is given below as Figure 3.12




Figure 3.11: Workers Scenario of Study Area

Composition of Main Workers:

The 'Main Workers' were observed as 82,953 persons (23.0%) to the total population (3, 63,462) of the study area and its composition is made-up of Casual laborers as 22,503 (27.0%), Agricultural laborers as 36,611(44.0%), Household workers 4,437(5.0%) and other workers as 19,402(24.0%) respectively.

Composition of Main workers is shown below as Figure 3.12.




Figure 3.12 : Composition of Main Workers Population

Composition of Marginal Workers:

The total marginal workers are observed as 44008 which constitute 12.0% to the total population (3, 63,462) comprising of Marginal Casual Laborers as 6,450 (14.0%), Marginal Agricultural Laborers as 26,316(60.0%), Marginal Household laborers as 2,936 (7.0%) and marginal other workers were also observed as 8,306 (19.0%) of the total marginal workers respectively.

Details about marginal workers in the study area are tabulated in Table Composition of Marginal workers is shown in **Figure 3.13** as follows.




Figure 3.13 : Composition of Marginal Workers

Composition of Non-Workers:

The total Non-worker's population was observed as 2, 36,501which accounts65.0% to the total population (3, 63,462) of the study area. Male-female wise Non-worker's population was recorded as 1, 00,362 Males (42.4%) and 1,36,139 Females (57.6%) respectively.

Details about Total Non-workers in the study area are compiled in **Table 3.36.** Graphical representation of Non-worker's population is shown as follows in **Figure 3.14.**

Table 3.36: Composition of Non-Workers

Non-Workers Population								
Persons Males Females								
23,6501	1, 00,362 (42.4%)	136139(57.6%)						




Figure 3.14: Composition of Non-Workers

Basic Infrastructure Facilities Availability(as per the census records of 2011)

A review of basic infrastructure facilities (*Amenities*) available in the study area has been done on the basis of the field survey and Census records, 2011 for the study area inhabited villages of Patnaand Bhojpur Districts in Bihar state. The study area has average level of basic infrastructure facilities like educational, medical, potable water and power supply and transport& communication network.

As per the Census Records 2011, the study area has a total of 151 villages lying under Patna and Bhojpur Districts in Bihar state. Overall study area villages are falling mainly under Five (05) tehsils namely Bikram (27 villages), Dulhin Bazar (25 villages), Paliganj (30 villages), Sandesh (54 villages) and Agiaon (15 villages) of Patna and Bhojpur district respectively in Bihar state. There are eleven (11) villages of 2 major concerned districts named Patna and Bhojpur in Bihar state found as uninhabited villages in the study area.

There is no town found in the 10km radial study zone. There are four towns named Bikram, Masaurhi and Jehanabad of Patna district and Arrah of Bhojpur district available in the distance range of 5 to 40km from the villages of study zone.

Educational Facilities

There is a total no. of 168 Primary schools existing in the 10km radius study area. About 146 no of Middle schools are foundin the study area. About 121 Higher Secondary School (SS) and seventeen (17) Senior Secondary School (SSS) facility is available in the study area. The educational facilities have been further strengthening now and a number of private public schools and colleges are also functioning in the surroundings of the study area. Besides, there are Engineering and Medical colleges available in Towns and District headquarters only. Higher education facilities are available in Towns of the district. There is a considerable improvement in educational facility. The villages of the study area have no such facilities can reach within 5to 10km range. No town was found in the 10 km radial study area.

Availability of University Education in Patna District

University education facility is available in the district. Many courses are studied in these universities. These universities are Patna University, Chankaya Law University, Extension center of Magadh University, Regional Study Center of Indira Gandhi Open University, Regional Center of Maulana Azad Urdu University, Nalnda Open University etc.

Medical Facilities

The medical facilities are provided by different agencies like Govt. & Private individuals and voluntary organizations in the study area. As per the census 2011, only 26primary health centersexistin the study area; most of the study area villages depend upon the towns & district HQ of the study area having such facility. No community health centre exists in the study area. Only fourty-six (46)Primary Health Sub-Centers exists in the villages of the study area. Only twenty-seven(27) no of Mother & Child Welfare Centersarefound in the study area. Noallopathic hospitalexists in the study area. Only ten (10)medical dispansaries are found in the study area. Only nineteen (19) Family Welfare Centersare found in the study area. Overall study area villages are served by average medical facilities. Specialized medical facilities are available only in towns and District Headquarter (HQ) only.

Potable Water Facilities

Potable water facility is available in most of the villages of the study area. The entire study area has average level of potable water facilities. Hand Pump(HP) water facility is commonly observed in the study area as potable water facility. Out of the total 151 villages,only66 villages (43.7%) are served with River/Canal water in the study area. As per the census



records 2011, about5(3.3%) villages are being served with Tank/Pond/Lake as potable water facility in the study area.

Communication, Road & Transport Facilities

Apart from Post &Telegraph Office (PTO) services, transport is the main communication linkage in the study area. Compiled census 2011, data shows that the study area has good postal facilities in the 10km radius zone. About 54 villages(35.8%) were foundserving with Post Office facilities in the study area, remaining villages are depending upon towns of the study area. The study area has average rail and road network, passes from the area.

Only 02 villagesnamed Paipura Khurd and Parura Rampur of Patna and Bhojpur districts werefound with railway station facility in the study area.

Project site falls under Mauja - Saraiya, Ranitalab, Nisarpura and Kab. Nearest road is NH 139 at distance of 2.0 km in SE direction. Nearest Railway station is Bihta Railway station at distance of 23 km in NE. Nearest Airport is JPN International Airport at a distance of 42 km in NE direction.

.

Communication (Patna District)

Roads - The district of Patna is well served by a network of roads. Road communication is the main mode of transportation in this district. The roads are classified as the National Highways, State Highways, Major district roads and other district roads. They are maintained by the Public Works Department, the Rural Engineering Organisation, the Zila Parishad and Municipalities. It is also connected with the interior of the district by metalled road. Five National Highway (NH) and Three State Highway (SH) cross the district. NH-2, NH-19, NH-30, NH-31 and NH-83 pass through the district. SH-1, SH-2 and SH-4 also pass through the district.

Railways - The district of Patna has a railway communication system. It is served by East Central Railway.

The main line of the East Central Railway passes through the entire length of the district running parallel to the Ganges. There are two railway lines running across the district from north to south, viz., the Patna – Gaya Branch and Bakhtiyarpur- Rajgir line. The third Fatuha

- Islampur line is under construction. All three are branches of the East Central Railway. With the opening of the famous Patna-Hajipur Bridge (Mahatma Gandhi Setu), the ferry service connecting the capital with the North-Eastern Railway System has ceased to function.

Airways - Patna is connected by air to Calcutta, Delhi and Mumbai and a few other places by daily flights. There is an aerodrome near Phulwarisharif and another at Bihta.

Boats – The Ganges is navigable throughout the year and there is considerable boat traffic for transporting cargo. The smaller rivers, e.g., Punpun and Dardha become navigable only during the rains when they are used for transporting agricultural produce to the grain market at Fatuah. A ferry service has been started from Haldiya to Allahabad for transportation. The National Waterway-1 also passes through the district.

Banking Facility

The study area has almost all the schedule commercial banks with ATM facility at urban areas and the district HQ.

Trade and Commerce

The development of the means of communication has had a great impact on the trade and commerce of the district. The district may now be said to be fairly well- connected by Road and Rail. Patna town is the hub of commercial activities of the district. Its central position at the junction of the three great rivers, viz., the Sone, the Gandak and the Ganges gives it an additional advantage for the purpose of transport by river. The city proper comprises the large business quarters such as Marufganj, Mansurganj, the *Chawk* with Mirchaiganj, Maharajganj and other petty *bazars*. Marufganj is by far the most important of any of the marts in the city. Besides the city of Patna, other important trade centres in the district are Dinapur, Barh, Mokameh, Fatwah and Masaurhi. In Patna district, trade consists mainly of export of pulses, dry chilies, castor seed, milk products and vegetables and import of cotton textiles, iron and steel products, cement, coal and consumer goods.

Mines and Minerals

The geological formation of the entire district of Patna is alluvial built-up with the alluvium brought down by the Ganges and deposited by it and its tributaries. No mineral of any kinds is found in the district except sand.

Power Supply



It is revealed from the compiled information on amenities availability as per the census record of 2011; most of the villages and towns are electrified for Domestic, Agriculture, and Commercial& for allpurposes. About 60villages (39.7%) of the study area are electrified for domestic purpose, 34villages (22.5%) for agricultural purpose, and 26villages (17.2%) for commercial purpose and for all purposes in the study area. Out of 151 villages in the study area, 91villages (60.3%) including 11uninhabited villages (7.3%) are not electrified for any purpose in the study area.

The district Patna receives its entire power supply from the Barauni Thermal Power Station, the Patratu Thermal Power Station and NTPC. All the 12 towns of Patna district have electricity. In rural areas also, the pace of electrification has been comparatively fast. In terms of proportion Patna is, better provided with electricity than many other districts of the State. The Government is paying full attention to provide electricity to villages under the Rural Electrification Scheme. The main consumption of electricity in the rural areas is for agricultural purposes. Total numbers of villages electrified in the district are 1012.

Village/town wise Basic Infrastructure and Amenities availabilities data for the entire study area is compiled and presented in **Table 3.37** as follows;

BASELINE DATA DESCRIPTION

Table 3.37 : Village wise Basic Amenities Availability

Name of the	E	duca	tio	nal			Me	dic	al			Dı	rin	kin	g V	Vat	ter	CT	Co	mn	nuni	cati	Ap	pro	ach	to	Po	wer S	Sup	ply	Nearest Town
Village/Town																					1 &		th	e Vi	llaş	ge					& Distance, km
		1		l							1				1		1				spo			1	1	ľ		1	ľ		
	P	M	S	S	C	P		M	H			T	W	H		R			P	P	В	R	P	K		F	E	E	E	E	
			S	S				C			W			P	W		k		O	T	S	S	R	R	W	P	D	Ag.	C	A	
				S	C	C		W			C									O											
							C	C																							
1. District Pa	atna,	, Bih	nar																												
Patut	1	1	1	2	0	0	1	0	0	0	0	2	1	1	1	2	2	2	1	2	2	2	1	1	2	1	1	2	2	2	Bikram,5km
Barah	1	1	1	0	0	1	1	1	0	1	1	2	1	1	2	2	2	2	1	2	2	2	1	2	2	1	1	1	2	2	Bikram,10km
Birdhaur	1	1	1	0	0	1	1	1	0	1	1	2	2	1	1	1	2	2	1	2	2	2	2	2	2	1	1	2	2	2	Bikram,6km
Berar	2	2	2	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	2	2	2	2	1	2	2	1	1	1	1	1	Bikram,8km
Janpara	1	1	1	0	0	1	1	1	0	1	1	2	2	1	1	2	2	2	2	2	2	2	1	2	2	1	1	1	2	2	Bikram,15km
Lahladpur	1	1	1	0	0	0	0	0	0	0	0	2	2	1	1	1	2	2	1	2	2	2	2	2	2	1	2	2	2	2	Bikram,15km
Dullahpur	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	1	1	2	2	1	1	1	1	1	1	2	2	Bikram,10km
Donrapur	1	1	1	0	0	0	0	0	0	0	0	2	2	1	1	1	2	2	2	2	2	2	1	1	1	1	1	1	2	2	Bikram,8km
Wazirpur	1	1	1	1	0	0	0	0	0	0	0	2	2	1	2	1	2	2	1	1	2	2	1	1	2	1	1	2	2	2	Bikram,5km
Raghunathpur	3	3	3	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	2	2	1	2	2	2	2	1	2	2	2	2	Bikram,6km



BASELINE DATA DESCRIPTION

Kanpa	1	1	1	0	0	0	1	0	0	0	0	2	1	1	2	2	2	2	2	2	1	2	1	2	2	1	2	2	2	2	Bikram,7km
Saidabad	2	2	2	0	0	0	0	0	0	0	0	2	2	1	1	1	2	2	1	2	1	2	1	1	2	1	2	2	2	2	Bikram,8km
Anharipur	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	2	2	2	2	1	2	2	1	1	2	2	2	Bikram,10km
Gona	1	1	1	0	0	1	1	1	0	1	1	2	2	1	2	1	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Bikram,10km
Habaspur	1	1	1	0	0	0	0	0	0	0	0	2	2	1	1	1	2	2	1	2	2	2	1	1	1	1	1	2	2	2	Bikram,7km
Chandni	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	2	2	1	2	2	2	2	1	2	2	2	2	Bikram,10km
Barda	1	1	1	0	0	0	0	0	0	0	0	2	1	1	1	1	2	2	2	2	2	2	2	1	2	1	1	1	1	1	Bikram,7km
Gopalpur	1	1	1	0	0	1	1	1	0	1	1	2	2	1	1	2	2	2	2	2	2	2	2	1	2	1	2	2	2	2	Bikram,7km
Bara	1	1	1	0	0	0	0	0	0	0	0	2	1	1	1	1	2	2	2	2	1	2	2	1	2	1	1	1	1	1	Bikram,7km
Beni Bigha	1	1	1	0	0	0	1	0	0	0	0	2	2	1	1	1	2	2	1	2	2	2	1	1	1	1	1	1	2	2	Bikram,8km
Chihunta	1	1	1	0	0	1	1	1	0	1	1	2	2	1	1	1	1	2	2	2	2	2	2	1	1	1	2	2	2	2	Bikram,8km
Shahjahanpur	1	1	1	0	0	1	1	1	0	1	1	2	2	1	1	1	2	2	2	2	2	2	1	1	1	1	1	1	2	2	Bikram,7km
Baigawan	1	1	1	0	0	0	0	0	0	0	0	2	2	1	1	1	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Bikram,7km
Hathsar	1	1	1	0	0	1	1	1	0	1	1	2	2	1	1	1	2	2	2	2	2	2	2	1	2	1	1	1	1	1	Bikram,7km
Painapur	1	1	1	0	0	0	1	0	0	0	0	2	2	1	1	2	2	2	2	2	1	2	2	2	2	1	2	2	2	2	Bikram,3km
Chichourha	1	1	1	0	0	1	1	1	0	1	1	2	2	1	1	1	2	2	1	2	2	2	1	1	2	1	2	2	2	2	Bikram,3km
Jamalpur	1	1	1	0	0	1	1	1	0	1	1	2	2	1	1	1	2	2	2	2	2	2	1	1	2	1	1	2	2	2	Bikram,3km
Baijalpur	1	1	1	0	0	0	0	0	0	0	0	2	2	1	1	2	2	2	1	2	2	2	1	1	2	1	1	1	1	1	Masaurhi,24km
Nisarpura	1	2	2	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	2	2	1	2	1	1	2	1	1	1	1	1	Masaurhi,27km



BASELINE DATA DESCRIPTION

Kab	1	1	1	2	0	1	1	1	0	1	1	2	1	1	1	2	2	2	1	1	1	2	1	2	1	1	1	1	1	1	Masaurhi,24km
Dorwan	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	2	2	2	2	2	1	1	1	1	2	2	2	Masaurhi,21km
Belhauri	3	3	3	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	1	1	1	2	1	1	2	1	1	1	1	1	Masaurhi,19km
Silhouri	4	4	4	0	0	0	0	0	0	0	0	2	1	1	2	1	2	1	2	2	2	2	1	1	2	1	1	1	1	1	Masaurhi,19km
Pathak Milki	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	2	2	2	2	2	1	2	1	1	1	1	1	Masaurhi,18km
Chhotka Kharwa	1	1	1	0	0	1	1	1	0	1	1	2	2	1	2	2	2	2	1	1	1	2	1	1	2	1	1	1	1	1	Masaurhi,19km
Barka Kharwa	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	2	2	2	2	1	1	2	1	1	1	1	1	Masaurhi,17km
Bharbhesar	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	2	2	1	2	1	1	2	1	1	1	1	1	Masaurhi,19km
Bharathpura	1	1	1	1	0	1	1	1	0	1	1	2	2	1	1	1	2	2	1	2	2	2	1	2	2	1	1	1	1	1	Masaurhi,17km
Alipur	1	1	1	0	0	0	0	0	0	0	0	2	2	1	1	1	2	2	2	2	2	2	2	2	1	1	1	1	1	1	Masaurhi,19km
Raksia	2	1	1	0	0	0	0	0	0	0	0	2	2	1	1	2	2	2	2	2	1	2	1	1	2	1	1	1	1	1	Masaurhi,21km
Khapuri	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	2	2	2	2	1	1	1	1	1	2	2	2	Masaurhi,22km
Ganipur			I	I			I		ı	ı		ı	J	Jniı	nha	bite	ed V	Villa	ige		ı	ı	I	I					1		Masaurhi,22km
Bhadsara	5	5	5	2	0	0	1	0	0	0	0	2	1	1	1	2	2	2	1	2	1	2	1	1	2	1	1	1	1	1	Masaurhi,20km
Gulal Chak	1	1	1	0	0	0	0	0	0	0	0	2	2	1	1	1	2	2	2	2	2	2	1	1	1	1	1	2	2	2	Masaurhi,20km
Bhalua	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	2	2	2	2	2	1	1	1	1	2	2	2	Masaurhi,21km
Sadawe	1	1	1	0	0	0	1	0	0	0	0	2	2	1	2	1	2	2	1	2	2	2	1	1	1	1	1	2	2	2	Masaurhi,21km
Andehri	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	2	2	2	2	2	1	2	1	1	1	1	1	Masaurhi,23km
Baduri	1	1	1	0	0	0	0	0	0	0	0	2	2	1	1	2	2	2	1	2	2	2	2	1	2	1	1	1	1	1	Masaurhi,23km



BASELINE DATA DESCRIPTION

Paipura Khurd	2	2	2	0	0	0	0	0	0	0	0	2	2	1	1	1	2	2	2	2	1	1	1	1	2	1	1	1	1	1	Masaurhi,24km
Rajipur	1	1	1	1	0	0	0	0	0	0	0	2	2	1	1	2	2	2	1	2	2	2	2	1	1	1	1	1	1	1	Masaurhi,25km
Saraiya	1	1	1	0	0	0	0	0	0	0	0	2	2	1	1	2	2	2	2	2	2	2	1	1	2	1	1	1	1	1	Masaurhi,27km
Achhua	1	1	1	0	0	0	1	0	0	0	0	2	2	1	1	1	2	2	1	2	2	2	1	1	2	1	1	1	1	1	Masaurhi,22km
Bali Pakar	1	1	1	0	0	0	0	0	0	0	0	2	1	1	2	2	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Jehanabad,21km
Kalyanpur	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	2	2	2	2	1	2	2	1	2	2	2	2	Jehanabad,25km
Jalpura	1	1	1	0	0	1	1	1	0	1	1	2	2	1	2	1	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Jehanabad,28km
Masaurha	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	1	2	2	2	1	1	2	1	2	2	2	2	Jehanabad,28km
Udaipur	1	1	1	0	0	0	0	0	0	0	0	2	2	1	1	1	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Jehanabad,30km
Mohbalipur	4	4	4	1	0	0	1	0	0	0	0	2	1	1	2	1	2	2	1	2	1	2	1	1	1	1	1	2	2	2	Jehanabad,28km
Mohabbatpur	1	1	1	0	0	0	0	0	0	0	0	2	2	1	1	2	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Jehanabad,27km
Ranipur	1	1	1	0	0	0	0	0	0	0	0	2	2	1	1	2	2	2	2	1	2	2	1	1	2	1	1	2	2	2	Jehanabad,27km
Fatehpur	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	1	2	2	2	2	1	2	1	2	2	2	2	Jehanabad,25km
Hasanpur	0	0	0	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	2	2	2	2	1	2	2	1	1	2	2	2	Jehanabad,25km
Dariapur Pem	2	2	2	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	2	2	2	2	1	1	2	1	1	2	2	2	Jehanabad,26km
Paipura Kalan	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	1	2	2	2	1	1	1	1	2	2	2	2	Jehanabad,25km
Ijarta	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	2	2	2	2	1	2	2	1	2	2	2	2	Jehanabad,25km
Dharahra	5	5	5	1	0	0	0	0	0	0	0	2	2	1	1	1	2	2	2	1	2	2	1	1	1	1	2	2	2	2	Jehanabad,24km
Milki	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	2	2	2	2	2	2	2	1	1	2	2	2	Jehanabad,25km



BASELINE DATA DESCRIPTION

Dariapur Anant	1	1	1	0	0	0	0	0	0	0	0	2	2	1	1	1	2	2	2	2	2	2	1	1	2	1	1	2	2	2	Jehanabad,25km
Nirakpur Pali	5	5	5	4	0	0	1	1	0	0	1	2	1	1	1	2	2	2	1	1	1	2	1	1	2	1	1	2	2	2	Jehanabad,24km
Akhtiarpur Pali	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	2	2	2	2	2	1	1	1	2	2	2	2	Jehanabad,23km
Kurkuri	2	1	1	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	1	2	1	2	1	2	2	1	2	2	2	2	Jehanabad,26km
Bibipur	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	2	2	2	2	1	2	2	1	1	1	1	1	Jehanabad,28km
Harpur Ankuri	1	1	1	0	0	0	0	0	0	0	0	2	1	1	2	2	2	2	1	2	2	2	1	2	2	1	1	2	2	2	Jehanabad,29km
Sarsi	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	1	2	2	2	1	2	2	1	1	1	1	1	Jehanabad,29km
Muhammadpur	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	2	2	1	2	1	1	1	1	1	1	1	1	Jehanabad,30km
Bherharia	2	2	2	0	0	0	0	0	0	0	0	2	1	1	1	1	2	2	2	2	2	2	1	1	2	1	1	2	2	2	Jehanabad,30km
Mohibalipur																															
Chak													U	nir	nha	bite	ed V	Villa	ige												Jehanabad,30km
Ghurna Bigha	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	2	2	2	2	2	1	2	1	2	2	2	2	Jehanabad,28km
Habsapur	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	2	2	2	2	2	1	1	1	2	2	2	2	Jehanabad,27km
Pipardaha	1	1	1	0	0	0	0	0	0	0	0	2	1	1	2	1	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Jehanabad,25km
Belaunra	1	2	2	0	0	0	1	0	0	0	0	2	2	1	2	1	2	2	1	2	2	2	1	1	2	1	2	2	2	2	Jehanabad,29km
Rampur Nagwan	1	2	2	0	0	0	0	0	0	0	0	2	2	1	1	1	2	2	2	2	2	2	1	2	2	1	2	2	2	2	Jehanabad,24km
2. District Bl	hojp	ur, I	Patn	a	•			•		•									•				•			'					
Sarimpur Bachri	1	0	0	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	2	2	1	2	1	1	2	1	2	2	2	2	Arrah,30km
Lodipur	1	1	0	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Arrah,30km



BASELINE DATA DESCRIPTION

Narainpur	1	1	0	0	0	1	1	1	0	0	1	2	2	1	2	2	2	2	2	2	1	2	1	1	2	1	2	2	2	2	Arrah,30km
Nansagar	0	0	0	0	0	1	1	1	0	0	1	2	2	1	2	2	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Arrah,30km
Nasratpur	1	1	1	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	1	2	1	2	1	1	2	1	2	2	2	2	Arrah,26km
Chilhauns	2	1	1	0	0	0	1	0	0	0	0	2	2	1	2	2	2	2	1	2	1	2	1	1	2	1	2	2	2	2	Arrah,30km
Turkaul	2	0	0	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	2	2	1	2	1	1	2	1	1	2	2	2	Arrah,30km
Jansara	1	1	0	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	2	2	1	2	1	1	2	1	2	2	2	2	Arrah,30km
Ahpura	1	1	0	0	0	0	0	0	0	0	0	2	2	1	1	2	2	2	2	1	1	2	1	1	2	1	1	1	2	2	Arrah,30km
Salempur	0	0	0	0	0	0	0	0	0	0	0	2	2	1	1	2	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Arrah,32km
Sandesh	1	0	1	1	0	1	1	1	0	1	1	2	2	1	2	1	1	2	1	1	1	2	1	1	2	1	1	2	2	2	Arrah,30km
Panpura	0	0	0	0	0	0	0	0	0	0	0	2	2	1	1	1	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Arrah,30km
Kanharpur	1	1	0	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	2	2	1	2	1	1	2	1	2	2	2	2	Arrah,32km
Chela	1	1	0	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	2	2	1	2	1	1	2	1	2	2	2	2	Arrah,30km
Panrepur	1	0	0	0	0	0	0	0	0	0	0	2	2	1	1	2	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Arrah,30km
Basauri	0	0	0	0	0	0	0	0	0	0	0	2	2	1	1	2	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Arrah,30km
Gaighat				ı									J	Jniı	nha	bite	ed '	Villa	ige				I	I					1	ı	Arrah,30km
Bhanpura													J	Jniı	nha	bite	ed '	Villa	ige												Arrah,30km
Dihra	1	1	0	0	0	1	1	1	0	1	1	2	2	1	1	1	2	2	1	1	2	2	1	1	1	1	2	2	2	2	Arrah,22km
Maniach	2	2	0	0	0	1	1	1	0	0	1	2	2	1	1	2	2	2	1	2	2	2	1	1	1	1	2	2	2	2	Arrah,22km
Bichhiaon	1	1	0	0	0	1	1	1	0	0	1	2	2	1	2	2	2	2	1	2	2	2	1	1	1	1	2	2	2	2	Arrah,22km



BASELINE DATA DESCRIPTION

Dharampur	2	1	0	0	0	1	1	1	0	0	1	2	2	1	1	2	2	2	1	2	2	2	1	1	1	1	2	2	2	2	Arrah,22km
Surungapur	1	0	0	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Arrah,30km
Chauria				•	•								Ţ	Jni	nha	bite	ed '	Villa	ige	•				•				•			Arrah,30km
Dalelganj	1	1	0	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	2	2	2	2	1	1	1	1	2	2	2	2	Arrah,30km
Parura Rampur	1	1	0	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	1	1	1	1	1	1	1	1	2	2	2	2	Arrah,25km
Kusra	1	0	1	0	0	0	0	0	0	0	0	2	1	1	1	1	1	2	1	2	2	2	1	1	1	1	2	2	2	2	Arrah,30km
Parura	1	1	0	0	0	0	1	0	0	1	0	2	2	1	2	1	1	2	1	1	1	2	1	1	1	1	2	2	2	2	Arrah,30km
Deoar	1	1	0	0	0	0	1	0	0	0	0	2	2	1	2	1	1	2	1	2	2	2	1	1	1	1	2	2	2	2	Arrah,30km
Akhgaon	1	1	1	0	0	1	1	1	0	0	1	2	2	1	2	2	2	2	1	2	1	2	1	1	2	1	1	2	2	2	Arrah,30km
Partappur	1	1	0	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	1	2	2	2	1	1	2	1	1	2	2	2	Arrah,30km
Kholpur	1	0	0	0	0	0	1	0	0	0	0	2	2	1	1	2	2	2	1	2	2	2	1	1	1	1	2	2	2	2	Arrah,30km
Dehri	1	1	0	0	0	0	1	0	0	0	0	2	2	1	1	2	2	2	2	2	2	2	1	1	1	1	2	2	2	2	Arrah,30km
Bardiha	1	0	0	0	0	0	0	0	0	0	0	2	2	1	1	2	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Arrah,30km
Jamuaon	2	1	1	0	0	1	1	1	0	0	1	2	2	1	2	2	2	2	1	2	2	2	1	1	2	1	2	2	2	2	Arrah,30km
Udaibhanpur	0	0	0	0	0	0	0	0	0	0	0	2	1	1	2	2	2	2	2	2	2	2	1	1	1	1	2	2	2	2	Arrah,25km
Bara	1	1	0	0	0	0	0	0	0	0	0	2	2	1	1	2	1	2	2	2	2	2	1	1	1	1	2	2	2	2	Arrah,24km
Bartiar	1	1	0	0	0	0	0	0	0	0	0	2	2	1	1	2	2	2	2	2	2	2	1	1	1	1	2	2	2	2	Arrah,24km
Kosdihra	1	0	0	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	2	2	2	2	1	1	1	1	2	2	2	2	Arrah,30km
Kori	1	1	1	0	0	0	1	0	0	0	0	2	2	1	1	2	2	2	1	1	1	2	1	1	2	1	1	2	2	2	Arrah,30km



BASELINE DATA DESCRIPTION

Baranhpur	0	0	0	0	0	0	0	0	0	0	0	2	1	1	1	2	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Arrah,28km
Khandaul	1	1	0	0	0	0	0	0	0	0	0	2	2	1	2	1	2	2	2	1	1	2	1	1	2	1	1	1	2	2	Arrah,30km
Phulari	3	1	1	0	0	0	1	0	0	0	0	2	2	1	2	2	2	2	1	2	1	2	1	1	2	1	1	2	2	2	Arrah,30km
Bhatauli	1	1	1	0	0	0	0	0	0	0	0	2	2	1	1	1	2	2	1	2	2	2	1	1	2	1	2	2	2	2	Arrah,20km
Chanchar			•		•			•					J	J ni i	nha	abit	ed '	Villa	ige			•	•								Arrah,20km
Raman Sanrh	1	1	1	0	0	0	1	0	0	1	0	2	2	1	1	1	2	2	1	2	2	2	1	1	2	1	2	2	2	2	Arrah,20km
Patkhaulia	1	0	0	0	0	0	0	0	0	0	0	2	1	1	2	2	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Arrah,30km
Pinjroi	1	0	0	0	0	0	0	0	0	0	0	2	2	1	1	1	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Arrah,30km
Mahadeopur			ı										J	Jni	nha	abit	ed '	Villa	ige		1		ı								Arrah,30km
Ahiman Chak	1	0	0	0	0	0	0	0	0	0	0	2	2	1	1	1	2	2	2	2	1	2	1	1	2	1	2	2	2	2	Arrah,30km
Khemkaranpur			ı										Ţ	Jni	nha	abit	ed '	Villa	ige		1		ı								Arrah,30km
Baga	2	1	0	0	0	0	1	0	0	0	0	2	2	1	1	2	2	2	1	2	2	2	1	1	2	1	2	2	2	2	Arrah,30km
Bhikham Chak	0	0	0	0	0	0	0	0	0	0	0	2	2	1	1	2	2	2	2	2	1	2	1	1	2	1	2	2	2	2	Arrah,30km
Balra			ı										J	Jni	nha	abit	ed '	Villa	ige		1		ı								Arrah,30km
Ahila	1	1	0	0	0	0	1	0	0	0	0	2	1	1	1	1	2	2	1	1	2	2	1	1	2	1	2	2	2	2	Arrah,30km
Kheri	1	1	0	0	0	0	0	0	0	0	0	2	2	1	1	2	2	2	2	2	2	2	2	2	2	1	2	2	2	2	Arrah,32km
Megharia	0	0	0	0	0	0	0	0	0	0	0	2	2	1	1	2	2	2	1	1	2	2	1	2	2	1	2	2	2	2	Arrah,35km
Kamaria	1	1	0	0	0	0	0	0	0	0	0	2	1	1	2	2	2	2	2	2	2	2	2	2	2	1	2	2	2	2	Arrah,35km
Kirkiri	3	1	0	0	0	1	1	1	0	0	1	2	1	1	2	1	2	2	1	2	2	2	1	2	2	1	2	2	2	2	Arrah,35km



BASELINE DATA DESCRIPTION

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

Narainaganj	0	0	1	1	0	0	0	0	0	0	0	2	2	1	1	1	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Arrah,40km
Dundhua		I					I				ı	ı	U	Jnir	ıha	bite	ed V	Villa	ge		I	I	I	I				ı	1	ı	Arrah,40km
Barhampur																															
Mehdanra	1	1	0	0	0	0	0	0	0	0	0	2	2	1	2	2	2	2	2	2	2	2	1	1	2	1	2	2	2	2	Arrah,25km
Chilhar	2	1	1	0	0	1	1	1	0	0	1	2	2	1	2	1	2	2	1	1	2	2	2	2	2	1	2	2	2	2	Arrah,25km
Tara Chak	1	1	0	0	0	1	1	1	0	1	1	2	2	1	2	2	2	2	2	2	2	2	2	1	2	1	2	2	2	2	Arrah,30km
Misraulia	1	0	0	0	0	0	0	0	0	0	0	2	1	1	2	2	2	2	2	2	1	2	1	1	2	1	2	2	2	2	Arrah,22km
Khopira	0	0	0	0	0	0	0	0	0	0	0	2	1	1	2	2	2	2	2	1	2	2	1	2	2	1	2	2	2	2	Arrah,22km
Lahauripur		•		•	•	•	•						U	nir	ha	bite	ed V	Villa	ge					•				•		•	Arrah,22km
Panwar	1	1	0	0	0	0	0	0	0	0	0	2	2	1	1	2	2	2	1	2	2	2	2	2	2	1	2	2	2	2	Arrah,18km
Ekauni	0	0	0	0	0	0	0	0	0	0	0	2	2	1	1	2	2	2	2	2	2	2	2	2	2	1	2	2	2	2	Arrah,19km
												Sta	itus	fo	r A	vai	lab	ility	and	l No	on-A	vail	abil	ity i	s sh	low	n as	A (1	() &	ζ	
	16	14	12									ΝA	A (2	2) r	esp	ecti	ivel	ly													
TOTAL (10km)	8	6	1	17	0	26	46	27	0	19	27																				

Source-http://www.censusindia.gov.in/2011census/dchb/DCHB.html

Abbreviations:

Educational Facilities: P-Primary School, M-Middle School, SS-Higher Secondary Schools, SSS-Senior Secondary School

Medical Facilities: CHC-Community Health Centre, PHC-Primary Health Centre, PHSC-Primary Health Sub-Centre, MCWC-Maternity and

Child Welfare Centre, H-Hospital, D-Dispensary, FWC-Family Welfare Centre



BASELINE DATA DESCRIPTION

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

Drinking Water Facilities: T-Tap Water, W-Well Water, HP-Hand Pump, TW-Tube Well Water, R-River Water, Tk-Tank Water, O-Other

Drinking Water Facility, CT-Community Toilet

Communication & Transport Facilities: PO-Post Office, SPO-Sub-Post Office, PTO-Post & Telegraph Office, Tel. -Telephone Connection,

Mob. -Mobile Phone Coverage, BS-Bus Services, RS-Railways Services

Approach to Village: PR-Paved Roads, KR-Kuchha Road, FP-Foot Path

Power Supply: ED-Power Supply for Domestic use, E Ag. -Power Supply for Agricultural use, EC- Power supply for Commercial use, EA-

Electricity for All Purposes

Nearest Town & Distance, km: a for < 5 Km, b for 5-10 Km and c for 10+ km of nearest place where facility is available is given.



Brief Description of Places of Religious, Historical or Archaeological Importance and Tourist interest in Villages and Towns of the District:(District level information only)

Brief description of place of religious, historical or archaeological and tourist interest are as follows:

Baikatpur -It is a village in Fatwah block, situated on the southern bank of the Ganges. It is noted for its Shiva temple said to have been built by Raja Man Singh, the famous General of Akbar's army. Weekly fairs are held on every Monday in the month of Shravana (July-August) and an annual fair on the occasion of Shivaratri.

Banarsi-The village lies on the southern bank of the Ganges about 3 kms. north of Barh railway station. It is noted for its old temple of Umanath. A large annual fair is held on the occasion of Shivaratri.

Bharatpura -The village is situated 14 kms. south of Bikram on the Bihta- Pali road. It is noted for its old library which has about 2,500 rare and old books, manuscripts and Tamraptras (copper plates).

Bihta -The village lies on the main line of the Eastern Railway about 25 kms. west of Patna. It is the headquarters of the block bearing the same name and has a large rice market. A large annual fair is held on the occasion of Shivaratri at Bihta.

Bijpura - It is a village situated about 14 kms. east of Taregna railway station. It is famous for its Kanhaiya-asthan built in the beginning of the 19th century.

Bir Oiara - The village is situated about 10 kms. east of Nadwan railway station. It is noted for its Shiva temple containing a four feet high image. Large fairs are held here on the occasion of Shivaratri and Basant Panchmi

Goraila - The village is situated 5 kms. south of the block headquarters at Naubatpur. It is famous for the tomb of the father of Makhdum Saheb of Biharsharif. It is a place of pilgrimage for the Mohammadans

Naubatpur - The village is the headquarters of the block bearing the same name. It has an Arya Samaj temple, built in thebeginning of this century.

Nawada - A village situated about 6 kms. north-east of Barh railway station. It contains an old tomb of a Muslim saint whichis held in high reverence not only by the Muslims but also by the Hindus.



Nisarpura - It is a village situated on the bank of river Punpun about 1.5 kms. south of the block headquarters at Naubatpur. It is noted for its large fairs held on the occasion of Makar Sankranti and Bisua

Pakri- The village, situated on the river Punpun, is the headquarters of Punpun block. A large number of Hindu pilgrimscongregate here during Pitripaksh, the second fortnight of Bhadrapad (September- October) to offer oblation totheir deceased ancestors.

Seonar- The village is situated about 1.5 kms. west of Mokameh. It is famous for its temple of Nilkanth Mahadeo. Anannual fair is held in the village on the occasion of Shivaratri.

Ular - The village lies about 13 kms. south of Bikram on the Bihta-Pali road. It is famous for its temple of Sun-God. Anannual fair is held here on the occasion of Chhat in the month of Kartik every year.

Patna - Patna is the largest town and headquarters of Patna district, Patna division and Bihar State. It lies on the main lineof the Eastern Railway and is well connected by road. It is mainly an administrative and educational centre. It has,however, a few ancient and sacred places as also places of tourist interest, the details of which are indicated below:

Phulwari- Phulwari town is situated on Patna-Khagaul road and is the headquarters of the block bearing the same name. It is an important place for the Muslims as it contains an old Khankah where the hairs of Prophet Mohammad are preserved. Every year on the occasion of Fateh-Duaz-Dahum (the birthday of the prophet) a large fair is held. It attracts an all India gathering. Phulwarisharif also has an old mosque built of red stone and known as Sangi-Masjid, believed to have been built by Emperor Humayun in 1533 AD.

9 - The town is situated at about 27 km west of Patna on Patna-Arrah road and is the headquarters of the block bearing the same name. The village derives its name from King Maniar, the remains of whose fortress still exist. It is traditionally believed that the marriage party of Lord Rama halted at Maner both on the outward and inward journeys from Ayodhya to Janakpur. The village has a magnificent tomb of the Muslim saint Makhdum Saheb, said to have been constructed by Emperor Jehangir in 1660 AD.



Social and Cultural Events

Fairs and festivals are held regularly in the district. Sombari Mela is held in the immediate vicinity of the Patna Civil Court building on each Monday in the month of Shravana. (July-August).

The main articles put up for sale during this fair are furnitures, utensils and plants of fruits and flowers. The Chhat festival is one of the most important and auspicious religious event for Patna district in general and Patna town in Particular. On the occasion the Sun God is worshipped. All ghats of Patna and all roads leading to these ghats are illuminated with sea of human heads moving around during this festival.

Rehabilitation & Resettlement (R & R)

Policy to be adopted (Central/State) in respect of the project affected persons including home or land oustees and landless labour. Hence, any planning with respect to Rehabilitation & Resettlement is not applicable.



Anticipated Environmental Impact And Mitigation Measures

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

4.0 GENERAL

Identification of all potential environmental impacts due to project is an essential step of Environmental Impact Assessment. In case of mining projects, impacts on biodiversity, air pollution, water pollution, waste management and social issues are significant. Both direct and indirect environmental impacts will be created on various environmental attributes due to proposed mining activity in the surrounding environment, during the operational phase.

The occurrence of sand (minor mineral) deposits, being site specific, their exploitation often does not allow for any choice except adoption of eco-friendly operation. Positive impacts on socio-economic environment are expected due to creation of employment opportunities. Mining activities are normally carried out over a long period which also encourages development in the area such as roads, schools, hospitals etc.

Keeping in mind, the environmental baseline scenario as detailed in Chapter III and the proposed mining activity described in Chapter II, it is attempted to assess the likely impact and its extent on various environmental parameters and likely mitigation measures to be adopted.

The following parameters are of significance in the Environmental Impact Assessment and are being discussed in detail:

- 1. Land Environment
- 2. Water Environment
- 3. Air Environment
- 4. Noise Environment
- 5. Biological Environment
- 6. Socio-Economic Environment
- 7. Solid Waste
- 8. Traffic Environment



Anticipated Environmental Impact And Mitigation Measures

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

4.1 LAND ENVIRONMENT

The proposed extraction of stream bed materials, mining below the existing streambed, and alteration of channel-bed form and shape may lead to several impacts such as erosion of channel bed and banks, increase in channel slope, and change in channel morphology if, the operations are not carried out scientific &systematically.

The mining and allied activities involved due to mining result in creation of temporary haul roads and formation of mined pits, etc. affecting the land use pattern. In this project, silt and clay are also produced as a constituent along with minerals, which are considered to be waste.

Anticipated Impacts:

- Mining activity will impact river bed topography by formation of excavation voids.
- River bed mining may bring in some change in topography at the nearby area of the mine lease.
- Stacks of solid waste generated from mining activity may hinder the flow of water in monsoon season.

Mitigation measures:

Adopting suitable, site-specific mitigation measures can reduce the degree of impact of mining on land. Some of the land-related mitigation measures are as follows:

- Excavated pits will get replenished annually in monsoon itself & will be restored to original.
- The mine working will remain confined to allotted river bed only, so it will not disturb any surface area outside the mine lease area which may affect topography or drainage.
- Solid waste will not be stacked on the bank side as it will hinder the flow of water in monsoon season.

PAIS

Anticipated Environmental Impact And Mitigation Measures

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

4.2 WATER ENVIRONMENT

Anticipated Impacts:

Mining of sand from within or near *river* has an indirect impact on the physico-chemical habitat characteristics during monsoon season. These characteristics include in stream roughness elements, depth, velocity, turbidity, sediment transport and stream discharge.

The detrimental effects, if any, to biota resulting from bed material mining are caused by following:

- ➤ Alteration of flow patterns resulting from modification of the *river*
- ➤ An excess of suspended sediment during monsoon season.

Mitigation measures

Project activity will be carried out only in the dry part of the Son River. Hence, none of the project activities affect the water environment directly. In the project, it is not proposed to divert or truncate any stream in monsoon season only. No proposal is envisaged for pumping of water either from the *River* (in monsoon) or tapping the ground water.

In the lean months, the proposed mining will not expose the base flow of the *River* and hence, there will not be any adverse impact on surface hydrology.

The deposit will be worked from the top surface up to a maximum depth of 3m below ground level or above the ground water table whichever comes first. Hence mining will not affect the ground water regime as well.

Further mining will be completely stopped during the monsoon seasons to allow the excavated area to regain its natural profile.

1

Anticipated Environmental Impact And Mitigation Measures

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

4.3 AIR ENVIRONMENT

Impact On Air Quality

The proposed project includes various activities like development of benches, approach roads, haul roads, excavation and transportation of mineral and waste materials. These operations generally result in generation of dust and thereby pose health hazards. However, it is proposed that adequate control measures will be provided at every stage of operation such as, water sprinkling at loading, unloading points and on haul roads before transportation to reduce the fugitive dust emissions.

The mining is proposed to be carried out by opencast manual method. The air borne particulate matter (PM10) generated by ore and waste handling operations, transportation and screening of ore is the main respirable air pollutant. The emissions of Sulphur dioxide (SO2), Nitrogen Oxides (NO2) contributed by vehicles plying on haul roads will be marginal. Prediction of impacts on air environment has been carried out taking into consideration proposed production and net increase in emissions.

4.3.1 Emissions Details

Loading - unloading and transportation of sand material, wind erosion of the exposed area and movement of light vehicles will be the main polluting source in the proposed mining activities releasing Particulate Matter (PM10) affecting Ambient Air of the area. Emission during, Loading and unloading was calculated by the area sources. Details of emission during loading/unloading and transportation on the haul road, wind erosion of the exposed area and road maintenance were discussed and combined impact was predicted in the worst case scenario under worst meteorological condition given as follows:

Loading and Unloading - US EPA, 2008, revision of emission factor for AP-42 was used to calculate emission of particulate matter released into the atmosphere during loading and unloading separately. Emission during loading was found more than during unloading. Emission of PM10 during loading was calculated and found to be 1.92 x 10⁻³ g/s/m² based on moisture



Anticipated Environmental Impact And Mitigation Measures

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

content 10-20% mine. It is assumed that moisture content was 10% and further moisture content will be increased to 10-20% to reduce emission of PM10 during unloading and average wind speed was 0.92 m/s as observed with site data as shown in wind rose and discussion of local meteorology of the area.

Haul Road - US EPA, 2006, revision of emission factor for AP-42 was used to calculate emission of particulate matter released into the atmosphere during transportation of ore and over burden by trucks operated per hour on haul road. Emission of PM10 due to transportation of sand on haul road was 1.65 x 10-4 g/s/m2 based on assumption that silt content spread on road surface was 5%, and efficiency of PM10 emission control 90%. Truck will be fully covered with tarpaulin material and emission of PM10 during on the haul road will be insignificant.

Based on the above consideration that there was low emission of PM10 during transportation of ore and overburden, however during loading & unloading, transportation of ore over the haul road, emission of PM10 of the exposed area due to wind erosion and movement of light vehicles on the road were not considered and combined with mining activities. US EPA based Dispersion ISCST-3 model was used for prediction of impact with 24-h meteorological data of the study period for the assessment of GLC.

4.3.2 Meteorological Data

The meteorological data recorded at hourly interval during the month of March to May 2023 on wind speed 0.92 m/s, wind direction, dry & wet bulb temperature, humidity, cloud cover and rainfall was processed to extract hourly mean meteorological data as per the guidelines of CPCB/MoEF for prediction of impacts from the area source. Stability was computed by Turner's method and mixing height was obtained from publication of IMD "Atlas of Hourly Mixing Height in India, 2008.

Data recorded from authorized source/Govt. agency were used as meteorological input for Dispersion Model which was stored in the computer for further analysis and interpretation to study the local meteorology of the study area. It was observed that westerly & north westerly was pre-dominant wind during summer as shown in wind rose (Figure 4.1) with low wind speed



and 13.6 % calm condition was observed during study period at the site which was very much close and cumbersome with long term meteorological data of IMD. Average wind speed was 0.92m/s. Impact of the pollutants was anticipated in southeast sector under influence of northeasterly & westerly winds. Ambient air quality locations were selected based on the long term wind rose pattern of the area. Air quality sampling locations were finalized to study the baseline status around the proposed site and to study impact at various locations. 24-h maximum impact of PM10 was envisaged in southeast sector at very short distance from the site due to moderate to low wind speed.




Figure 4.1: Wind Rose Diagram

Anticipated Environmental Impact And Mitigation Measures

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

Stable atmospheric condition E & F dominates in early morning and night hours and B, C & D in day hours were observed. Pollutants were dispersed from the proposed source under influence of local meteorology and dispersed on the ground in downwind direction close (~100 m) to the source under influence of moderate to low wind speed. High temperature and low humidity were observed at site with high temperature in day hours and low during night. There was no significant rain fall received and sky was clear of clouds in most of the days.

4.3.3 Frame work of Computation & Model details

By using the above-mentioned inputs, ground level concentrations due to the mining activities have been estimated to know the incremental rise in ambient air quality and impact in the study area. The effect of air pollutants upon receptors are influenced by concentration of pollutants and their dispersion in the atmosphere. Air quality modeling is an important tool for prediction, planning and evaluation of air pollution control activities besides identifying the requirements for emission control to meet the regulatory standards and to apply mitigation measures to reduce impact caused by mining activities.

PM10 was the major pollutant occurred during mining activities. Impact of area source emission was considered and prediction of impact was made on various monitoring locations in the study area due to i) loading and unloading and iii) transportation of vehicles on the haul road in the mining area. Impact was predicted in the worst case scenario due to combined impact of loading and unloading and emission due to transportation of vehicles on mine on haul road of mining area and other mining activities will occur simultaneously.

Impact was predicted over the distance of 10,000 m and 2,000 m around the source in grids of 200m & 20 m respectively in Cartesian coordinates(X, Y) to assess the impact at each receptor separately at the various locations and maximum incremental GLC value at the project site. Maximum impact of PM10 was observed close to the source—due to low to moderate wind speeds. Incremental value of PM10 was superimposed on the base line data monitored—at the proposed site to predict total GLC of PM10 due to combined impacts.

Mitigation measures



Anticipated Environmental Impact And Mitigation Measures

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

The collection and lifting of minerals will be done by loaders. Therefore, the dust generated is likely to be insignificant as there will be no drilling & blasting. The only air pollution sources are the road transport network of the trucks. The mitigation measures like the following will be resorted:

- ✓ Water sprinkling will be done on the haul roads twice in a day.
- ✓ Deploying PUC certified vehicles to reduce their emissions
- ✓ Proper tuning of vehicles to keep the gas emissions under check
- ✓ Monitoring to ensure compliance with emission limits would be carried out during operation
- ✓ There is no major source of emissions except emission from combustion of fuels from the Transportation Vehicles and Material Handling.
- ✓ Besides this, to control the emissions further regular preventive maintenance of Equipment / Transportation Vehicles will be carried out on contractual basis.
- ✓ It will be ensured that all transportation vehicles carry a valid PUC certificate.
- ✓ Plantation will be carried out along the approach road, river banks & at all strategic places in the vicinity area.
- ✓ Periodic air quality monitoring will be done to assess the quality and for timely corrective actions.
- ✓ Water sprinkling will be done on the haul roads twice in a day. This will reduce dust emission further.
- ✓ Speed limits will be enforced to reduce airborne fugitive dust from vehicular traffic.
- ✓ Spillage from the trucks will be prevented by covering tarpaulin over the trucks.

4.4 NOISE ENVIRONMENT

The proposed mining activity is semi-mechanized in nature. No drilling & blasting is envisaged for the mining activity. Hence, the only impact is anticipated is due to movement of vehicles deployed for transportation of minerals.

Anticipated Impacts:

• Mental disturbance, stress& impaired hearing.



- Decrease in speech reception& communication.
- Distraction and diminished concentration affecting job performance efficiency.

The noise level in the working environment are compared with the standards prescribed by Occupational Safety and Health Administration (OSHA-USA) which has been adopted and enforced by the Govt. of India through model rules framed under Factories Act, 1980 and CPCB 2000 norms. The summary of the permissible exposures in cases of continuous noise as per above rules is given below:

Table 4.1, Damage risk criteria for hearing loss OSHA regulations

Maximumallowable duration	Sound pressure dB(A)	Remarks
per day in hour		
(1)	(2)	(3)
8.0	90	1. For any period of
6.0	92	exposure falling in
4.0	95	between any figure and
3.0	97	lower figure as
2.0	100	indicated in column
1 1/2	102	(1), the permissible
1	105	sound is to be
3/4	107	determined by
1/2	110	extrapolation or
1/4	115	proportionate scale. 2. No exposure in excess of 115 dB (A) is permissible.

Noise at lower levels (sound pressure) is quite acceptable and does not have any bad effect on human beings, but when it is abnormally high- it incurs some maleficent effects.

a. Mitigation measures

The following measures have been envisaged to reduce the impact from the transportation of minerals:

• The vehicles will be maintained in good running condition so that noise will be reduced to minimum possible level.

Anticipated Environmental Impact And Mitigation Measures

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

- In addition, truck drivers will be instructed to make minimum use of horns in the village area and sensitive zones.
- No such machinery is used for mining which will create noise to have ill effects.
- Awareness will be imparted to the workers about the permissible noise levels & maximum exposure to those levels.

4.5 BIOLOGICAL ENVIRONMENT

Mining which leads to the removal of channel substrate, re-suspension of streambed sediment and stockpiling on the streambed, will have ecological impacts. These impacts may have an effect on the direct loss of stream reserve habitat, disturbances of species attached to streambed deposits, reduced light penetration, reduced primary production, and reduced feeding opportunities. Sand mining generates additional traffic, which negatively impairs the environment.

Anticipated Impacts:

Flora

The proposed project of river bed sand mining shall be carried out on the riverbed of Son River. There are no trees in the project area. The project shall also not lead to any change in land use and will be replenished every year after successive rains. The proposed mining activity, which although is an economically gainful activity, also constitutes river training work. It allows for necessary dredging activity which may otherwise lead to flooding of the valley.

There shall be negligible air emissions or effluents from the project site during loading of the truck. This shall be a temporary effect and not anticipated to affect the surrounding vegetation significantly.

Fauna

Animals are sensitive to noise and avoid human territory. The project stretch of the river is not an identified drinking water point for the animals. However, any animal desirous of accessing the river can continue to do so upstream or downstream of the stretch during the mining activities, as



Anticipated Environmental Impact And Mitigation Measures

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

there will not be any damming or diverting of water. Hence, no significant impact is anticipated from the proposed project.

Mitigation measures

As the proposed mining will be carried out in a scientific manner, not much significant impact is anticipated, however, the following mitigation measures will be taken to further minimize it:

Flora

Although, the project will not lead to any tree cutting, plantation activities shall be undertaken to improve the vegetation cover of the area. To avoid dust emissions, the mined materials will be covered with tarpaulin during transportation.

Fauna

The workers shall be directed to not venture out of the leased area for collecting fuel wood, or hunting. They shall also be trained not to harm any wildlife. No work shall be carried out after sunset.

4.6 TRAFFIC ANALYSIS

Transportation Route:

The sand extracted will store the nearby storage point. From there sand will be transported to the market. Sand will be stored in to storage point and from there it will be transported in the night time when traffic load is low on nearest SH or NH.






FIGURE 4.1 MAP SHOWING EVACUATION ROUTE FOR PATNA SON 21

Traffic analysis is carried out by understanding the existing carrying capacity of the roads near to the project site and the connecting main roads in the area. Then depending on the capacity of the mine, the number of trucks that will be added to the present scenario will be compared to the carrying capacity.

Table 4.2 (i): Existing Traffic Scenario & LOS for Block 21

Road	V	C	Existing V/C Ratio	LOS
National Highway (NH-922)	2500	15000	0.16	A

Source: Capacity as per IRC: 64-1990

V= Volume of Vehicles in PCU's/day & C= Capacity of Road in PCU's/day
The existing Level of Service (LOS) is "A" & "B" i.e. excellent & very good.



Anticipated Environmental Impact And Mitigation Measures

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

V/C	LOS	Performance
0.0 - 0.2	A	Excellent
0.2 - 0.4	В	Very Good
0.4 - 0.6	С	Good / Average / Fair
0.6 - 0.8	D	Poor
0.8 - 1.0	Е	Very Poor

Reference: ENVIS Technical Report, IISc, Bangalore.

During Mine operation for Sand Block 21

Proposed Capacity of Mine/annum : 992268 TPA

No. of working days : 250 days

Proposed Capacity of mine/day : 3969

Truck Capacity : 16 tonnes

No. of trucks deployed/day : 248.06 or 248

Increase in PCU/day (248*3) : 744

Table 4.2 (ii): Modified Traffic Scenario & LOS

Road	V	C	Modified V/C Ratio	LOS
National Highway (NH-922)	2500+744= 3244	15000	0.216	В

Results

From the above analysis it can be seen that the LOS has changed from 0.16 to 0.216 at Highway intersection that is from 'A' to 'B' i.e from Excellent' to 'Very Good' respectively. Hence, there will not so much adverse affect on the proposed evacuation roads due to additional traffic. Traffic management has been proposed as given in below

Traffic Management:

- 1. Roads will be repaired regularly and maintained in good conditions.
- 2. Haul roads will be sprinkled with water to keep the dust suppressed.
- 3. A supervisor will be appointed to regulate the traffic movement near the site.
- 4. Speed breakers will be constructed near accident prone areas to calm the traffic and its speed.



Anticipated Environmental Impact And Mitigation Measures

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

TRAFFIC MANAGEMENT FOR PROJECTS IN CLUSTER

Production Details of Cluster of project:

S. no	Block No	Production Details
1	Patna Son 20	2184570 TPA
2	Patna Son 21	1557630 TPA
3	Patna Son 22	2188458 TPA
Total	Production in cluster	5930658 TPA

Table 4.2 (i): Existing Traffic Scenario & LOS for Proposed Cluster of Block 20, Block-21, Block-22

Road	V	C	Existing V/C Ratio	LOS
National Highway (NH-922)	2500	15000	0.16	A

Source: Capacity as per IRC: 64-1990

V= Volume of Vehicles in PCU's/day & C= Capacity of Road in PCU's/day
The existing Level of Service (LOS) is "A" & "B" i.e. excellent & very good.

V/C	LOS	Performance
0.0 - 0.2	A	Excellent
0.2 - 0.4	В	Very Good
0.4 - 0.6	С	Good / Average / Fair
0.6 - 0.8	D	Poor
0.8 - 1.0	Е	Very Poor

Reference: ENVIS Technical Report, IISc, Bangalore.

During Mine operation for Proposed Cluster of Patna Son 20, Patna Son 21, Patna Son 22

Proposed Capacity of Mine/annum : 5930658 TPA

No. of working days : 250 days

Proposed Capacity of mine/day : 23722.63 or say 23727 TPD

Truck Capacity : 16 tonnes

No. of trucks deployed/day : 1482.93 or 1483



Anticipated Environmental Impact And Mitigation Measures

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

Increase in PCU/day (1483*3)

4449

Table 4.2 (ii): Modified Traffic Scenario & LOS

Road	V	C	Modified V/C Ratio	LOS
National Highway (NH-922)	2500+4449=8926	15000	0.59	В

Results

From the above analysis it can be seen that the LOS has changed from 0.16 to 0.59 at Highway intersection that is from 'A' to 'C' i.e from Excellent' to 'Very Poor' respectively, as per classification. Hence, there will not so much adverse affect on the proposed evacuation roads due to additional traffic. Traffic management has been proposed as given below.

Traffic Management:

- 5. Roads will be repaired regularly and maintained in good conditions.
- 6. Haul roads will be sprinkled with water to keep the dust suppressed.
- 7. A supervisor will be appointed to regulate the traffic movement near the site.
- 8. Speed breakers will be constructed near accident prone areas to calm the traffic and its speed.



Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at

Mauza - Chilka Tola, Anchal - Bihata, District - Patna (Bihar).

5.0 ANALYSIS OF ALTERNATIVE TECHNOLOGY AND SITE

5.1 Site Alternatives under Consideration

Presence of sand for commercial exploitation has been identified based on the result of geological investigations and exploration. The mining projects are site specific as such alternate sites were not considered.

5.2 Analysis of Alternative Technology

5.2.1 Choice of Method of Mining

Factors in the choice of an actual mining method for a given deposit are deposit characteristics, requirement of health and safety and environmental concerns, production, scheduling scope of mechanization, workforce requirements wage rates, replenishment, operating and capital cost estimates. The selection of the mining method (development and extraction) is a key decision to be made in the opening up of a mine.

Surface or open cast mining is used for large, near-surface mineral deposits. Mineral is exploited, loaded into trucks, and hauled to a market.

The opencast mining method will be adopted because of the following reasons:

- The opencast mining operations ensure higher mineral conservation.
- Replenishment

The method used for mining is efficient for sand mining, so no alternative mining method is proposed.



6.0 INTRODUCTION

Regular monitoring of the various environmental parameters is necessary to evaluate the effectiveness of the management programme so that the necessary corrective measures can be taken in case there are some drawbacks in the proposed programme. Since environmental quality parameters at work zone and surrounding areas are important for maintaining sound operating practices of the project in conformity with environmental regulations, the post project monitoring work forms part of Environmental Monitoring Program.

Environmental Monitoring Program will be implemented once the project activity commences. Environmental monitoring program includes (i) Environmental surveillance, (ii) analysis & interpretation of data, (iii) Preparation of reports to support environmental management system and (iv) Organizational set up responsible for the implementation of the programme.

6.1 ENVIRONMENTAL MONITORING AND REPORTING PROCEDURE

Monitoring shall confirm that commitments are being met. This may take the form of direct measurement and recording of quantitative information, such as amounts and concentrations of discharges and wastes, for measurement against corporate or statutory standards, consent limits or targets. It may also require measurement of ambient environmental quality in the vicinity of a site using ecological/biological, physical and chemical indicators. Monitoring may include socio-economic interaction, through local liaison activities or even assessment of complaints.

The preventive approach to environment management may also require monitoring of process inputs, for example, type and method used, resource consumption, equipment and pollution control performance etc.

The key aims of environment monitoring are:

1. To ensure that results/ conditions are as forecast during the planning stage, and where they are not, to pinpoint the cause and implement action to remedy the situation.



ENVIRONMENTAL MONITORING PROGRAMME

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

- 2. To verify the evaluations made during the planning process, in particular with risk and impact assessments and standard & target setting and to measure operational and process efficiency.
- 3. Monitoring will also be required to meet compliance with statutory and corporate requirements.
- 4. Finally, monitoring results provide the basis for auditing i.e. to identify unexpected changes.

6.2 MONITORING METHODOLOGIES AND PARAMETERS

Air quality monitoring

Air Quality monitoring is essential for evaluation of the effectiveness of abatement programmes and to develop appropriate control measures. Suspended Particulate Matter (SPM), Sulphur Dioxide (SO₂) and Nitrogen Dioxide (NO₂) will be monitored at the workplace i.e. core zone. The methodology proposed for is shown below:

Table 6.1, Monitoring methodologies and parameters

Parameters	Technique	Technical Protocol
PM ₁₀	Gravimetric method	IS 5182 (Part-XXIII)
Sulphur Dioxide	Improved West and Gaeke	IS-5182 (Part-II)
Nitrogen Dioxide	Modified Jacob & Hochheiser	IS-5182 (Part-VI)

Water quality monitoring

Water quality monitoring involves periodical assessment of quality of surface water and the ground water near the mining project.

- Surface water samples will be analyzed for all the parameters as per EPA, 1986
- Ground water samples will be analyzed for all the parameters as per IS-10500:2012.



ENVIRONMENTAL MONITORING PROGRAMME

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

Soil quality monitoring

The soil quality monitoring is carried out to assess the soil characteristic. The soil quality will be analyzed as per CPCB norms.

Noise level monitoring

Noise level monitoring will be done for achieving the following objectives:

- a) To compare sound levels with the values specified in noise regulations
- b) To determine the need and extent of noise control of various noise generating sources

Noise level monitoring will be done at the work zone to assess the occupational noise exposure levels. Noise levels will also be monitored at the noise generating sources like mineral handling arrangements, vehicle movements and also at the nearest village for studying the impact due to higher noise levels for taking necessary control measures at the source.

Socio-economic Survey

Socio economic condition will be monitored to assess the demographic particulars of the area including the impacts on the social & economical condition on the residents nearby.

Plantation Monitoring Programme

Plantation monitoring will be done to ensure survival & growth rate of plantations.

6.3 MONITORING SCHEDULE

The schedule has been shown below for the parameters proposed for monitoring.

Table 6.2, Details of monitoring schedule

S.No.	Description of Parameters	Schedule of Monitoring
1	Air Quality	24 hourly samples twice/Thrice a week in each season except monsoon
2	Water Quality (Surface & Groundwater)	Once a season for 4 seasons in a year
3	Soil Quality	Once in a year in project area



ENVIRONMENTAL MONITORING PROGRAMME

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

4	Noise Level	Twice a year for first two years & then once a
		year
5	Socio-economic Condition	Once in 3 years
6	Plantation Monitoring	Once in a season

6.4 MONITORING SCHEDULE - IMPLEMENTATION

An implementation programme has been prepared as it serves no purpose if it is not implemented in letter and spirit.

Implementation of proposed control measures and monitoring programme has an implication on mining site as well as on the surrounding area. Therefore, mine management should strengthen the existing control measures as elaborated earlier in this report and monitor the efficacy of the control measures implemented in the entire study area:

- a) Collection of air and water samples at strategic locations with frequency suggested and by analyzing thereof. If the parameters exceed the permissible tolerance limits, corrective regulation measure will be taken.
- b) Collection of soil samples at strategic locations once every two years and analysis thereof with regard to deleterious constituents, if any.
- c) Measurement of water level fluctuations in the nearby ponds dug wells and bore wells and to assess if mining has got any impact on it or not.
- d) Measurement of noise levels at mine site and adjacent villages will be done twice a year for first two years and thereafter once a year.
- e) Post plantation, the area will be regularly monitored in every season for evaluation of success rate. For selection of plant species local people should also be involved.

An Environmental Management Cell (EMC) is envisaged which will be responsible for monitoring EMP and its implementation. EMC members should meet periodically to assess the progress and analyze the data collected during the month.

6.5 BUDGET ALLOCATION FOR MONITORING

The EMC will be responsible to carry on the monitoring. Budget allotment has also been proposed for the same:



ENVIRONMENTAL MONITORING PROGRAMME

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

Table 6.3, Budget for monitoring

S. No.	Description	Cost to be incurred
		(in lakhs/annum)
1	Water Quality (Surface & Groundwater)	1.0
2	Soil Quality	0.50
3	Air Quality	1.0
4	Noise Level	0.5
5	Plantation Monitoring	0.5
6	Socio-economic Condition	0.5
	TOTAL	4.0

6.6 REPORTING SCHEDULES OF THE MONITORING DATA

It is proposed that voluntary reporting of environmental performance with reference to the EMP should be undertaken. The environmental monitoring cell shall co-ordinate all monitoring programmes at site to furnish the data to the State regulatory agencies regularly in respect of the stipulated prior environmental clearance terms and conditions. The proponent shall prominently advertise in the newspapers indicating that the project has been accorded environmental clearance and also the details of website where it is displayed.



7.0 PUBLIC CONSULTATION

This is Draft EIA report public hearing is yet to be conducted.

7.1 HAZARD IDENTIFICATION AND RISK ASSESSMENT METHODOLOGY

Risk is to expose someone or something to danger, harm or loss. The different steps of risk assessment procedure are as given below:

Step I: Hazard Identification

The purpose of hazard identification is to identify and develop a list of hazards for each job in the organization that are reasonably likely to expose people to injury, illness or disease if not effectively controlled. Workers can then be informed of these hazards and controls put in place to protect workers prior to them being exposed to the actual hazard.

Step II: Risk Assessment

Risk assessment is the process used to determine the likelihood that people exposed to injury, illness or disease in the workplace arising from any situation identified during the hazard identification process prior to consideration or implementation of control measures.

Risk occurs when a person is exposed to a hazard. Risk is the likelihood that exposure to a hazard will lead to injury or health issues. It is a measure of probability and potential severity of harm or loss.

Step III: Risk Control

Risk control is the process used to identify, develop, implement and continually review all practicable measures for eliminating or reducing the likelihood of an injury, illness or diseases in the workplace.

Step IV: Implementation of risk controls

All hazards that have been assessed should be dealt in order of priority in one or more of the following hierarchy of controls

The most effective methods of control are:

- ✓ Elimination of hazards.
- ✓ Substitute something safer.
- ✓ Use engineering/design controls.



- ✓ Use administrative controls such as safe work procedures.
- ✓ Protect the workers i.e. by ensuring competence through supervision and training, etc.

Each measure must have a designated person assigned for the implementation of controls. This ensures that all required safety measures will be completed.

Step V: Monitor and Review

Hazard identification, risk assessment and control are an on-going process. Therefore regularly review the effectiveness of your hazard assessment and control measures. Make sure that you undertake a hazard and risk assessment when there is change to the workplace including when work systems, tools, machinery or equipment changes. Provide additional supervision when the new employees with reduced skill levels or knowledge are introduced to the workplace.

A) RISK ANALYSIS

The risk assessment portion of the process involves three levels of site evaluation:

- a) Initial Site Evaluation,
- b) Detailed Site Evaluation,
- c) Priority Site Investigations and Recommendations.

The risk assessment criteria used for all levels of site evaluation take into account two basic factors:

- The existing site conditions
- The level of the travelling public's exposure to those conditions.

The Initial Site Evaluation and Detailed Site Evaluation both apply weighted criteria to the existing information and information obtained from one site visit. The Initial Site Evaluation subdivides the initial inventory listing of sites into 5 risk assessment site groups. The Detailed Site Evaluation risk assessment is then performed on each of the three highest risk site groups in order of the group priority level of risk. The result of the Detailed Site Evaluation process is a prioritized listing of the sites within each of the three highest risk site groups.

Risk analysis is done for:

Forecasting any unwanted situation



- Estimating damage potential of such situation
- Decision making to control such situation
- Evaluating effectiveness of control measures

Table 7.1, Risk Likelihood Table for Guidance

Step 1: Assess the Likelihood				Step 2: Assess the Consequences		
L1	Happens every	Almost	Common or	C1	Fatality	Catastrophic
	time we	Certain	repeating			
	operate		occurrence			
L2	Happens	Likely	Known to have	C2	Permanent	Major
	regularly		occurred "has		disability	
	(often)		happened"			
L3	Has happened	Possible	Could occur or	C3	Medical/hospita	Moderate
	(occasionally)		"heard of it		l or lost time	
			happening"			
L4	Happens	Unlikely	Not likely to	C4	First aid or no	Minor
	irregularly		occur		lost time	
	(almost never)					
L5	Improbable	Rare	Practically	C5	No injury	Insignificant
	(never)		impossible			

A logical systematic process is usually followed during a qualitative risk assessment to identify the key risk events and to assess the consequences of the events occurring and the likelihood of their occurrence Table 7.2

Table 7.2, Qualitative Risk Assessment

Risk Rank	L1	L2	L3	L4	L5
Likelihood Consequence	Almost certain	Likely	Possible	Unlikely	Rare
C1					
Catastrophic	1	2	4	7	11
C2					
Major	3	5	8	12	16
C3	6	9	13	17	20




Moderate					
C4					
Minor	10	14	18	21	23
C5					
Insignificant	15	19	22	24	25

RISK RATING:

HIGH RISK 1-6	MEDIUM RISK 7-15	LOW RISK 16-2	25

7.2 RISK ASSESSMENT



There are various factors, which can create unsafe working conditions/hazards in mining of minor minerals from bed of river.

The key risk(hazard x probability) event rating associated with sand mining and to assess its consequences of such events occurring and the likelihood based on above Table 7.1 (ii) are as:-

The Risk rating of such hazards is as follows:

7.2.1 INUNDATION/FLOODING

The risk rating assigned to this activity is assigned as '4' i.e., it is possible and will have catastrophic with major consequences, if work started without assessment of the *river* condition especially during monsoon season.



Inundation or flooding is expected and beneficial for these mines as during this time only the mineral reserve gets replenished.

Measures to prevent consequences of inundation/flooding

Inundation of flooding is expected and beneficial for these mines as during this time only the mineral reserve gets replenished.

- 1. During monsoon months and heavy rains the mining operations are ceased.
- 2. There should be mechanism/warning system of heavy rains and discharges from the upstream dams.

7.2.2 Quick Sand Condition

The risk rating assigned to this activity is assigned as '12' i.e., it is an unlikely event with major consequences as frequency of this risk is less likely to occur.

Two things may create the conditions to form quicksand. Underground water may seep-up and saturate the sand, thereby reducing the friction between the sand grains and giving the sand a liquid nature. Or, sand or another soil may be sifted by the force of an earthquake so that friction is lessened and the earth becomes unsteady.

This creates danger condition to the trucks plying near the *river* and banks for transportation of minerals.

Measures to Prevent Quick Sand Condition

- 1. The only way to avoid quick sand condition is by avoiding mineral lifting below water table.
- 2. Mining will be done in layers rather than going for maximum depth at one time.

7.2.3 ACCIDENT DUE TO VEHICULAR MOVEMENT

The risk rating assigned to this activity is assigned as '13' i.e., it is possible event with moderate consequences as frequency of this operation is more but the predicted/assumed intensity is less like minor cuts, bodily injury. The possibilities of road accidents are due to reckless or untrained driver or overloading of trucks or in case pathway is not compacted suitably, etc.

Measures to Prevent Accidents during Transportation



- 1. All transportation within the main working should be carried out directly under the supervision and control of the management.
- The Vehicles will be maintained/repaired and checked thoroughly by the competent person.
- 3. A statutory provision of constant education, training etc. will go a long way in reducing the incidents of such accidents.
- 4. Overloading will not be permitted and will be covered with tarpaulin.
- 5. The maximum permissible speed limit will be ensured.
- 6. The truck drivers will have valid driving license.

7.2.4 DROWNING

The risk rating assigned to this activity is assigned as '16' i.e., it is a rare accident but will have major consequences, if occurred. This may occur due to flash floods etc due to which the workers at the site may get seriously injured or drowned.

Measure to Prevent Drowning

- 1. The mining will be done under strict supervision and only in the dry part of the *river*.
- 2. Mining will be completely stopped in monsoon season to avoid such accidents.
- 3. Deep water areas will be identified and 'No Go Zones' will be clearly marked and made aware to the mine workers.

7.2.5 ACCIDENT DURING MATERIAL HANDLING & LOADING

The risk rating assigned to this activity is assigned as '18' i.e. it is possible event with minor consequences", as frequency of this operation is more but the predicted/assumed intensity is less like minor cuts, abrasion, etc. may be due to bank of *river* collapse, over thrown boulders/pebbles, injuries due to carelessness use of hand tools, etc.

Measures to Prevent Accidents during material handling & loading

- 1. The truck should be brought to a lower level so that the loading operation suits to the ergonomic condition of the workers.
- 2. The loading should be done from one side of the truck only to avoid over throw of materials.
- 3. The workers should be provided with gloves and safety shoes during loading.



All the activities will be done under strict supervision/control to avoid anticipated accidents so that the risk is reduced to a level considered **As Low As Reasonably Practicable (ALARP)** conditions which are adequately safe and healthy.

7.3 DISASTERS & ITS MANAGEMENT

7.3.1 Anticipated Disaster

- **1. Floods**: Most of the areas of this district are flood prone owing to the presence of seasonal rivers. Rivers and its tributaries cause heavy losses to the human lives, livestock, land and property mainly due to flash floods. Hence no mining has been proposed during monsoon and flood alerts will be given, if any.
- **2. Earth Quake**: Bhojpur District like other areas of Bihar is moderately vulnerable to earthquake as it exists in Zone IV. However the vulnerability to damage near the site is quite low as there are no built in structures at the site.
- 3. Drought: due to deficiency in rainfall prime reasons of recurring drought in Bihar is the nature of soil with low mineral and humus-contents besides extremely poor water holding capacity. Recurrent rainfall variability and sustained departure from the normal rainfall vis-a-vis low reliability, fluctuating both surface and underground water resources and extremely poor water holding capacity of the major soil group appear to have clubbed together to cause frequent droughts in Bihar. Besides, there is a positive relationship between reducing forest land and the increasing rainfall variability and the phenomenon is well manifested in Bihar scenario of recurrent droughts.

7.3.2 Disaster Management Plan & Strategy

The Disaster Management Plan has three components:

(A) Risk Analysis and Vulnerability Assessment:

The Risk Analysis and Vulnerability Assessment depict the present picture for each disaster-exposure, loss of life, property damage, etc. It also shows geographic distribution of each hazard. The various monitoring facilities, regulatory regimes, countermeasures available for each disaster are identified and listed.

(B) Response Plan:

The response plan presents an organizational structure of the District to effectively handle the disaster in a coordinated and quickest possible manner to mitigate the impact of



disaster. It identifies functional areas such as relief, restoration, communication, information, transport, emergency health services etc and proposes assignments to various departments; including identifying lead and supporting departments. The response plan also lays down preparedness checklists and standing operating procedure (SOP) guidelines.

(C) Mitigation Strategy:

The mitigation strategy and plan focus on the long-term planning for impact reduction. It deals with the issues of continued commitment to hazard identification and risk assessment, applied research and technology transfer, investment- incentives for mitigation, and leadership and co-ordination for mitigation.

The mine management will be in regular contact with the District administration to gather information on natural disasters and will pass on the message at the site to avoid any loss of health or wealth due to impending disasters.

Though the responsibility of disaster management is vested with the center and state Governments, it is extremely difficult for them to deal effectively all the aspects of disaster management according to the needs of the affected people.

Thus disaster management plan of the Patna District has been prepared through incorporation of the features of Community Based Disaster Management and involvement of local governments, Municipalities etc.

7.4 SOCIO-ECONOMIC IMPACT OF THE PROJECT & SAFETY MEASURES INTRODUCTION

Socio-Economic Impact Assessment (SEIA) refers to systematic analysis of various social and economic characteristics of human being living in a given geographical area during a given period. The geographical area is often called Study Area or Impact Area. SEIA is carried out separately but concurrently with Environment Impact Assessment (EIA). The study area consists of core area where the project is located and a buffer area encircling the project area with a radius of 10 km from the periphery of the core area. For every new project or existing project under expansion or tied for modernization or change in product mix, Socio-economic Impact Assessment is mandatory. The Socio-economic impact assessment focuses the effect of the project on social and economic well-being of the



community. The impact may be direct or indirect. Further, the impact may be positive or negative.

OBJECTIVES OF SEIA

The prime objective of the current study is to assess the impact of the proposed mining project on socio-economic characteristics of people living in the neighborhoods. Further, it is to be established whether the impending impact would be direct or indirect. Furthermore, it is to be examined whether the said impact would be positive or negative. Lastly, it is to be comprehended if the impact is positive how long it would sustain or if it is negative how soon the same could be eased.

SCOPE

The Scope of the study is as follows:

- a) To collect baseline data of the study area
- b) To comprehend socio-economic status of the people living in the study area.
- To assess probable impact of the project on social and economic aspects in the study area.
- d) To measure the impact of the project on Quality of life of the people living in the study area.
- e) To ensure sustainability of positive impact.
- f) To suggest mitigation measures and agency responsible for taking action in case of adverse impact.

SOCIO-ECONOMIC IMPACT OF THE PROJECT

Impact on Demographic Composition

The proposed Project will hardly make any difference in the demographic composition of the study area as the additional employment it envisages to create will be met locally to the maximum extent. Hence, the chances of in-migration of people from outside the study area are remote. Accordingly, there will be no variation in the total population of the study area including that of sex ratio, when the mine starts operating.

Employment Opportunities



The proposed Project will provide employment to the local people. The number of workers to be deployed in the mining project will depend upon the quantity of minerals to be extracted from the mine by the lease holder. Both the miners and the unskilled workers will be recruited locally. It has estimated that around 47 people will get employment in this mining project for a period of ten months in a year. It is a positive impact of the project since it is providing employment opportunities to the local people. The project will not affect the vulnerable groups of people.

Increased supply of sand in the market

The demand for minerals is ever increasing with the growth of the infrastructure development in our country. Both Government departments and private developers have taken up construction of roads, bridges and buildings in a big way. The requirement for the building materials is always high and there is already an acute shortage of sand in the market and the construction industry is the main sufferer. With the commencement of the proposed mining project the supply of minerals will increase and the gap between demand & supply will decrease to some extent, if not fully.

Impact on agriculture

It is non-forest land and the proposed activity is to take place in the bed of the Son River. There will be no negative impact on agriculture as no cultivation is taking place on the proposed mining area. Since, scientific mining will be adopted in the proposed mining project the area will be free from annual floods, which destroy standing crops and land & property. This is a positive impact of the proposed mining project.

Impact on road development

Movement of trucks and other vehicles to and fro the mining site is expected to increase, when mining will start. The existing roads are connecting the quarry with the national highway connected by metalled followed by un-metalled roads. Hence, there is need for road maintenance and repairing regularly in the mining area. Further, there are risks of accidents during loading of extracted minerals into trucks and transportation to markets for sells. However, accidents can be avoided by taking due care and precautions.

Income to Government



The proposed mining activity will benefit the State in the form of royalty, dead rent, fees and earnings from taxes.

Impact on Law & Order

As most of the workers to be employed in the proposed mining project are local residents no law & order problem is envisaged. It is expected that the workers will attend to their duties from their residence and return to their homes after the day's work. There would have been law & order problem if the workers were migrants and lived in shanties closed to the mining area. However, to meet any untoward incident one police post may be set up closed to the mining site.

Impact on Health

There are no chances of occurring diseases, due to mining. The minerals excavated are non-toxic. To avoid respiratory problem from dust necessary protection should be taken.

Few safety measures are outlined below:

- a) Safe Working Environment: The project proponent shall ensure health and safety of all the employees at work. Efforts will be made to provide and maintain a safe work environment and ensure that the machinery and equipment in use is safe for employees. Further, it will be ensured that working arrangements are not hazardous to employees.
- b) **Provision of First Aid**: The first aid treatment reflects the hazards associated with the mining of minerals. The first-aiders will be well trained in handling patients working in the Project.
- c) **Regular Health Examination:** For all mine workers regular health examination will be made compulsory. Treatment of serious back injury; existing asthma or respiratory diseases, existing skin diseases, lung function test (pre and post ventolin), Audiograms, Chest X- ray etc. will also be taken care of.
- d) **Health Education:** Adequate health education and information related to the job will be provided to the workers. Baseline health information will be recorded for future references.
- e) **Tie-up with the Nearest Hospital for Medical Assistance:** To meet the medical needs of the mine workers tie-up with nearest hospitals will be made. Efforts will be



made to reserve few beds in the above hospitals for the workers of the mining project. This will ensure timely medical aid to the affected persons.

- f) Supply of Mask and Gloves: The workers in the Sand mining project are subject to respiratory diseases. For protection from dust it will be made compulsory for all workers to wear masks and gloves, while working in the mine.
- g) **Administration of Anti-venom Injections:** Provision of Anti-venom therapy will be made available for administration to the workers in case of snake, spider and insect bites, while working in the mine.
- h) **Special Telephone Number:** A special telephone number will be made available to the workers in case of emergency so that they can dial the same for–medical assistances. Further, efforts will be made to provide vehicles to the patients in short duration for shifting to a hospital.
- i) **Special Group Insurance Scheme:** All the mine workers will be covered under a Group Insurance Scheme of LIC or any other Insurance company.

CONCLUSION

The commissioning of the Sand Mining Project Sand Mining Project on Son River at Patna Son 21, Sand Ghat at Mauza— Chilka Tola, Anchal—Bihata, District - Patna (Bihar) provides employment to local people who are in search of the same. The granting of environment clearance to make mining of sand legally valid and it will generate revenue for the state. It is expected that prospective entrepreneurs will venture to set up industrial units in the vicinity in the near future making the area a mixed society, dependent on industry, trade and business. With the implementation of the project the occupational pattern of the people in the area will change making more people engaged in mining, industrial and business activities rather in agriculture only. The study area is still lacking in health and educational facilities. It is expected that same will improve to a great extent with opening of the project and associated industrial & business activities.



8.0 GENERAL

Various benefits are envisaged while planning for the mining of sand from Son River Bed. Sand is very important minor mineral and is the principal raw material for meeting the huge demand of construction material required in building construction and infrastructure works, road material for construction and maintenance of roads / highway; elastic ballast material for rail tracks in the State of Bihar & and nearby cities and towns of Bihar. The natural available materials in shoal deposits of Son River bed quarry site have been found suitable from techno-economic consideration.

8.1 PHYSICAL BENEFITS

The opening of the proposed project will enhance the following physical infrastructure facilities in the adjoining areas.

- a. Road Transport: There will be improved road communication due to the proposed project and maintenance will also be done time to time.
- b. **Market:** Generating useful economic resource for construction. Excavated minor mineral sand will provide a good market opportunity.
- c. **Enhancement of green cover:** As a part of reclamation plan, plantation will be carried along the river banks or along the road sides or near the civic amenities.
- a. Creation of community assets (infrastructure) like provision for drinking water, construction of school buildings, village roads/ linked roads, dispensary & health centre, community centre, market place etc, as a part of corporate social responsibility.

8.2 SOCIAL BENEFITS

- a) Increase in Employment Potential due to the project activity: Employment opportunities will increase both directly as well indirectly.
- b) **Contribution to the Exchequer** as the saleable minerals will be given royalty. Since the quarries will be leased out to successful allottees, mining operation in the state will get legalized and it will fetch income to the state exchequer.
- c) Increased Health related activities: Healthcare promotional activities will be undertaken. Pre-placement & and Periodic medical checkups will be done, which will lift the general health status of the residents of the area. Health camps, medical aids, family welfare programs, immunization camp, sports will be arranged.



Table-8.1, Budget for Public Health

S. No.	Activities recommended for communities level services	Tentative cost (Lakh Rs) For Each Mine
1	Awareness campaigns regarding health issues in the nearby villages.	1.0
2	Provide free health checkups & medicines to the nearby villagers of the project site.	1.0
3	Assistance to set up a temporary health center during the lease tenure.	0.50
	Total	2.5

- d) **Educational attainments**: Educational activities will be promoted by the lessee. Awareness program will be arranged covering basic issues related to primary level education, environment, health and hygiene etc.
- e) **Strengthening of existing community** facilities through the Community Development Programme.

Table 8.2, Budget for Occupational Health

Particulars	Recurring Cost per year (Rs.) For Each Mine		
For routine checkup	1,00,000		
Medical aid as per ESI Scheme	2,00,000		
Training	1,00,000		
Total	4,00,000		

8.3 ENVIRONMENTAL BENEFITS

- a. Protection of banks
- b. Reducing submergence of adjoining agricultural lands due to flooding.
- c. Reducing aggradations of river level.
- d. Protection of crops being cultivated along the bank.
- e. A check on illegal mining activity.



8.4 CORPORATE ENVIRONMENTAL RESPONSIBILITY

2% of capital cost of the project cost will be allotted for the Corporate Environmental Responsibility as per OM dated 1st May 2018. The following has been proposed considering the needs & demand of the people.

CSR cost will be 2% of the total project cost. This amount will be used for social welfare. CSR COST is 10,00,96,000/- x 2% = Rs. 20,01,920/-

For each activity the funds to be earmarked by the proponent will be decided after discussion with the local authority/people and the beneficiaries during Public Hearing. It has been planned to undertake a concurrent evaluation of the activities to be taken up under the CER programme.



9.0 INTRODUCTION

The environmental management must be integrated into the process of mine planning so that ecological balance of the area is maintained and adverse effects are minimized. The Environmental Management Plan (EMP) consists of a set of monitoring programme, mitigation measures, and management control strategies to minimize adverse environmental impacts.

The EMP has therefore been made considering implementation and monitoring of environmental protection measures during and after mining operations. Measures to be taken for each of the impact areas are detailed in the following paras:

9.1 ENVIRONMENTAL MANAGEMENT CELL (EMC)

It is imperative to establish an effective organization to implement, maintain, monitor and control the environmental management system. A separate Environmental Management Cell (EMC) will be formed to look after the environment related matter of the mine. The structure of EMC is as follows:




Figure 9.1 Environment Management Cell

The EMC will perform the following activities:



ENVIRONMENTAL MANAGEMENT PLAN

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

- EMC will oversee that environmental control measures are implemented as per the plan.
- EMC will ensure ambient Field monitoring like air monitoring, meteorological monitoring and noise monitoring in coordination with outside agencies.
- Coordinating the environment related activities within the organization as well as with outside agencies.
- Reporting the status report to the statutory authorities.
- Systematically document and record keeping w.r.t. environmental issues.
- Plantation and their maintenance
- Collection statistics of health of workers and population of surrounding villages.
- Environmental compliance to the regulatory authorities.
- Communication with the concerned department on the environmental issue.
- Monitoring the progress of implementation of environmental management programme.

9.2 AIR POLLUTION CONTROL MEASURES

During the course of sand mining, no toxic substances are released into the atmosphere, so there seems to be no potential threat to health of human beings. In river bed mining activities, dust will be generated during mining, loading and transportation. The only source of fugitive gaseous emission during mining is vehicles which will be used for transportation. The environmental management for air pollution control includes:

- Plantation will be done along the road-sides and also the vacant land present under Gram Panchayat after consultation with local villagers/authority.
- Dust mask provided to the workers engaged at dust generation points like excavations, loading and unloading points.
- The only air pollution sources are the road transport network of the trucks. The dust suppression measures like water spraying will be done on the roads.
- Utmost care will be taken to prevent spillage of sand and stone from the trucks.



ENVIRONMENTAL MANAGEMENT PLAN

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

- Water sprinkling will be done to reduce the emission of dust due to transportation of minerals.
- Overloading will be prevented. The trucks/ tractor trolley will be covered by tarpaulin covers.
- Plantation activities in consultation with village Panchayat along the roads will also reduce the impact of dust in the nearby villages.

9.3 WATER POLLUTION CONTROL MEASURES

During the operational phase of mine no waste water or industrial effluent will be generated. The environmental management for water pollution control includes:

- Water requirements for drinking, plantation and dust suppression will be met by tanker supply on the daily basis.
- Local people will be employed and no permanent housing will be done so no permanent drainage pattern for sewerage system is required as domestic sewage shall be disposed off into septic tank followed by soak pits.
- Mining in the area will be done up to depth of 3.0mmaximum from the surface level well above the ground water table, therefore impact on water regime is not anticipated.
- Monitoring of water quality of nearby surface water, ground water and domestic water will be conducted once in every season except monsoon to evaluate the performance of the mitigation measures.

9.4 NOISE POLLUTION CONTROL MEASURES

As there will be no heavy earth moving machinery there will not be any major impact on noise level due to sand mining and other association activities a detailed noise survey has been carried out and results were cross referenced with standards and were found to be well within limits. Blasting technique is not used for sand mining hence no possibility of land vibration. It was found that the proposed mining activity will not have any significant impact on the noise environment of the region. The only impact will be due to transportation of sand and by excavator involve trucks and tractor trolleys.



ENVIRONMENTAL MANAGEMENT PLAN

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

- Proper maintenance of all machines is being carried out, which help in reducing generation of noise during operations.
- No other equipments accept the Transportation vehicles and Excavator and Loaders
 (as and when required) for loading is allowed.
- Noise generated by these equipments is intermittent and does not cause much adverse impact.
- Periodical monitoring of noise will be done to adopt corrective actions wherever needed.
- Plantation will be taken up along the approach roads. The plantation minimizes
 propagation of noise and also arrests dust.

9.5 BIOLOGICAL ENVIRONMENT

Although, there are no significant adverse impacts from the project, the following measures are proposed to minimize anticipated impacts:

- It will be ensured that no mining activity will be carried out during the monsoon season to minimize impact on aquatic life which is mainly breeding season for many of the species.
- As the mining site has no vegetation, no clearance of vegetation will be done.
- Prior to closure of mining operations / during the rainy season the eroded bank will be restored / reclaimed to minimize negative impacts on aquatic habitats.
- Sprinkling will be done on the haul roads with water to avoid the dust emission, thus avoiding damage to the crops.
- Mining will be carried out on the dry part of the lease area to avoid disturbance to the aquatic habitat and movement of fish species.
- No discard of food, polythene waste etc. will be allowed in the lease area which would distract/attract the wildlife.
- No night time mining will be allowed which may catch the attention of wild life.
- Workers will be made aware of the importance of the wildlife and signage will be displayed at the sensitive areas to caution the workers & other passerby.



ENVIRONMENTAL MANAGEMENT PLAN

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

- **Greenery development:** The project will not lead to any tree cutting. However, asocial responsibility, greenery will be developed along the both sides of road and the bank of river. Community services will be deployed in raising these plantations. Trees of economic importance and native origin such as fruit trees shall be planted.
- Approx. 320 trees will be planted around haul road during the plan period.
- The trees proposed for plantation are:
- As per Sustainable Sand Management & Mining Guidelines 2016,minimum 5 plant per hectare will be proposed for development of greenbelt but in this cluster of projects 10 plants per hectare will be proposed for better condition of environment.
- Total Number of plants for cluster of Sand Bloks are given below.

Sand Ghat	Area (Ha)	Plants
Block 21	32.05	32.05*10 Plants= 320 plants
Total Plants		320 plants

Table 9.1:- List of Plant selected f or Green Belt Development

	Agro-climatic zone & Sub zone	Middle Genetic Plains, North west alluvial sub zone		
S/n	Scientific name	Common Name	Pollution control features	
1	Mangiferaindica	Aam	Tolerant to Dust control	
2	Tectonagrandis	Sagon	Tolerant to Dust control	
3	Ficusbenghalensis	Bargad	Tolerant to Dust control	
4	Scigiumcumuni	Jamun	To stop river bank erosion	
5	Terminaliaarjuna	Arjun	To stop river bank erosion	
6	Populus ciliate	Popular	Fast growing, broad leaf	
7	Ficusreligiosa	Peepal	Dust particles absorbance	
8	Acacia nilotica	Babul	Tolerant to SO ₂	
9	Azadirachtaindica	Neem	Tolerant to SO ₂	
10	Pithecolibiumducle	Jungle jalebi	Tolerant to SO ₂ and Dust control	



ENVIRONMENTAL MANAGEMENT PLAN

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

9.6 LAND USE PLANNING

Degradation of land is not a very significant adverse impact of riverbed mining due to creation of access roads, mining operations, transportation of mined material. In order to prevent the environmental degradation of leased mine area and its surroundings, the following measures shall be taken;

- Mineral will be mined out after leaving sufficient safety zone from the bank as per sustainable sand mining guidelines-2016 for bank stability.
- The pits from where the material will be picked should not get deeper than 3.0 meter& shall follow the normal channel direction of the river.
- No foreign material shall be allowed to remain/spill in river bed and catchment area, or no pits/pockets will be allowed to be filled with such material.
- The mining is planned in non-monsoon seasons only, so that the excavated area gets replenished during the monsoon each year.
- Pits will get replenished naturally every year after monsoon.

9.7 OCCUPATIONAL HEALTH & SAFETY

Occupational safety and health is very closely related to productivity and good employer-employee relationship. The factor of occupational health in Sand Ghat of Unistar Biotech Limited, Prop.- Shri Prakash, Chandra S/o- Shri Gopal Prasad Sharma, Address- 2/67, 2nd floor, Sector-6, Vaishali, Ghaziabad, Uttar Pradesh (Sand Block 21) is mainly dust. Safety of employees during operation and maintenance etc. shall be as per Mines rules and regulations. To avoid any adverse effect on the health of workers due to various pollutants, sufficient measures relating to safety and health will also be practiced:

- Provision of rest shelters for mine workers with amenities like drinking water, portable toilets etc.
- All safety measures like use of safety appliances, such as dust masks, shoes, non breakable goggles as the case may be, shall be ensured. Safety awareness programs, awards, posters, slogans related to safety etc. will be encouraged.



ENVIRONMENTAL MANAGEMENT PLAN

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

- Training of employees for use of safety appliances and first aid in vocational training center.
- Regular maintenance and testing of all equipment as per manufacturers' guidelines.
- Periodical Medical Examination (PME) of all workers by a Medical Officer.
- First Aid facility will be provided at the mine site.
- Close surveillance of the factors in working environment and work practices which may affect environment and worker's health.
- Working of mine as per approved mining plan and environmental plans.

9.8 SOCIO-ECONOMIC ENVIRONMENT

This project operation will provide livelihood to the poorest section of the society. The overall impact of riverbed mining of sand on the social economics of the area shall be a very positive one, as not only it will generate employment opportunities for local population at mine site for transportation of mined material, etc. It will also give a good boost to the general economy of the area.

The proposed mining activity is expected to provide stimulus to socio-economic activities in the region and thereby accelerate further development processes. However, there is an apprehension that local people may get engaged in illegal activities if the proposed mining operation or the project is shelved or there is in ordinate delay in its execution.

9.9 ENVIRONMENT POLICY

Unistar Biotech Limited, Prop.- Shri Prakash, Chandra S/o- Shri Gopal Prasad Sharma, Address- 2/67, 2nd floor, Sector-6, Vaishali, Ghaziabad, Uttar Pradesh (Sand Block 21) of Sand Ghat believes that responsible environmental stewardship comprises diligent application of well-established natural resource management, controls and practices for the protection of the mined out land, preservation of biodiversity and proper disposal of waste if any following the best environmental practices during the process of mining.

Environmental policy prescribed for standard operating process to bring into focus any violation/deviation of the environment and forest norms/conditions that the company operations will implement operational and risk management practices that provide for



ENVIRONMENTAL MANAGEMENT PLAN

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

maximum protection of people and the environment. To this end, the owner resolves that company will follow the below mentioned practices:

Operate in accordance with prescribed industry standards while complying with all applicable environmental, health and safety laws and regulations.

- Establish and maintain a well-defined environmental, health and safety management system to guide its operations.
- Ensure that all employees, officers and directors understand and adhere to its environmental, health and safety management program.
- Provide operations with the necessary resources, expertise and training to effectively carry out its EHS management programs.
- Engage employees at all levels in programs directed towards minimizing adverse effects on the environment resulting from mining activity.
- Work proactively with governments and the public in the development of cost effective and realistic regulations that promote enhanced environmental, health and safety protection.
- Promote environmental awareness among its employees, their families and the communities in which it operates.
- Require those who provide services and products to practice good environmental stewardship.
- Mitigate its environmental impacts through efficient use of resources, and the reduction of input materials and waste.
- Maintain a high degree of emergency preparedness.

9.10 BUDGET ALLOCATION FOR EMP IMPLEMENTATION

Annual budget for EMC is very essential for successful implementation of EMP. Costs will be both Capital and Recurring cost as given below. The fund allocated will not be diverted for any other purposes and the top management will be responsible for this.



ENVIRONMENTAL MANAGEMENT PLAN

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

Table 9.2, Budget of EMP (Block-21)

Sl. No	Description	Capital Cost (lakh)	Recurring Cost (lakh)
1	Pollution Control & Dust Suppression	Nil	1.5
2	Pollution Monitoring i) Air pollution ii) Water pollution iii) Soil Pollution iv) Noise Pollution		2.0
3	Plantation and salary for one gardener (part time basis).	3.20	0.5
4	Haul road Maintenance Cost	1.50	1.5
	TOTAL	4.70	5.5

Note: *320 plants * 1000 Rs (for each plants including hedges and fences) =Rs 3,20,000/-

- Salary of Labour for haul road maintenance 2 labor*300=600 per day
- 600* 250= 1,50,000/-
- * 2.5 lakh per kilometer (2,50,000 *0.60 km haul road) = 1,50,000/-



10.0 INTRODUCTION

10.1 Purpose of the Report

Environmental Impact Assessment report is prepared to comply with the Terms of Reference (TOR) received from SEIAA, Bihar under EIA notification of the MoEF&CC dated 14th September, 2006 and its subsequent amendment there-off and also the EIA Guidance Manual for Mining of Minerals (Feb, 2010) of MoEF&CC, Govt. of India, for seeking environmental clearance for mining of Sand in the applied mining lease area.

10.2 IDENTIFICATION OF PROJECT & PROJECT PROPONENT

10.2.1 Identification of Project

The Proposed Sand Mining Project was located on Son River at Patna Son 21, Sand Ghat at Mauza– Chilka Tola, Anchal –Bihata, District - Patna (Bihar).

The proposed mining is a cluster of 03 mining lease area of Patna Son 20, Patna Son 21 & Patna Son 22 over an combined area of 122.03 Ha is for river bed sand mining on Son River at Mauza- Chilka Tola, Anchal –Bihata, Dist- Patna, Bihar.

Cluster Situation: As per District Survey Report Patna the Proposed Sand Ghats of Patna Son 20, Patna Son 21 & Patna Son 22 are comes in cluster situation whose combined cluster area is 122.03 ha. All the lease area of homogeneous minerals is coming within 500 m radius from each other confirming a cluster situation.

As per the Director of Geology, Bihar, the modification of mining plan has been approved .As per EIA notification 2016 and subsequent amendments, the project is coming under category 'B' (B1) and the lease area is more than 5.0 Ha, approved Mining Plan, Prefeasibility Report and EMP are required for Environment Clearance in respect of the said quarry lease. Copy of letter is enclosed as **Annexure No. II.**

The Details of cluster is given below:

Sand Block name	Area (Ha)	Production
Patna Son 20	44.95	2184570 TPA
Patna Son 21	32.05	1557630 TPA



Patna Son 22	45.03	2188458 TPA
Total	122.03	5930658 TPA

The proposed project is of River bed sand mining and falls under Category- "B1" as per EIA Notification 2006 and its subsequent amendments by Ministry of Environment Forests & Climate Change, GOI. Block No.- 21 Sand Ghat fall in Sand Ghat, Mauza– Chilka Tola, Anchal –Bihata, District - Patna (Bihar) over an area of 32.05 hectares.

10.3 BRIEF DESCRIPTION OF PROJECT

The proposed project is Open Cast Semi-Mechanized Mining of Sand with a proposed cluster production of 5930658 Tonnes per annum. The project has been proposed by (Patna Son 21 - Unistar Biotech Limited, Prop.- Shri Prakash, Chandra S/o- Shri Gopal Prasad Sharma, Address- 2/67, 2nd floor, Sector-6, Vaishali, Ghaziabad, Uttar Pradesh (Pin – 201010).

The proposed project is over an area 32.05 ha on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar). As per MoEF, New Delhi Gazette dated 14th September 2006 and amended thereof, the proposed mining project is categorized as **Category 'B-1'**. The estimated project cost for the proposed project is Patna Son **21** - **Rs**- 10,00,96,000/- (including auction cost).

The proposed mining lease area falls in Survey of India Toposheet 72C/10, 72 C/11, 72C/14 & 72C/15.

The mine lease co-ordinates and connectivity details are listed below:

Table: 10.1 Mine lease Co-ordinates (Patna Son 21)

	Tubic Total Willie leage Co of Gilliances (Tubic Boil 21)			
Pillar No	Latitude (N)	Longitude (E)		
1	25.54618883	84.78132553		
2	25.54620054	84.78133608		
3	25.54793305	84.78283105		
4	25.54959905	84.78490571		
5	25.54726957	84.78853707		
6	25.54684924	84.78919231		
7	25.54453987	84.78822853		
8	25.54451991	84.78685337		



9	25.54314195	84.78480078
10	25.54301731	84.78614100

The details of environmental setting are given in **Table-10.2**.

Table-10.2: Details of Environmental Setting

Sr.	Particulars		Details			
No.						
1	Location	<u> </u>				
a	Village	Mauja– Chilka	Tola			
b	Tehsil	Anchal – Bihat	a			
С	District	Patna				
d	State	Bihar				
2	Elevation	Patna Son 21 (5	54 AMSL to 55 AMS	L)		
	above					
3	Nearest	NH 922, Appro	ox. 3.10 km towards N	North direction.		
	National	SH-81 is appro	x 2.95 km in West dir	rection.		
	Highway/State					
	Highway					
4	Nearest	Blocks	Blocks Railway Station Distance (Km) Direction			
	Railway	Patna Son	Bihta Railway station	Bihta Railway station is at a distance of 8.0 km in		
	station	21	station	NE direction.		
5	Nearest	Blocks	Airport	Distance (Km) Direction		
	Airport	Patna Son	JPN International	JPN International Airport		
		21	Airport Patna	Patna is at a distance of approx. 30.5 km in NE		
				direction.		
6	Ecological	There is no any Ecological Sensitive Areas Like National				
	Sensitive	Park, Wildlife Sanctuaries, etc are found within 10 km of the				
	Areas	study area.				
	(Wildlife					
	Sanctuaries)					
7	Seismic Zone	Zone- IV				



Sr.	Particulars	Details			
No.					
		Source	BMTC	2^{nd}	edition
		https://www.bm	tpc.org/disaster%20resis	tnace%20technolgi	ies/ZONE%20IV
		.htm			

10.4 PROJECT DESCRIPTION

10.4.1 Salient features of mine lease

The salient features of mine lease are given below:

Table-10.3: Salient features of mine lease

Sr. No.	Parameter	Description	
1	Name of the Mine	Sand Mining Project, Patna Cluster-18 (Patna	
		Son-21) Sand Ghat on Son River at Mauza -	
		Chilka Tola , Anchal – Bihata, District - Patna	
		(Bihar) over an area of 32.05 hectares.	
2	Mining Capacity	576900 cum per annum or 992268 TPA	
3	Method of mining	Open cast semi-mechanized mining/OTFM	
4	Total ML area	32.05 ha	
5	Depth of mining	3 m depth	
6	Manpower	47 persons	
9	Water Requirement	Patna Son 21 – 5.7 KLD	
10	Source of Water	Tanker/ Nearby village.	

10.4.2 Mineral Reserves and production

Mineable reserves have been computed up to 3m depth from surface. Benches having height 1.5m & width 6.0m drawn from the ultimate pit limit. Area of each benches have been



calculated multiplied by strike influence to get the volume. The volume multiplied by bulk density (1.72 g/cm^3) to get the tonnage.

The minerals excavated from the river bed will be replenished gradually during the monsoon season every year. And the area pertaining to palaeo channels of the river will be leveled & restored back.

Sand Ghat Geological Mineable Annual Mineable Area **Permitted Reserve As** (Hect) Reserves Reserves (m3)(m3)per LoI (m3) Patna Culster-18 32.05 961500 894315 576900 (Patna Son-21)

Table 10.4 Classification Mineral Reserves

In the lease area the river flow being reduced and sediment load get deposited. During flood season, the area gets replenished with sediments and source of erosion at this location. It is a river bed deposit and mined out area shall be replenished each year during monsoon period and depth of quarry shall be filled back by river sand each year and area will restore its original topography.

10.4.3 Conceptual Plan

Mine Applied Area will be worked for Patna Son 21 Sand Ghat. However, as the digging depth will be restricted to 3.0 m only. This will be further replenished during rainy season. Sand Ghat will be worked systematically as the width is limited while length is much more. As the lease period is only 5 (Five) years, some of the area will be left un-worked at the end of lease period.

- (i) Final Slope Angle to Be Adopted: Height of the bench is limited to 1.5 m while width of individual bench shall be kept 6.0m. River bank side will be protected by working in dry part of the river and by leaving safety distance of the width of the river of 5 meter. Bank side natural slope will not be disturbed. This will prevent collapse of bank and erosion. However, the height of the bank with respect to river bed is varying from 3-4 meters.
- (ii) During plan period workings will be carried out in the Sand Ghat at a time of the Applied Area simultaneously. Scattered workings will ensure safety, remove congestion of vehicles and will have better control and management.



(iii)Ultimate Capacity of Dumps: There will be no OB removal / during the plan period. Therefore no proposal has been envisaged for its separate dumping. No outside material will be filled up in the extracted zone.

The conceptual plan & section of each mining plots are attached with mine plan.

10.4.4 Method of Mining

Mining activity will be carried out by open cast semi- mechanized method/OTFM. The operation will be semi-mechanized/OTFM with use of excavators/JCBs truck /tractors combination or Manually etc. The sand will be collected in its existing form.

10.5 AFFORESTATION PROGRAMME

Topsoil if any would be utilized for intensive plantation and greenbelt development, all along the bank of the river. The details of plantation and number of saplings to be planted are given below. Approx. 320 trees will be planted around haul road during the plan period.

10.6 LAND USE PATTERN

The mine lease area is flat river bed and river banks. There is no forest land or agriculture land in the mine lease area. The entire mining lease lies within River.

10.7 BASELINE ENVIRONMENTAL STATUS

10.7.1 Soil Quality

Three soil samples were collected in and around the mine lease area to assess the present soil quality of the region. The pH of the soil indicates that the soil is slightly alkaline in nature. Based on the results, it is evident that the soils are not contaminated by any polluting sources.

10.7.2 Meteorology

Meteorological data at the site was monitored during March 2023 to May 2023 representing Pre monsoon season. It was observed that the during study period, temperature ranged from $21~^{0}$ C to $44~^{0}$ C.

10.7.3 Ambient Air Quality

Ambient Air Quality Monitoring (AAQM) has been carried out at 05 locations. The Particulate Matter (PM $_{10}$) conc. ranged of 71.3 µg/m3to 91.0µg/m 3 . The Particulate Matter (PM $_{2.5}$) ranged from 39.2 µg/m3to 47.0 µg/m 3 Sulphur dioxide (SO $_2$) between 4.0 µg/m3to 8.9 µg/m3.Oxides of Nitrogen (NO $_2$) between 6.6 µg/m3to 15.8 µg/m3.The results thus obtained



indicate that the concentrations of PM10, SO₂ and NO₂ in the ambient air are well within the National Ambient Air Quality (NAAQ) standards for Residential and Rural areas.

10.7.4 Water quality

To assess the physical and chemical properties of water in the region, water samples from 05 locations were collected from various water sources around the mine lease area. The pH was varying for ground waters from 7.34 at to 7.59. The total dissolved solids are varying from 412 mg/l to 495 mg/l.

The Surface water sampling was taken from 5 locations The analysis results indicate that the pH ranges between 8.24 and 8.41. Dissolved Oxygen (DO) was observed in the range of 6.8 to 7.3 mg/l against the minimum requirement of 4 mg/l. BOD values were observed to be in the range of 2.0 to 3.0 mg/l.

The results indicate groundwater is generally in conformity with the drinking water standards (IS: 10500).

10.7.5 Noise Quality

Noise monitoring reveals that the minimum & maximum noise levels at day time were recorded as 45.5dB (A) to 54.8dB (A) respectively. The minimum & maximum noise levels at night time were found to be 35.1dB (A) & 42.2dB (A) respectively.

10.7.6 Ecological Environment

Based on the field studies and review of published literature, There is no any Ecological Sensitive Areas Like National Park, Wildlife Sanctuaries, etc are found within 10 km of the study area.

10.8 ANTICIPATED ENVIRONMENTAL IMPACTS

10.8.1 Impact on Air Environment

The proposed mining activities loading and movement of other transport vehicles used in mining will generate dust (SPM/RSPM). Proper water sprinkling shall be carried out at the mine site. The mineral will be transported by road through covered tarpaulin trucks/tippers to reduce the fugitive emission caused by the wind.

10.8.2 Impact on Water Environment



Mining of sand from within or near river has an indirect impact on the physico-chemical habitat characteristics during monsoon season. These characteristics include in stream roughness elements, depth, velocity, turbidity, sediment transport and stream discharge.

The detrimental effects, if any, to biota resulting from bed material mining are caused by following:

- Alteration of flow patterns resulting from modification of the river
- An excess of suspended sediment during monsoon season.

Project activity will be carried out only in the dry part of the Son River. Hence, none of the project activities affect the water environment directly. In the project, it is not proposed to divert or truncate any stream in monsoon season only. No proposal is envisaged for pumping of water either from the *River* (in monsoon) or tapping the ground water.

10.8.3 Impact on Water Quality

Analysis results of water samples collected from the buffer zone indicate that the pH, total dissolved solids (TDS) are well below the prescribed limits.

No wastewater generation is envisaged due to the mining operations. The sanitary wastewater will be sent to septic tanks.

10.8.4 Impact on Noise Environment

The proposed mining activity is semi-mechanized/OTFM in nature. No drilling & blasting is envisaged for the mining activity. Hence, the only impact is anticipated is due to movement of vehicles deployed for transportation of minerals. The vehicles will be maintained in good running condition so that noise will be reduced to minimum possible level.

10.8.5 Impact on Land Environment

The proposed extraction of stream bed materials, mining below the existing streambed, and alteration of channel-bed form and shape may lead to several impacts such as erosion of channel bed and banks, increase in channel slope, and change in channel morphology if, the operations are not carried out systematically.

The systematic and scientific removal of sand will not cause bed degradation. The silt and clay generated as waste will be used for plantation or filling up low lying area elsewhere. The



mining is planned in non monsoon seasons only, so that the excavated area gets replenished gradually during the monsoons each year.

10.8.6 Impact on flora and fauna

As the proposed mining will be carried out in a scientific manner, not much significant impact is anticipated. No mining will be carried out during the monsoon season to minimize impact on aquatic life which is mainly breeding season for many of the species. The mining site has no vegetation; no clearance of vegetation will be done. Haul roads will be sprinkled with water which would reduce the dust emission, thus avoiding damage to the crops.

10.8.7 Impact on Socio - Economic Aspects

The mine area does not cover any habitation. Hence the mining activity does not involve any displacement of human settlement. No public buildings, places, monuments etc exist within the lease area or in the vicinity. The mining operation will not disturb/ relocate any village or need resettlement. Thus no adverse impact is anticipated. The impact of mining activity in the area is positive on the socio-economic environment of the region. Sand mining will be providing employment to local people whenever there is requirement of manpower.

10.9 ENVIRONMENTAL MANAGEMENT PLAN

- Extraction will be done from the bed leaving safety zone from bank.
- The maximum working depth will remain above ground water table of the area.
- Provide health facilities to the workers & surrounding people in the impact area to reduce the health impacts.
- Ensuring wildlife protection & arranging awareness campaigns for the same.
- Minimize activities that release fine sediment to the river.
- Effective mitigation measures will be adopted to minimize disturbance during transportation & handling of minerals:
- Establishment of reclamation program with plantation of local/native & fast growing species
- Establishment of restoration plan during the closure of mine at the onset of monsoon season.

M

SUMMARY & CONCLUSION

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

- Establishment of effective Disaster Management Plan to take timely precautionary measures to avoid effects of impending disasters.
- Establishment of effective Monitoring Program monitored by Environment Management Cell.

10.10 ENVIRONMENTAL MONITORING PROGRAM

Table 10.5: Post project environmental monitoring

S.No.	Description of Parameters	Schedule of Monitoring
1	Air Quality	24 hourly samples twice a week in each season except monsoon
2	Water Quality (Surface & Groundwater)	Once a season for 4 seasons in a year
3	Soil Quality	Once in a year in project area
4	Noise Level	Twice a year for first two years & then once a year
5	Socio-economic Condition	Once in 3 years
6	Plantation Monitoring	Once in a season

10.11 ENVIRONMENTAL PROTECTION COST

The details of the cost to be incurred for successful monitoring of environmental parameters and implementation of control measures are given in **Table-10.6**.

Table 10.6: Cost of Environmental Protection Measures
Table 10.6 (a), Budget of EMP (Patna Son 21)

Sl. No	Description	Capital Cost (lakh)	Recurring Cost (lakh)
1	Pollution Control & Dust Suppression	Nil	1.5
2	Pollution Monitoring i) Air pollution ii) Water pollution iii) Soil Pollution iv) Noise Pollution		2.0



	TOTAL	4.70	5.5
4	Haul road Maintenance Cost	1.50	1.5
3	Plantation and salary for one gardener (part time basis).	3.20	0.5

Note: *320 plants * 1000 Rs (for each plants including hedges and fences) = Rs 3,20,000/-

- Salary of Labour for haul road maintenance 2 labor*300=600 per day
- 600* 250= 1,50,000/-
- * 2.5 lakh per kilometer (2,50,000 *0.60 km haul road) = 1,50,000/-

10.12 ADDITIONAL STUDIES

10.12.1 Risk Assessment

The complete mining operation will be carried out under the management control and direction of a qualified mine manager holding. The DGMS have been regularly issuing standing orders, model, standing orders and circulars to be followed by the mine management in case of disaster, if any.

10.12.2 Disaster Management Plan

Emergency preparedness is an important aspect in the planning of Disaster Management. Personnel would be trained suitably and prepared mentally and physically in emergency response through carefully planned, simulated procedures. Similarly, the key personnel and essential personnel shall be trained in the operations.

10.12.3 Public Consultation

This is a draft EIA report. Public Hearing will be incorporated in FEIA report.

10.13 PROJECT BENEFITS

Physical Benefits: Road Transport, Market, Enhancement of green cover & Creation of community assets.

Social Benefits: Increase in Employment Potential, Contribution to the Exchequer, Increased Health related activities, Educational attainments & Strengthening of existing community facilities.

Environmental Benefits:



- > Controlling river channel and protection of banks.
- ➤ Reducing submergence of adjoining agricultural lands due to flooding.
- > Reducing aggradation of river level.
- ➤ A check on illegal mining activity.

Corporate Social Responsibility

2% of capital cost of the project cost will be allotted for the Corporate Environmental Responsibility as per OM dated 1st May 2018. The following has been proposed considering the needs & demand of the people.

CSR cost will be 2% of the total project cost. This amount will be used for social welfare.

CSR COST is 10,00,96,000/- x 2% = Rs. 20,01,920/- For each activity the funds to be earmarked by the proponent will be decided after discussion with the local authority/people and the beneficiaries during Public Hearing. It has been planned to undertake a concurrent evaluation of the activities to be taken up under the CER programme.

10.14 CONCLUSIONS

- The mining operations will meet the compliance requirements of MoEF&CC;
- Community impacts will be beneficial, as the project will generate significant economic benefits for the region;
- Monitoring program will be followed till the mining operations continue.
- With the effective implementation of the Environment Management Plan (EMP) during the mining activities, the proposed project can proceed without any significant negative impact on environment.



DISCLOSURE OF CONSULTANT

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

CONSULTANT

Name of the Consultant P and M Solution	
Address	C-88, Sector 65, Noida -201301 – U.P
Credentials	Accredited by QCI/NABET

Consultant accreditation details are given below:



Quality Council of India



National Accreditation Board for Education & Training

CERTIFICATE OF ACCREDITATION

P and M Solution

First Floor, C-88, Sector-65, Noida, Uttar Pradesh- 201301

Accredited as Category -A organization under the QCI-NABET Scheme for Accreditation of EIA Consultant Organizations: Version 3 for preparing EIA/EMP reports in the following sectors:

SI.		Sector	Sector (as per)		
No Sector Description		NABET	MoEFCC	Cat.	
1.	Mining of minerals including opencast / underground mining	1	1 (a) (i)	A	
2.	River Valley projects	: 3	1 (c)	В	
3,	Metallurgical industries (ferrous & non-ferrous)	- 8	3 (a)	В	
4.	Highways,	34	7 (f)	Α	
5.	Building and construction projects	38	8 (a)	В	
6.	Townships and Area development projects	39	8 (b)	В	

Note: Names of approved EIA Coordinators and Functional Area Experts are mentioned in IA AC Minutes dated December 20, 2019 on QCI-NABET website.

The Accreditation shall remain in force subject to continued compliance to the terms and conditions mentioned in NABET's letter of accreditation bearing no. QCI/NABET/ENV/ACO/20/1223 dated February 3, 2020. The accreditation needs to be renewed before the expiry date by P and M Solution, Noida following due process of assessment.

Sr. Director, NABET Dated: February 3, 2020

Certificate No. NABET/EIA/1922/IA0053 Valid till Dec 10, 2022

For the updated List of Accredited EIA Consultant Organizations with approved Sectors please refer to QCI-NABET websit





DISCLOSURE OF CONSULTANT

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).



National Accreditation Board for Education and Training



QCI/NABET/ENV/ACO/23/2770

June 02, 2023

To

P and M Solution

C-88, Sector-65 Noida Noida, UP

Sub.: Extension of Validity of Accreditation till Sept 01, 2023 - regarding

Ref.. 1. Certificate no. NABET/EIA/1922/IA0053

2. Request e-mail dated May 30, 2023

Dear Sir/Madam

This has reference to the accreditation of your organization under the QCI-NABET EIA Scheme, the validity of **P and M Solution** is hereby extended till Sept 01, 2023 or completion of the assessment process, whichever is earlier.

The above extension is subject to the submitted documents/required information with respect to your application and timely submission and closure of NC/Obs during the process of assessment.

You are requested not to use this letter after expiry of the above stated date.

With best regards.

(A K Jha)

Sr. Director, NABET





DISCLOSURE OF CONSULTANT

Project: Sand Mining Project, Patna Cluster-18 (Patna Son-21) Sand Ghat on Son River at Mauza – Chilka Tola, Anchal – Bihata, District - Patna (Bihar).

Consultant Contact Details:

P and M Solution

Address -C-88, Sector 65 Noida

Mobile no. - +8377871554, 8826287364

S No	Name	EC/FAE	DETAILS
1	Pravin Kumar Sinha	EC	EC
2	Pravin Kumar Sinha	FAE	GEO
3	Tapan Majumdar	FAE	HG
4	Subhash Kumar	FAE	SC
5	Manoj Kumar Pandey	FAE	EB
6	R K Tiwary	FAE	RH,AP
7	Rahul kumar	FAE	AQ
8	Abhay Nath Mishra	FAE	SE
9	Hussain Ziauddin	FAE	WP
10	Poonam Kumari Mangalam	FAE	LU
11	Jatin kumar srivastava	FAE	NV



EXECUTIVE SUMMARY

FOR

SAND MINING PROJECT, PATNA CLUSTER-18 (PATNA SON- 21), SAND GHAT, DISTRICT-PATNA

At

Mauza – Chilka Tola , Anchal – Bihata, Dist - Patna ,State - Bihar

Area: 32.05 ha

Production: 992268 TPA

PROJECT PROPONENT:

Unistar Biotech Limited
Prop.- Shri Prakash Chandra
S/o- Shri Gopal Prasad Sharma
Address- 2/67, 2nd floor, Sector-6, Vaishali, Ghaziabad,
Uttar Pradesh 201010

Environment Consultant:



P and M Solution
(Accredited by QCI/NABET)
Accreditation No.: NABET/EIA/1992/IA0053
C-88, Sector 65 Noida
www.pmsolution.in



EXECUTIVE SUMMARY

INTRODUCTION

As per MoEF & CC, New Delhi Gazette dated 14th September 2006 and amended thereof, the proposed mining project is categorized as **Category 'B1'** project.

Patna Son -21

The project has been proposed by Unistar Biotech Limited (Prop.- Shri Prakash Chandra). The Proposed Sand Mining Project was located on Son River at Block No – 21, Sand Ghat at Mauza–Chilka Tola, Anchal –Bihata, District - Patna (Bihar). LOI issued to lessee via letter no 665/Khanan, Patna dated 11.02.2023. The Draft EIA report has been prepared according to EIA notification 2006 and its subsequent amendment thereof. TOR of the proposed project has been issued by SEIAA Bihar dated 20-05-2023.

Cluster Situation: As per District Survey Report Patna the Proposed Sand Ghats of Patna Son 20, Patna Son 21 & Patna Son 22 are comes in cluster situation whose combined cluster area is 122.03 ha. All the lease area of homogeneous minerals is coming within 500 m radius from each other confirming a cluster situation.

The Details of cluster is given below:

Sand Block name	Area (Ha)	Production
Patna Son 20	44.95	2184570 TPA
Patna Son 21	32.05	1557630 TPA
Patna Son 22	45.03	2188458 TPA
Total	122.03	5930658 TPA

It has been proposed to mine around 992268 TPA for applied lease. The estimated project cost for the proposed project is **Rs 10,00,96,000/-** (including auction cost)

PROJECT DESCRIPTION

LOCATION

Patna Son 21

The proposed mining lease area falls in Survey of India Toposheet No- 72 C/10, 72C/11, 72C/14 & 72C/15. The lease area is located in Mauza—Chilka Tola, Anchal—Bihata, District—Patna, State-Bihar. The mine lease co-ordinates are listed below:

Pillar No	Latitude (N)	Longitude (E)
1	25.54618883	84.78132553
2	25.54620054	84.78133608
3	25.54793305	84.78283105
4	25.54959905	84.78490571
5	25.54726957	84.78853707
6	25.54684924	84.78919231
7	25.54453987	84.78822853
8	25.54451991	84.78685337
9	25.54314195	84.78480078
10	25.54301731	84.78614100

Area & production: The total ML area is 32.05 Ha. Proposed rate of production will be 992268 TPA.

Connectivity:

Patna Son 21

Patna Son 21 Sand Ghat is well connected by NH- 922. NH -922, is Approx. 3.10 km in North direction. SH-81 is approx 2.95 km in West direction. Bihta Railway station is at a distance of 8.0 km in NE direction. JPN International Airport Patna is at a distance of approx. 30.5 km in NE direction.

Salient Features of Project

Patna Son 21

Name of the applicant	Unistar Biotech Limited	
	Prop Shri Prakash Chandra	

Address of Lessee	Unistar Biotech Limited	
	Prop Shri Prakash Chandra	
	S/o- Shri Gopal Prasad Sharma	
	Address- 2/67, 2nd floor, Sector-6, Vaishali, Ghaziabad,	
	Uttar Pradesh. Pin- 201010.	
Name of Mine	Sand Mining Project, Patna Cluster-18 (Patna Son-21)	
	Sand Ghat	
Village	Mauza – Chilka Tola.	
District & State Patna, Bihar		
Mineral	Sand	
Area (ha)	32.05 hectare	

MINING

The mining process is opencast semi-mechanized method without drilling & blasting. This is an open-cast mining project. The operation will be semi-mechanized/OTFM with use of excavators/JCBs truck /tractors combination or Manually etc. The sand will be collected in its existing form.

The mining will be done in a rotational way. As the working is going to be methodical i.e. mining will be done in benches. There would be no risk to the employee working in the mines. Mining will be done in layers.

The deposit will be worked from the surface of the bed up to 3 m bgl or above ground water level, whichever comes first. Hence, at no point of time mining will intersect with ground water table. Mining will be done only during the day time and completely stopped during the monsoon season.

RESERVE AND PRODUCTION

The area of each bench level has been calculated & multiplied by strike influence to get the volume. Volume is multiplied by bulk density (1.72) to get tonnes.

The bench-wise annual exploitation of sand of is given below:

Patna Son 21

Bench Level (mRL)	Length (m)	Width (m)	Depth (m)	Volume (cum)	Tonnes
54-52.5	557	545	1.5	455348	783198
52.5-51	547	535	1.5	438968	755024
Total				894315	1538222

It is a river bed deposit and mined out area shall be replenished each year during monsoon period and depth of quarry shall be filled back by river sand each year and area will restore its original topography.

SITE FACILITIES AND UTILITIES

Water Supply

Water will be provided to workers for drinking & domestic purpose. Water will also be required for dust suppression. A total cluster water of 5.67~5.7 KLD will be required for the proposed project. Fresh water will be only used for drinking purpose. The water will be supplied from available sources from nearby village.

Temporary Rest Shelter

A temporary rest shelter will be provided for the workers near to the site for rest. In addition, First aid box along with anti-venoms to counteract poison produced by certain species of small insects, if any and sanitation facility i.e. septic tank or community toilet facility will be provided for the workers.

BASELINE ENVIRONMENTAL STATUS

Environmental data has been collected in relation to proposed mining for Air, Noise, Water, Soil, Flora & Fauna. The baseline environment study was carried out over an area with radial distance of 10 km around the mining lease area during winter season from March – May 2023.

Meteorology

The Summarized Meteorological Data for the Monitoring Period March – May 2023 is given below:

Month	Temperature °C		Wind Speed	(Km/Hr)
	Min	Max	Avg.	Max
MARCH 2023	21	38	10.3	18.5
APRIL 2023	27	44	14.8	24.9
MAY 2023	28	44	14.0	25.0

Table Baseline Environmental Status

Attribute	Baseline status	
Ambient Air Quality	Ambient Air Quality Monitoring reveals that the minimum &	
	maximum concentrations of PM2.5 amongst all the 05 AQ	
	monitoring stations were found to be 39.2 µg/m ³ to 47.0 µg/m ³	
	respectively; PM10 was in the range of 71.3 µg/m³to 91.0µg/m³ As	
	far as the gaseous pollutants SO ₂ and NO ₂ are concerned, the	
	prescribed CPCB limit of 80 µg/m³ for residential and rural areas	
	has never been surpassed at any station.	
Noise Levels	The results of the monitoring program indicated that both the	
	daytime and night time levels of noise were well within the	
	prescribed limits of NAAQS, at all the locations monitored.	
Water Quality	The ground water from all sources remains suitable for drinking	
	purposes as all the constituents are within the limits prescribed by	
	drinking water standards promulgated by IS: 10500.	
	Surface water analysis from River Son results it is evident that most	
	of the parameters of the samples comply with 'Category B'	
	standards of CPCB, indicating their suitability for outdoor bathing.	
Soil Quality	Samples collected from identified locations indicate the soil is	
	sandy type and the pH value ranging from 7.83 to 8.24,, which	
	shows that the soil is slightly alkaline in nature.	
Ecology and	There is no Eco-Sensitive Areas in the study area.	
Biodiversity		

ANTICIPATED ENVIRONMENTALIMPACTS

Impact on Air Environment

The proposed mining activities loading and movement of other transport vehicles used in mining will generate dust (SPM/RSPM). Proper water sprinkling shall be carried out at the mine site. The mineral will be transported by road through covered tarpaulin trucks/tippers to reduce the fugitive emission caused by the wind.

Impact on Water Environment

Mining of sand from within or near *river* has an indirect impact on the physico-chemical habitat characteristics during monsoon season. These characteristics include in stream roughness, elements, depth, velocity, turbidity, sediment transport and stream discharge.

The detrimental effects, if any, to biota resulting from bed material mining are caused by following:

- Alteration of flow patterns resulting from modification of the *river*
- An excess of suspended sediment during monsoon season.

Project activity will be carried out only in the dry part of the Son River. Hence, none of the project activities affect the water environment directly. In the project, it is not proposed to divert or truncate any stream in monsoon season only. No proposal is envisaged for pumping of water either from the *River* (in monsoon) or tapping the ground water.

Impact on Land Environment

The proposed extraction of stream bed materials, mining below the existing streambed, and alteration of channel-bed form and shape may lead to several impacts such as erosion of channel bed and banks, increase in channel slope, and change in channel morphology if, the operations are not carried out systematically.

The systematic and scientific removal of sand will not cause bed degradation. The silt and clay generated as waste will be used for plantation or filling up low lying area elsewhere. The mining is planned in non monsoon seasons only, so that the excavated area gets replenished gradually during the monsoons each year.

Impact on Noise Environment

The proposed mining activity is semi-mechanized in nature. No drilling & blasting is envisaged for the mining activity. Hence, the only impact is anticipated is due to movement of vehicles deployed for transportation of minerals. The vehicles will be maintained in good running condition so that noise will be reduced to minimum possible level.

Impact on Biological Environment

As the proposed mining will be carried out in a scientific manner, not much significant impact is anticipated. No mining will be carried out during the monsoon season to minimize impact on aquatic life which is mainly breeding season for many of the species. The mining site has no vegetation; no clearance of vegetation will be done. Haul roads will be sprinkled with water which would reduce the dust emission, thus avoiding damage to the crops.

Impact on Socio Economic Environment

The impact of mining activity in the area is positive on the socio-economic environment of the region. Sand mining will be providing employment to local people whenever there is requirement of manpower.

POST PROJECT ENVIRONMENTAL MONITORING

S.No.	Description of Parameters	Schedule of Monitoring
1	Air Quality	24 hourly samples twice/thrice a week in each season except monsoon
2	Water Quality (Surface & Groundwater)	Once a season for 4 seasons in a year
3	Soil Quality	Once in a year in project area
4	Noise Level	Twice a year for first two years & then once a year
5	Socio-economic Condition	Once in 3 years
6	Plantation Monitoring	Once in a season

ADDITIONAL STUDIES

Public Hearing

Public hearing is yet to be conducted.

Risk Assessment

The complete mining operation will be carried out under the management control and direction of a qualified mine manager holding. The DGMS have been regularly issuing standing orders, model standing orders and circulars to be followed by the mine management in case of disaster, if any. Moreover, mining staff will be sent to refresher courses from time to time to keep them alert.

Disaster Management Plan

Emergency preparedness is an important aspect in the planning of Disaster Management. Personnel would be trained suitably and prepared mentally and physically in emergency response through carefully planned, simulated procedures. Similarly, the key personnel and essential personnel shall be trained in the operations.

PROJECT BENEFITS

Physical Benefits: Road Transport, Market, Enhancement of green cover & Creation of community assets.

Social Benefits: Increase in Employment Potential, Contribution to the Exchequer, Increased Health related activities, Educational attainments & Strengthening of existing community facilities.

Environmental Benefits:

- Controlling *river* channel and protection of banks.
- ➤ Reducing submergence of adjoining agricultural lands due to flooding.
- ➤ Reducing aggradation of *river* level.
- A check on illegal mining activity.

CORPORATE SOCIAL RESPONSIBILITY

2% of capital cost of the project cost will be allotted for the Corporate Environmental Responsibility as per OM dated 1st May 2018. The following has been proposed considering the needs & demand of the people.

CER cost for **Patna Son 21** will be 2% of the total project cost. This amount will be used for social welfare. CSR COST is 10,00,96,000/- x 2% = Rs. 20,01,920/-

For each activity the funds to be earmarked by the proponent will be decided after discussion with the local authority/people and the beneficiaries during Public Hearing. It has been planned to undertake a concurrent evaluation of the activities to be taken up under the CER programme.

PLANTATION:

• The project will not lead to any tree cutting. However, asocial responsibility, greenery will be developed along the both sides of road and the bank of river. Community services will be deployed in raising these plantations. Trees of economic importance and native origin such as fruit trees shall be planted.

- Approx. 320 trees will be planted around haul road during the plan period.
- The trees proposed for plantation are:
- As per Sustainable Sand Management & Mining Guidelines 2016, minimum 5 plant per hectare will be proposed for development of greenbelt but in this cluster of projects 10 plants per hectare will be proposed for better condition of environment.
- Peepal, Arjun, Jamun, Banyan, Neem, Mango etc trees will be planted.

ENVIRONMENTAL MANAGEMENT PLAN (EMP)

- Extraction will be done from the bed leaving safety zone from bank.
- The maximum working depth will remain above ground water table of the area.
- Provide health facilities to the workers & surrounding people in the impact area to reduce the health impacts.
- Ensuring wildlife protection & arranging awareness campaigns for the same.
- Minimize activities that release fine sediment to the *river*.
- Effective mitigation measures will be adopted to minimize disturbance during transportation & handling of minerals
- Establishment of reclamation program with plantation of local/native & fast growing species
- Establishment of restoration plan during the closure of mine at the onset of monsoon season.
- Establishment of effective Disaster Management Plan to take timely precautionary measures to avoid effects of impending disasters.
- Establishment of effective Monitoring Program monitored by Environment Management Cell.

BUDGET ALLOCATION FOR EMP IMPLEMENTATION

Table, Budget of EMP (Patna Son 21)

Sl. No	Description	Capital Cost (lakh)	Recurring Cost (lakh)
1	Pollution Control & Dust Suppression	Nil	1.5

2	Pollution Monitoring i) Air pollution ii) Water pollution iii) Soil Pollution iv) Noise Pollution		2.0
3	Plantation and salary for one gardener (part time basis).	3.20	0.5
4	Haul road Maintenance Cost	1.50	1.5
TOTAL		4.70	5.5

Note: *320 plants * 1000 Rs (for each plants including hedges and fences) =Rs 3,20,000/-

- Salary of Labour for haul road maintenance 2 labor*300=600 per day
- 600* 250= 1,50,000/-
- * 2.5 lakh per kilometer (2,50,000 *0.60 km haul road) = 1,50,000/-

CONCLUSION

Based on the EIA study it is observed that there will be an increase in the dust pollution, which will be controlled by sprinkling of water and plantation. There will be an insignificant impact on ambient environment and ecology due to the mining activities moreover the mining operation will lead to direct and indirect employment generation in the area. Green belt development around the area will also be taken up as an effective pollution mitigative technique, as well as to control the pollutants released from the premises of the Mine. Monitoring program will be followed till the mining operations continue. Hence, it can be summarized that the development of the mine will have a positive impact on the socioeconomic environment of the area and lead to sustainable development of the region.

कार्यकारी सारांश

बालू खनन परियोजना पटना क्लस्टर-18(पटना सोन 21बालू घाट) के लिए

मौजा- छिलका टोलां, अंचल-बिहटा, जिला- पटना, (बिहार)

ब्लॉक	पटना सोन 21	
क्षेत्र	32.05 हेक्टेयर	
उत्पादन	992268 टन प्रति वर्ष	

आवेदन कर्ता

यूनिस्टार बायोटेक लिमिटेड

प्रो० श्री प्रकाश चन्द्र पुत्र श्री गोपाल प्रसाद शर्मा पता- 2/67, दूसरी मंजिल, सेक्टर-6, वैशाली, गाजियाबाद, उत्तर प्रदेश 201010



एनवायरनमेंट कन्सल्टेंट पी & एम सल्यूशन



(क्वालिटी कौंसिल ऑफ़ इंडिया द्वारा मान्यता प्राप्त) सी-88 सेक्टर 65) नॉएडा उत्तर-प्रदेश

www.pmsolution.in

Accreditation No.: NABET/EIA/1992/IA0053

कार्यकारी सारांश

❖ परिचय

MoEF & CC (एमओईएफ एंड सीसी), नई दिल्ली राजपत्र दिनांक 14 सितंबर 2006 और उसमें समय समय पर किये गए संशोधन के अनुसार, प्रस्तावित खनन परियोजना को श्रेणी 'बी1' परियोजना के रूप में वर्गीकृत किया गया है।

❖ पटना सोन 21

परियोजना के प्रस्ताव यूनिस्टार बायोटेक लिमिटेड (प्रस्तावक- श्री प्रकाश चन्द्र) ने दिया है। प्रस्तावित बालू खनन परियोजना मौजा- छिलका टोला, अंचल-बिहटा,जिला- पटना (बिहार) में ब्लॉक संख्या - 21 बालू घाट पर सोन नदी पर स्थित है। पत्र संख्या 655/एम दिनांक 11-02-2023 के माध्यम से पट्टेदार को एलओआई जारी किया गया।

ईआईए अधिसूचना 2006 और इसके बाद के संशोधन के अनुसार ड्राफ्ट ईआईए रिपोर्ट तैयार की गई है। प्रस्तावित परियोजना का टीओआर SEIAA बिहार दिनांक 20-05-2023 द्वारा जारी किया गया है।

क्लस्टर स्थिति: जिला सर्वेक्षण रिपोर्ट पटना के अनुसार पटना सोन 20, पटना सोन 21 एवं पटना सोन 22 प्रस्तावित बालू घाट क्लस्टर स्थिति में आते हैं जिनका संयुक्त क्लस्टर क्षेत्र 122.03 हेक्टेयर है। खिनजों का समस्त पट्टा क्षेत्र एक दूसरे से 500 मीटर के दायरे में आ रहा है जो एक क्लस्टर स्थिति की पुष्टि करता है।

क्लस्टर का विवरण नीचे दिया गया है:

ब्लॉक का नाम	क्षेत्र (हे),	उत्पादन (टीपीए)
पटना सोन 20	44.95	2184570
पटना सोन 21	32.05	1557630
पटना सोन 22	45.03	2188458
कुल	122.03	5930658

आवेदित पट्टे के लिए प्रति वर्ष लगभग 992268 टीपीए खनन प्रस्तावित किया गया है, प्रस्तावित परियोजना के लिए अनुमानित परियोजना लागत 10,00,96,000/- रुपये (नीलामी लागत सहित) है।

परियोजना विवरण

स्थान:

पटना सोन 21

प्रस्तावित खनन पट्टा क्षेत्र सर्वे ऑफ इंडिया टोपोशीट टोपो शीट संख्या- 72C/10, 72C/11, 72C/14 & 72C/15 के अंतर्गत आता है। पट्टा क्षेत्र मौजा- छिलका टोला, अंचल-बिहटा , जिला-पटना, राज्य- बिहार में स्थित है। खान पट्टा समन्वय नीचे सूचीबद्ध हैं:

स्तंभ	अक्षांश / देशांतर		
1	25.54618883	84.78132553	
2	25.54620054	84.78133608	
3	25.54793305	84.78283105	
4	25.54959905	84.78490571	
5	25.54726957	84.78853707	
6	25.54684924	84.78919231	
7	25.54453987	84.78822853	
8	25.54451991	84.78685337	
9	25.54314195	84.78480078	
10	25.54301731	84.78614100	

[💠] क्षेत्र और उत्पादन: कुल क्षेत्रफल 32.05 हेक्टेयर है। उत्पादन की प्रस्तावित दर 992268 टीपीए होगी।

संयोजकता

पटना सोन 21

पटना सोन ब्लॉक 21 बालू घाट पट्टे से 3.10 कि.मी. की दूरी पर निकटतम पक्की सड़क से अच्छी तरह से जुड़ा हुआ है। NH 922 लगभग 3.10 किमी उत्तर दिशा की ओर है SH 81 लगभग 2.95 किमी पश्चिम दिशा की ओर है बिहटा रेलवे स्टेशन, लगभग 8.0 किमी उत्तर पूर्व दिशा की ओर है।

परियोजना की मुख्य विशेषताएं

पटना सोन 21

आवेदक का नाम	यूनिस्टार बायोटेक लिमिटेड प्रोo श्री प्रकाश चन्द्र
पट्टेदार का पता	यूनिस्टार बायोटेक लिमिटेड प्रोo श्री प्रकाश चन्द्र पुत्र श्री गोपाल प्रसाद शर्मा पता- 2/67, दूसरी मंजिल, सेक्टर-6, वैशाली, गाजियाबाद, उत्तर प्रदेश 201010
नाम	बालू खनन परियोजना पटना क्लस्टर-18(पटना सोन-21 बालू घाट)
गाँव	मौजा - छिलका टोला
जिला और राज्य	पटना, बिहार
खनिज	बालू
क्षेत्र (हेक्टेयर)	32.05 हेक्टेयर

ड्रिलिंग

ड्रिलिंग और ब्लास्टिंग की आवश्यकता नहीं हैं।

खिनज का उपयोग

बालू का उपयोग निर्माण कार्यवों में किया जाता है सड़क निर्माण में भी इसका उपयोग किया जाता है

❖ खनन

खनन प्रक्रिया ड्रिलिंग और ब्लास्टिंग के बिना खुली अर्ध-मशीनीकृत विधि है। यह एक ओपन कास्ट माइनिंग प्रोजेक्ट है। उत्खनन/जेसीबी ट्रक/ट्रैक्टर संयोजन या मैन्युअल आदि के उपयोग के साथ संचालन अर्ध-मशीनीकृत/ओटीएफएम होगा। बालू को अपने मौजूदा रूप में एकत्र किया जाएगा।

खनन रोटेशनल तरीके से किया जाएगा। चूंकि काम व्यवस्थित होने जा रहा है यानी बेंचों में खनन किया जाएगा। खदान में काम करने वाले कर्मचारी को कोई खतरा नहीं होगा। खनन परतों में किया जाएगा। निक्षेप को संस्तर की सतह से 3 एमबीजीएल या भूजल स्तर से ऊपर, जो भी पहले आए, तक कार्य किया जाएगा। इसलिए, किसी भी समय खनन भूजल स्तर को नहीं काटेगा। खनन केवल दिन के समय किया जाएगा और मानसून के मौसम में पूरी तरह बंद कर दिया जाएगा।

रिजर्व और उत्पादन

खनन योग्य भंडार की गणना सतह से 3 मीटर की गहराई तक की गई है। टनभार प्राप्त करने के लिए वॉल्यूम को बल्क डेंसिटी (1.72 g/cm3) से गुणा किया जाता है।

हर साल मानसून के मौसम के दौरान नदी तल से उत्खनन किए गए खनिजों की फिर से भरपाई (रिप्लेनिशमेंट) हो जाएग। नदी के पैलियो चैनल से संबंधित क्षेत्र को समतल करके वापस बहाल किया जाएगा।

बेंचवार बालू का वार्षिक दोहन नीचे दिया गया है:

खनन योग्य भंडार - पटना सोन 21

बेंच स्तर (mRL)	लंबाई (M)	चौड़ाई (M)	गहराई (M)	मात्रा (घन मीटर)	टन
54-52.5	557	545	1.5	455348	783198
52.5-51	547	535	1.5	438968	755024
कुल				894315	1538222

क्ल खनन योग्य रिजर्व = 894315 घन मीटर या 1538222 टन

यह नदी तल जमा है और खनन क्षेत्र हर साल मानसून अविध के दौरान फिर से भर जाएगा और खदान की गहराई हर साल नदी की बालू से भर जाएगा (रिप्लेनिशमेंट) और क्षेत्र अपनी मूल स्थलाकृति बहाल को कर देगा।

साइट स्विधाएं और उपयोगिताएँ

• जलापूर्ति

श्रमिकों को पीने व घरेलू उपयोग के लिए पानी उपलब्ध कराया जाएगा। धूल के दमन के लिए भी पानी की आवश्यकता होगी। प्रस्तावित परियोजना के लिए 5.67~5.7 केएलडी के जल की आवश्यकता होगी। ताजे

पानी का उपयोग केवल पीने के उद्देश्य के लिए किया जाएगा। आसपास के गांव के उपलब्ध स्रोतों से पानी की आपूर्ति की जाएगी।

• अस्थायी विश्राम गृह

विश्राम के लिए स्थल के पास श्रमिकों के लिए एक अस्थायी विश्राम आश्रय प्रदान किया जाएगा। इसके अलावा, छोटे कीड़ों की कुछ प्रजातियों द्वारा उत्पादित जहर का मुकाबला करने के लिए एंटी-वेनम के साथ प्राथमिक उपचार बॉक्स, यदि कोई हो और श्रमिकों के लिए स्वच्छता सुविधा जैसे सेप्टिक टैंक या सामुदायिक शौचालय की सुविधा प्रदान की जाएगी।

• आधारभूत पर्यावरणीय स्थिति

वायु, ध्वनि, जल, मिट्टी, वनस्पति एवं जीव-जन्तुओं के लिए प्रस्तावित खनन के संबंध में पर्यावरणीय डाटा एकत्र किया गया है। बेसलाइन पर्यावरण अध्ययन मार्च 2023 से मई 2023 तक प्री-मानसून सीजन के मौसम के दौरान खनन पट्टा क्षेत्र के आसपास 10 किमी की रेडियल दूरी वाले क्षेत्र में किया गया था।

• मौसम-विज्ञान

निगरानी अवधि मार्च 2023 से मई 2023 के लिए संक्षिप्त मौसम संबंधी डेटा नीचे दिया गया है:

	तापमान °C		हवा की गति (किमी/घंटा)	
महीना	न्यूनतम	अधिकतम	न्यूनतम	अधिकतम
मार्च 2022	21	38	10.3	18.5
मई 2023	27	44	14.8	24.9
मई 2023	28	44	14.0	25.0

आधारभूत पर्यावरणीय स्थिति

गुण	आधारभूत स्थिति
एम्बिएंट(परिवेशी) वायु गुणवत्ता	एम्बिएंट (परिवेशी) वाय् ग्णवत्ता निगरानी से पता चलता है कि
	सभी 05 AQ निगरानी स्टेशनों में PM2.5 की न्यूनतम और
	अधिकतम सांद्रता क्रमशः 39.2 µg/m3 से 47.0 µg/m3 पाई गई;
	PM10 71.3 μg/m3to 91.0 μg/m3 की सीमा में था जहां तक गैसीय
	प्रदूषकों SO2 और NO2 का संबंध है, आवासीय और ग्रामीण क्षेत्रों के
	लिए 80 µg/m3 की निर्धारित CPCB सीमा किसी भी स्टेशन पर पार
	नहीं की गई है।
शोर का स्तर	निगरानी कार्यक्रम के परिणामों ने संकेत दिया कि निगरानी किए गए
	सभी 05 स्थानों पर शोर के दिन और रात दोनों समय एनएएक्यूएस
	की निर्धारित सीमा के भीतर थे।
पानी की गुणवत्ता	सभी स्रोतों से भूजल पीने के उद्देश्यों के लिए उपयुक्त रहता है क्योंकि
	सभी घटक IS: 10500 द्वारा प्रख्यापित पेयजल मानकों द्वारा
	निर्धारित सीमा के भीतर हैं।
	सोन नदी के सतही जल विश्लेषण के परिणामों से यह स्पष्ट होता है
	कि नमूनों के अधिकांश पैरामीटर सीपीसीबी के 'श्रेणी बी' मानकों का
	अनुपालन करते हैं, जो इंगित करता है यह जल स्नान के लिए
	उपयुक्त हैं।
मिट्टी की गुणवत्ता	चिन्निहित किए गए स्थानों से एकत्र किए गए नमूने इंगित करते हैं
	कि मिट्टी रेतीली प्रकार की है और पीएच मान 7.83 से 8.24 के बीच है,
	जो दर्शाता है कि मिट्टी प्रकृति में थोड़ी क्षारीय है।
पारिस्थितिकी और जैव विविधता	अध्ययन क्षेत्र के 10 कि.मी. के भीतर कोई भी पारिस्थितिक
	संवेदनशील क्षेत्र नहीं है
सामाजिक आर्थिक	नदी तल पर बालू खनन परियोजना के कार्यान्वयन से स्थानीय
	लोगों को प्रत्यक्ष और अप्रत्यक्ष दोनों तरह के रोजगार के
	अवसर मिलेंगे।
	अध्ययन क्षेत्र में शिक्षा, स्वास्थ्य, आवास, पानी, बिजली
	आदि को और बेहतर किया जा सकता है। उम्मीद है कि
	प्रस्तावित खनन परियोजना और संबद्ध औद्योगिक और
	व्यावसायिक गतिविधियों के कारण इसमें काफी हद तक और
	सुधार होगा।

अनुमानित पर्यावरणीय प्रभाव

• वायु पर्यावरण पर प्रभाव

प्रस्तावित खनन गतिविधियां खनन में प्रयुक्त अन्य परिवहन वाहनों की लोडिंग और आवाजाही से धूल (SPM/RSPM) उत्पन्न होगी। खदान स्थल पर उचित जल छिड़काव किया जाएगा। हवा से होने वाले क्षणिक उत्सर्जन को कम करने के लिए खनिज को ढके हुए तिरपाल ट्रकों/टिप्परों के माध्यम से सड़क मार्ग से ले जाया जाएगा।

• जल पर्यावरण पर प्रभाव

नदी के भीतर या उसके पास से बालू के खनन का मानसून के मौसम के दौरान भौतिक-रासायनिक आवास विशेषताओं पर अप्रत्यक्ष प्रभाव पड़ता है। इन विशेषताओं में धारा खुरदरापन, तत्व, गहराई, वेग, मैलापन, तलछट परिवहन और धारा निर्वहन शामिल हैं।

संस्तर सामग्री खनन से उत्पन्न बायोटा पर हानिकारक प्रभाव, यदि कोई हो, निम्नलिखित के कारण होते हैं:

- नदी के परिवर्तन के परिणामस्वरूप प्रवाह पैटर्न में बदलाव
- मानस्न के मौसम में निलम्बित तलछट की अधिकता।

परियोजना गतिविधि केवल सोन नदी के शुष्क भाग में की जाएगी। इसलिए, परियोजना की कोई भी गतिविधि सीधे तौर पर जल पर्यावरण को प्रभावित नहीं करती है। परियोजना में केवल मानसून के मौसम में किसी धारा को मोड़ने या काट देने का प्रस्ताव नहीं है। नदी (मानसून में) या भूजल दोहन से पानी की पंपिंग के लिए किसी प्रस्ताव की परिकल्पना नहीं की गई है।

भूमि पर्यावरण पर प्रभाव

स्ट्रीम बेड सामग्री का प्रस्तावित निष्कर्षण, मौजूदा स्ट्रीमबेड के नीचे खनन, और चैनल-बेड फॉर्म और आकार में परिवर्तन से चैनल बेड और बैंकों के क्षरण, चैनल ढलान में वृद्धि, और चैनल आकारिकी में परिवर्तन जैसे कई प्रभाव हो सकते हैं, यदि, संचालन व्यवस्थित रूप से नहीं किया जाता है।

बालू के व्यवस्थित और वैज्ञानिक तरीके से हटाने से क्यारियों का क्षरण नहीं होगा। कचरे के रूप में उत्पन्न गाद और मिट्टी का उपयोग वृक्षारोपण के लिए या निचले इलाकों को कहीं और भरने के लिए किया जाएगा। खनन की योजना गैर-मानसून मौसम में ही बनाई जाती है, ताकि उत्खनित क्षेत्र प्रत्येक वर्ष मानसून के दौरान धीरे-धीरे भर जाए (रिप्लेनिशमेंट)।

शोर पर्यावरण पर प्रभाव

प्रस्तावित खनन गतिविधि प्रकृति में अर्ध-मशीनीकृत है। खनन गतिविधि के लिए कोई ड्रिलिंग और ब्लास्टिंग परिकल्पित नहीं है। इसलिए, केवल खनिजों के परिवहन के लिए तैनात वाहनों की आवाजाही के कारण प्रभाव का अनुमान लगाया गया है। वाहनों को अच्छी चालू स्थिति में रखा जाएगा तािक शोर को न्यूनतम संभव स्तर तक कम किया जा सके।

🌣 जैविक पर्यावरण पर प्रभाव

चूंकि प्रस्तावित खनन वैज्ञानिक तरीके से किया जाएगा, इसलिए ज्यादा महत्वपूर्ण प्रभाव का अनुमान नहीं है। जलीय जीवन पर प्रभाव को कम करने के लिए मानसून के मौसम के दौरान कोई खनन नहीं किया जाएगा जो कि कई प्रजातियों के लिए मुख्य रूप से प्रजनन का मौसम है। खनन स्थल पर कोई वनस्पति नहीं है; वनस्पति की सफाई नहीं की जाएगी। ढोने वाली सड़कों पर पानी का छिड़काव किया जाएगा जिससे धूल का उत्सर्जन कम होगा और इस प्रकार फसलों को होने वाले नुकसान से बचा जा सकेगा।

सामाजिक आर्थिक पर्यावरण पर प्रभाव

क्षेत्र में खनन गतिविधि का प्रभाव क्षेत्र के सामाजिक-आर्थिक वातावरण पर सकारात्मक है। बालू खनन से स्थानीय लोगों को जब भी श्रमबल की आवश्यकता होगी रोजगार उपलब्ध होगा।

पोस्ट प्रोजेक्ट पर्यावरण निगरानी

क्रम संख्या	पैरामीटर्स का विवरण	निगरानी की अनुसूची
1	हवा की गुणवत्ता	मानसून को छोड़कर प्रत्येक मौसम में सप्ताह में दो
		बार/तीन बार 24 घंटे के नमूने
2	जल गुणवत्ता (सतह और भूजल)	साल में 4 सीजन के लिए एक बार
3	मिट्टी की गुणवत्ता	परियोजना क्षेत्र में वर्ष में एक बार
4	शोर स्तर	साल में दो बार पहले दो साल और फिर साल में एक
		बार
5	सामाजिक-आर्थिक स्थिति	3 साल में एक बार
6	वृक्षारोपण निगरानी	एक बार एक मौसम में

अतिरिक्त अध्ययन

• सार्वजनिक सुनवाई

जन सुनवाई अभी बाकी है।

❖ जोखिम आकलन

पूर्ण खनन कार्य एक योग्य खदान प्रबंधक होल्डिंग के प्रबंधन नियंत्रण और निर्देशन में किया जाएगा। डीजीएमएस नियमित रूप से स्थायी आदेश, मॉडल स्थायी आदेश और आपदा, यदि कोई हो, के मामले में खान प्रबंधन द्वारा पालन किए जाने वाले परिपत्र जारी करता रहा है। साथ ही खनन कर्मचारियों को सतर्क रखने के लिए समय-समय पर रिफ्रेशर कोर्स में भेजा जाएगा।

आपदा प्रबंधन योजना

आपदा प्रबंधन की योजना में आपातकालीन तैयारी एक महत्वपूर्ण पहलू है। कार्मिकों को उचित रूप से प्रशिक्षित किया जाएगा और सावधानीपूर्वक नियोजित, सिम्युलेटेड प्रक्रियाओं के माध्यम से आपातकालीन प्रतिक्रिया में मानसिक और शारीरिक रूप से तैयार किया जाएगा। इसी तरह, प्रमुख कर्मियों और आवश्यक कर्मियों को संचालन में प्रशिक्षित किया जाएगा।

परियोजना लाभ

- भौतिक लाभ: सड़क परिवहन, बाजार, हरित आवरण में वृद्धि और साम्दायिक संपत्तियों का निर्माण।
- सामाजिक लाभः रोजगार क्षमता में वृद्धि, राजकोष में योगदान, स्वास्थ्य संबंधी गतिविधियों में वृद्धि,
 शैक्षिक उपलिब्धियां और मौजूदा सामुदायिक सुविधाओं का सुदृढ़ीकरण।

❖ पर्यावरणीय लाभः

- 💠 नदी चैनल को नियंत्रित करना और बैंकों की स्रक्षा करना।
- 💠 बाढ़ के कारण आसपास की कृषि भूमि के डूबने को कम करना।
- नदी के स्तर के उन्नयन को कम करना।
- अवैध खनन गतिविधि पर एक जांच।

कॉर्पोरेट की सामाजिक जिम्मेदारी

दिनांक 1 मई 2018 के कार्यालय ज्ञापन के अनुसार परियोजना लागत की पूंजीगत लागत का 2% कॉर्पोरेट पर्यावरणीय उत्तरदायित्व के लिए आवंटित किया जाएगा। लोगों की जरूरतों और मांग को ध्यान में रखते हुए निम्नलिखित प्रस्तावित किया गया है।

पटना सोन ब्लॉक 21 के लिए सीईआर (CER) लागत कुल परियोजना लागत का 2% होगी। इस राशि का उपयोग समाज कल्याण के लिए किया जाएगा। सीएसआर (CSR) लागत 10,00,96,000/-x 2% = रु. 20,01,920/-

प्रत्येक गतिविधि के लिए प्रस्तावक द्वारा निर्धारित की जाने वाली धनराशि का निर्धारण जन सुनवाई के दौरान स्थानीय प्राधिकारी/लोगों एवं हितग्राहियों से चर्चा के बाद किया जायेगा। सीईआर कार्यक्रम के तहत की जाने वाली गतिविधियों का समवर्ती मूल्यांकन करने की योजना बनाई गई है।

वृक्षारोपणः

 परियोजना से कोई पेड़ नहीं कटेगा। तथापि, असामाजिक उत्तरदायित्व, सड़क के दोनों ओर और नदी के किनारे हरियाली विकसित की जाएगी। इन वृक्षारोपण को बढ़ाने के लिए सामुदायिक सेवाओं को तैनात किया जाएगा। आर्थिक महत्व के पेड़ और देशी मूल के पेड़ जैसे फलों के पेड़ लगाए जाएंगे।

- लगभग। योजना अवधि में हॉल रोड के आसपास 320 पौधे रोपे जाएंगे।
- वृक्षारोपण के लिए प्रस्तावित पेड़ हैं:
- सस्टेनेबल सैंड मैनेजमेंट एंड माइनिंग गाइडलाइंस 2016 के अनुसार ग्रीनबेल्ट के विकास के लिए प्रति हेक्टेयर न्यूनतम 5 पौधे प्रस्तावित किए जाएंगे लेकिन पर्यावरण की बेहतर स्थिति के लिए परियोजनाओं के इस समूह में 10 पौधे प्रति हेक्टेयर प्रस्तावित किए जाएंगे।
- पीपल, अर्ज्न, जाम्न, बरगद, नीम, आम आदि के पेड़ लगाए जाएंगे।

पर्यावरण प्रबंधन योजना (ईएमपी)

- > रिवर बैंक से सुरक्षा क्षेत्र छोड़कर नदी तल से निकासी की जाएगी।
- > अधिकतम काम करने की गहराई क्षेत्र के भूजल तालिका के ऊपर रहेगी।
- स्वास्थ्य प्रभावों को कम करने के लिए प्रभाव क्षेत्र में श्रमिकों और आसपास के लोगों को
 स्वास्थ्य स्विधाएं प्रदान किया जायेगा ।
- वन्यजीव संरक्षण सुनिश्चित करना और उसी के लिए जागरूकता अभियान की व्यवस्था
 किया जायेगा।
- 🕨 नदी में महीन तलछट छोड़ने वाली गतिविधियों को किया जायेगा।
- खिनजों के परिवहन और प्रबंधन के दौरान गड़बड़ी को कम करने के लिए प्रभावी शमन
 उपाय अपनाए जाएंगे
- स्थानीय/देशी और तेजी से बढ़ने वाली प्रजातियों के वृक्षारोपण के साथ सुधार कार्यक्रम की
 स्थापना किया जायेगा
- मानसून के मौसम की शुरुआत में खान के बंद होने के दौरान बहाली योजना की स्थापना
 किया जायेगा
- आसन्न आपदाओं के प्रभाव से बचने के लिए समय पर एहितयाती उपाय करने के लिए
 प्रभावी आपदा प्रबंधन योजना की स्थापना।
- 🕨 पर्यावरण प्रबंधन प्रकोष्ठ द्वारा प्रभावी निगरानी कार्यक्रम की स्थापना किया जायेगा।

💠 ईएमपी कार्यान्वयन के लिए बजट आवंटन

टेबल, ईएमपी का बजट (पटना सोन ब्लॉक 21)

क्रम संख्या	विवरण	पूंजी लागत (लाख)	आवर्ती लागत (लाख)
1	प्रदूषण नियंत्रण और धूल दमन	Nil	2.0
2	प्रदूषण निगरानी i) वायु प्रदूषण ii) मृदा प्रदूषण iii) जल प्रदूषण iv) ध्वनि प्रदूषण	-1	2.0
3	वृक्षारोपण और एक माली के लिए वेतन (अंशकालिक आधार पर)	3.20	0.5
4	परिवहन सड़क रखरखाव लागत	1.50	1.5
TOTAL		4.70	5.5

नोट: *320 पौधे *1000 रुपये (हेज और बाड़ सिहत प्रत्येक पौधे के लिए) = 3,20,000/- रुपये

- ढोना सड़क रखरखाव के लिए श्रम का वेतन 2 श्रमिक*300=600 प्रति दिन
- 600* 250= 1,50,000/-
- *2.5 लाख प्रति किलोमीटर (2,50,000*0.60 किमी लंबी सड़क) = 1,50,000/-

निष्कर्ष

ईआईए अध्ययन के आधार पर यह देखा गया है कि धूल प्रदूषण में वृद्धि होगी, जिसे पानी के छिड़काव और वृक्षारोपण द्वारा नियंत्रित किया जाएगा। खनन गतिविधियों के कारण (एम्बएंट) परिवेशी पर्यावरण और पारिस्थितिकी पर नगण्य प्रभाव पड़ेगा, इसके अलावा खनन संचालन से क्षेत्र में प्रत्यक्ष और अप्रत्यक्ष रोजगार सृजन होगा। क्षेत्र के चारों ओर हरित पट्टी का विकास एक प्रभावी प्रदूषण न्यूनीकरण तकनीक के साथ-साथ खान परिसर से निकलने वाले प्रदूषकों को नियंत्रित करने के लिए भी किया जाएगा। खनन कार्य जारी रहने तक निगरानी कार्यक्रम का पालन किया जाएगा। इसलिए, यह संक्षेप में कहा जा सकता है कि खान के विकास से क्षेत्र के सामाजिक-आर्थिक वातावरण पर सकारात्मक प्रभाव पड़ेगा और क्षेत्र के सतत विकास को बढावा मिलेगा।
